

MIAMI QUAY II

SALES BROCHURE

售樓說明書

MIAMI QUAY II

01 NOTES TO PURCHASERS OF FIRST-HAND RESIDENTIAL PROPERTIES

一手住宅物業買家須知

You are advised to take the following steps before purchasing first-hand residential properties.

For all first-hand residential properties

1. Important information

- Make reference to the materials available on the Sales of First-hand Residential Properties Electronic Platform (SRPE) (www.srpe.gov.hk) on the first-hand residential property market.
- Study the information on the website designated by the vendor for the development, including the sales brochure, price lists, documents containing the sales arrangements, and the register of transactions of a development.
- Sales brochure for a development will be made available to the general public at least 7 days immediately before a date of sale while price list and sales arrangements will be made available at least 3 days immediately before the date of sale.
- Information on transactions can be found on the register of transactions on the website designated by the vendor for the development and the SRPE.

2. Fees, mortgage loan and property price

- Calculate the total expenses of the purchase, such as solicitors' fees, mortgage charges, insurance fees and stamp duties.
- Check with banks to find out if you will be able to obtain the needed mortgage loan, select the appropriate payment method and calculate the amount of the mortgage loan to ensure it is within your repayment ability.
- Check recent transaction prices of comparable properties for comparison.
- Check with the vendor or the estate agent the estimated management fee, the amount of management fee payable in advance (if any), special fund payable (if any), the amount of reimbursement of the deposits for water, electricity and gas (if any), and/or the amount of debris removal fee (if any) you have to pay to the vendor or the manager of the development.

3. Price list, payment terms and other financial incentives

- Vendors may not offer to sell all the residential properties that are covered in a price list. To know which residential properties the vendors may offer to sell, pay attention to the sales arrangements which will be announced by the

vendors at least 3 days before the relevant residential properties are offered to be sold.

- Pay attention to the terms of payment as set out in a price list. If there are discounts on the price, gift, or any financial advantage or benefit to be made available in connection with the purchase of the residential properties, such information will also be set out in the price list.
- If you intend to opt for any mortgage loan plans offered by financial institutions specified by the vendor, before entering into a preliminary agreement for sale and purchase (PASP), you must study the details of various mortgage loan plans¹ as set out in the price list concerned. If you have any questions about these mortgage loan plans, you should check with the financial institutions concerned direct before entering into a PASP.

4. Property area and its surroundings

- Pay attention to the area information in the sales brochure and price list, and price per square foot/metre in the price list. According to the Residential Properties (First-hand Sales) Ordinance (Cap. 621) (the Ordinance), vendors can only present the area and price per square foot and per square metre of a residential property using saleable area. Saleable area, in relation to a residential property, means the floor area of the residential property, and includes the floor area of every one of the following to the extent that it forms part of the residential property - (i) a balcony; (ii) a utility platform; and (iii) a verandah. The saleable area excludes the area of the following which forms part of the residential property - air-conditioning plant room; bay window; cockloft; flat roof; garden; parking space; roof; stairhood; terrace and yard.

¹ The details of various mortgage loan plans include the requirements for mortgagors on minimum income level, the loan limit under the first mortgage and second mortgage, the maximum loan repayment period, the change of mortgage interest rate throughout the entire repayment period, and the payment of administrative fees.

² According to section 10(2)(d) in Part 1 of Schedule 1 to the Ordinance, each of the floor plans of the residential properties in the development in the sales brochure must state the following -
(i) the external dimensions of each residential property;
(ii) the internal dimensions of each residential property;
(iii) the thickness of the internal partitions of each residential property;
(iv) the external dimensions of individual compartments in each residential property.

According to section 10(3) in Part 1 of Schedule 1 to the Ordinance, if any information required by section 10(2)(d) in Part 1 of Schedule 1 to the Ordinance is provided in the approved building plans for the development, a floor plan must state the information as so provided.

- Floor plans of all residential properties in the development have to be shown in the sales brochure. In a sales brochure, floor plans of residential properties in the development must state the external and internal dimensions of each residential property². The external and internal dimensions of residential properties as provided in the sales brochure exclude plaster and finishes. You are advised to note this if you want to buy furniture before handing over of the residential property.
- Visit the development site and get to know the surroundings of the property (including transportation and community facilities). Check town planning proposals and decisions which may affect the property. Take a look at the location plan, aerial photograph, outline zoning plan and cross-section plan that are provided in the sales brochure.

5. Sales brochure

- Ensure that the sales brochure obtained is the latest version. According to the Ordinance, the sales brochure made available to the public should be printed or examined, or examined and revised within the previous 3 months.
- In respect of an uncompleted development, the vendor may alter the building plans (if any) whenever the vendor considers necessary. To know the latest information of an uncompleted development, keep paying attention to any revised sales brochures made available by the vendor.
- Read through the sales brochure and in particular, check the following information in the sales brochure -
 - whether there is a section on "relevant information" in the sales brochure, under which information on any matter that is known to the vendor but is not known to the general public, and is likely to materially affect the enjoyment of a residential property will be set out. Please note that information contained in a document that has been registered with the Land Registry will not be regarded as "relevant information";
 - the cross-section plan showing a cross-section of the building in relation to every street adjacent to the building, and the level of every such street in relation to a known datum and to the level of the lowest residential floor of the building. This will help you visualize the difference in height between the lowest residential floor of a building and the street level, regardless of how that lowest residential floor is named;
 - interior and exterior fittings and finishes and appliances;
 - the basis on which management fees are shared;
 - whether individual owners have obligations or need

01 NOTES TO PURCHASERS OF FIRST-HAND RESIDENTIAL PROPERTIES

一手住宅物業買家須知

to share the expenses for managing, operating and maintaining the public open space or public facilities inside or outside the development, and the location of the public open space or public facilities; and

- whether individual owners have responsibility to maintain slopes.

6. Government land grant and deed of mutual covenant (DMC)

- Read the Government land grant and the DMC (or the draft DMC). Information such as ownership of the rooftop and external walls can be found in the DMC. The vendor will provide copies of the Government land grant and the DMC (or the draft DMC) at the place where the sale is to take place for free inspection by prospective purchasers.
- Check the Government land grant on whether individual owners are liable to pay Government rent.
- Check the DMC on whether animals can be kept in the residential property.

7. Information on Availability of Residential Properties for Selection at Sales Office

- Check with the vendor which residential properties are available for selection. If a “consumption table” is displayed by the vendor at the sales office, you may check from the table information on the progress of sale on a date of sale, including which residential properties are offered for sale at the beginning of that date of sale and which of them have been selected and sold during that date of sale.
- Do not believe in rumours about the sales condition of the development and enter into a PASP rashly.

8. Register of Transactions

- Pay attention to the register of transactions for a development. A vendor must, within 24 hours after entering into a PASP with a purchaser, enter transaction information of the PASP in the register of transactions. The vendor must, within 1 working day after entering into an agreement for sale and purchase (ASP), enter transaction information of the ASP in the register of transactions. Check the register of transactions for the concerned development to learn more about the sales condition of the development.
- Never take the number of registrations of intent or cashier orders a vendor has received for the purpose of registration as an indicator of the sales volume of a development. The register of transactions for a development is the most reliable source of information from which members

of the public can grasp the daily sales condition of the development.

9. Agreement for sale and purchase

- Ensure that the PASP and ASP include the mandatory provisions as required by the Ordinance.
- Pay attention that fittings, finishes and appliances to be included in the sale and purchase of the property are inserted in the PASP and ASP.
- Pay attention to the area plan annexed to the ASP which shows the total area which the vendor is selling to you. The total area which the vendor is selling to you is normally greater than the saleable area of the property.
- Pay attention to the vendor's right to alter the building plans (if any) for an uncompleted development. The mandatory provisions to be incorporated in an ASP for uncompleted development as required by the Ordinance include a provision requiring the vendor to notify the purchaser in writing of such alteration if the same affects in any way the property within 14 days after its having been approved by the Building Authority.
- A preliminary deposit of **5%** of the purchase price is payable by you to the owner (i.e. the seller) on entering into a PASP.
- If you do not execute the ASP within **5 working days** (working day means a day that is not a general holiday or a Saturday or a black rainstorm warning day or gale warning day) after entering into the PASP, the PASP is terminated, the preliminary deposit (i.e. 5% of the purchase price) is forfeited, and the owner (i.e. the seller) does not have any further claim against you for not executing the ASP.
- If you execute the ASP within 5 working days after the signing of the PASP, the owner (i.e. the seller) must execute the ASP within 8 working days after entering into the PASP.
- The deposit should be made payable to the solicitors' firm responsible for stakeholding purchasers' payments for the property.

10. Expression of intent of purchasing a residential property

- Note that vendors (including their authorized representative(s)) should not seek or accept any specific or general expression of intent of purchasing any residential property before the relevant price lists for such properties are made available to the public. You therefore should not make such an offer to the vendors or their authorized representative(s).
- Note that vendors (including their authorized representative(s)) should not seek or accept any specific expression of intent

of purchasing a particular residential property before the sale of the property has commenced. You therefore should not make such an offer to the vendors or their authorized representative(s).

11. Appointment of estate agent

- Note that if the vendor has appointed one or more than one estate agents to act in the sale of any specified residential property in the development, the price list for the development must set out the name of all the estate agents so appointed as at the date of printing of the price list.
- You may appoint any estate agent (not necessarily from those estate agency companies appointed by the vendor) to act in the purchase of any specified residential property in the development, and may also not appoint any estate agent to act on your behalf.
- Before you appoint an estate agent to look for a property, you should -
 - find out whether the agent will act on your behalf only. If the agent also acts for the vendor, he/she may not be able to protect your best interests in the event of a conflict of interest;
 - find out whether any commission is payable by you to the estate agent and, if so, its amount and the time of payment; and
 - note that only licensed estate agents or salespersons may accept your appointment. If in doubt, you should request the estate agent or salesperson to produce his/her Estate Agent Card, or check the Licence List on the Estate Agents Authority website: www.eaa.org.hk.

12. Appointment of solicitor

- Consider appointing your own solicitor to protect your interests. If the solicitor also acts for the vendor, he/she may not be able to protect your best interests in the event of a conflict of interest.
- Compare the charges of different solicitors.

For first-hand uncompleted residential properties

13. Pre-sale Consent

- For uncompleted residential property under the Lands Department Consent Scheme, seek confirmation from the vendor whether the “Pre-sale Consent” has been issued by the Lands Department for the development.

14. Show flats

- While the vendor is not required to make any show flat available for viewing by prospective purchasers or the general public, if the vendor wishes to make available show flats of a specified residential property, the vendor must first of all make available an unmodified show flat of that residential property and that, having made available such unmodified show flat, the vendor may then make available a modified show flat of that residential property. In this connection, the vendor is allowed to make available more than one modified show flat of that residential property.
- If you visit the show flats, you should always look at the unmodified show flats for comparison with the modified show flats. That said, the Ordinance does not restrict the discretion of the vendor in arranging the sequence of the viewing of unmodified and modified show flats.
- Sales brochure of the development should have been made available to the public when the show flat is made available for viewing. You are advised to get a copy of the sales brochure and make reference to it when viewing the show flats.
- You may take measurements in modified and unmodified show flats, and take photographs or make video recordings of unmodified show flats, subject to reasonable restriction(s) which may be set by the vendor for ensuring safety of the persons viewing the show flat.

For first-hand uncompleted residential properties and completed residential properties pending compliance

15. Estimated material date and handing over date

- Check the estimated material date³ for the development in the sales brochure.
 - The estimated material date for a development in the sales brochure is not the same as the date on which a residential property is handed over to purchaser. The latter is normally later than the former. However, the handing over date may be earlier than the estimated material date set out in the sales brochure in case of earlier completion of the development.

³ Generally speaking, “material date” means the date on which the conditions of the land grant are complied with in respect of the development, or the date on which the development is completed in all respects in compliance with the approved building plans or the conditions subject to which the certificate of exemption is issued. For details, please refer to section 2 of the Ordinance.

- Handing over date
 - The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision requiring the vendor to apply in writing for an Occupation Document/a Certificate of Compliance or the Director of Lands' Consent to Assign (as the case may be) in respect of the development within 14 days after the estimated material date as stipulated in the ASP.
 - For development subject to the Lands Department Consent Scheme, the vendor is required to notify the purchaser in writing that the vendor is in a position validly to assign the property within one month after the issue of the Certificate of Compliance or the Consent to Assign, whichever first happens; or
 - For development not subject to the Lands Department Consent Scheme, the vendor is required to notify the purchaser in writing that the vendor is in a position validly to assign the property within 6 months after the issue of the Occupation Document including Occupation Permit.
 - The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision requiring completion of the sale and purchase within 14 days after the date of the notification aforesaid. Upon completion, the vendor shall arrange handover of the property to the purchaser.
- Authorized Person (AP) may grant extension(s) of time for completion of the development beyond the estimated material date.
 - The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision that the AP of a development may grant an extension of time for completion of the development beyond the estimated material date having regard to delays caused exclusively by any one or more of the following reasons:
 - strike or lock-out of workmen;
 - riots or civil commotion;
 - force majeure or Act of God;
 - fire or other accident beyond the vendor's control;
 - war; or
 - inclement weather.
 - The AP may grant more than once such an extension of time depending on the circumstances. That means handover of the property may be delayed.
 - The mandatory provisions to be incorporated in an ASP as required by the Ordinance also include a provision

requiring the vendor to, within 14 days after the issue of an extension of time granted by the AP, furnish the purchaser with a copy of the relevant certificate of extension.

- Ask the vendor if there are any questions on handing over date.

For first-hand completed residential properties

16. Vendor's information form

- Ensure that you obtain the “vendor's information form(s)” printed within the previous 3 months in relation to the residential property/properties you intend to purchase.

17. Viewing of property

- Ensure that, before you purchase a residential property, you are arranged to view the residential property that you would like to purchase or, if it is not reasonably practicable to view the property in question, a comparable property in the development, unless you agree in writing that the vendor is not required to arrange such a comparable property for viewing for you. You are advised to think carefully before signing any waiver.
- You may take measurements, take photographs or make video recordings of the property, unless the property is held under a tenancy or reasonable restriction(s) is/are needed to ensure safety of the persons viewing the property.

For complaints and enquiries relating to the sales of first-hand residential properties by the vendors which the Ordinance applies, please contact the Sales of First-hand Residential Properties Authority -

| | |
|-----------|--|
| Website | : www.srpa.gov.hk |
| Telephone | : 2817 3313 |
| Email | : enquiry_srpa@hd.gov.hk |
| Fax | : 2219 2220 |

Other useful contacts:

Consumer Council

| | |
|-----------|--|
| Website | : www.consumer.org.hk |
| Telephone | : 2929 2222 |
| Email | : cc@consumer.org.hk |
| Fax | : 2856 3611 |

Estate Agents Authority

| | |
|-----------|--|
| Website | : www.eaa.org.hk |
| Telephone | : 2111 2777 |
| Email | : enquiry@eaa.org.hk |
| Fax | : 2598 9596 |

Real Estate Developers Association of Hong Kong

| | |
|-----------|-------------|
| Telephone | : 2826 0111 |
| Fax | : 2845 2521 |

Sales of First-hand Residential Properties Authority

March 2023

01 NOTES TO PURCHASERS OF FIRST-HAND RESIDENTIAL PROPERTIES

一手住宅物業買家須知

您在購置一手住宅物業之前，應留意下列事項：

適用於所有一手住宅物業

1. 重要資訊

- 瀏覽一手住宅物業銷售資訊網（下稱「銷售資訊網」）（網址：www.srpe.gov.hk），參考「銷售資訊網」內有關一手住宅物業的市場資料。
- 閱覽賣方就該發展項目所指定的互聯網網站內的有關資訊，包括售樓說明書、價單、載有銷售安排的文件，及成交紀錄冊。
- 發展項目的售樓說明書，會在該項目的出售日期前最少七日向公眾發布，而有關價單和銷售安排，亦會在該項目的出售日期前最少三日公布。
- 在賣方就有關發展項目所指定的互聯網網站，以及「銷售資訊網」內，均載有有關物業成交資料的成交紀錄冊，以供查閱。

2. 費用、按揭貸款和樓價

- 計算置業總開支，包括律師費、按揭費用、保險費，以及印花稅。
- 向銀行查詢可否取得所需的按揭貸款，然後選擇合適的還款方式，並小心計算按揭貸款金額，以確保貸款額沒有超出本身的負擔能力。
- 查閱同類物業最近的成交價格，以作比較。
- 向賣方或地產代理瞭解，您須付予賣方或該發展項目的管理人的預計的管理費、管理費上期金額（如有）、特別基金金額（如有）、補還的水、電力及氣體按金（如有），以及/或清理廢料的費用（如有）。

3. 價單、支付條款，以及其他財務優惠

- 賣方未必會把價單所涵蓋的住宅物業悉數推售，因此應留意有關的銷售安排，以了解賣方會推售的住宅物業為何。賣方會在有關住宅物業推售日期前最少三日公布銷售安排。
- 留意價單所載列的支付條款。倘買家可就購置有關住宅物業而連帶獲得價格折扣、贈品，或任何財務優惠或利益，上述資訊亦會在價單內列明。
- 如您擬選用由賣方指定的財務機構提供的各類按揭貸款計劃，在簽訂臨時買賣合約前，應先細閱有關價單內列出的按揭貸款計劃資料¹。如就該些按揭貸款計劃的詳情有任何疑問，應在簽訂臨時買賣合約前，直接向有關財務機構查詢。

4. 物業的面積及四周環境

- 留意載於售樓說明書和價單內的物業面積資料，以及載於價單內的每平方呎/每平方米售價。根據《一手住宅物業銷售條例》（第621章）（下稱「條例」），賣方只可以實用面積表達住宅物業的面積和每平方呎及平方米的售價。就住宅物業而言，實用面積指該住宅物業的樓面面積，包括在構成該物業的一部分的範圍內的以下每一項目的樓面面積：(i)露台；(ii)工作平台；以及(iii)陽台。實用面積並不包括空調機房、窗台、閣樓、平台、花園、停車位、天台、梯屋、前庭及庭院的每一項目的面積，即使該些項目構成該物業的一部分的範圍。
- 售樓說明書必須顯示發展項目中所有住宅物業的樓面平面圖。在售樓說明書所載有關發展項目中住宅物業的每一份樓面平面圖，均須述明每個住宅物業的外部及內部尺寸²。售樓說明書所提供有關住宅物業外部和內部的尺寸，不會把批盪和裝飾物料包括在內。買家收樓前如欲購置家具，應留意這點。
- 親臨發展項目的所在地實地視察，以了解有關物業的四周環境（包括交通和社區設施）；亦應查詢有否任何城市規劃方案和議決，會對有關的物業造成影響；參閱載於售樓說明書內的位置圖、鳥瞰照片、分區計劃大綱圖，以及橫截面圖。

5. 售樓說明書

- 確保所取得的售樓說明書屬最新版本。根據條例，提供予公眾的售樓說明書必須是在之前的三個月之內印製或檢視、或檢視及修改。
- 如屬未落成發展項目，賣方在認為有需要時可改動建築圖則（如有的話），因此應留意由賣方提供的任何經修改的售樓說明書，以了解有關未落成發展項目的最新資料。
- 閱覽售樓說明書，並須特別留意以下資訊：
 - 售樓說明書內有否關於「有關資料」的部分，列出賣方知悉但並非為一般公眾人士所知悉，關於相當可能對享用有關住宅物業造成重大影響的事宜的資料。請

1 按揭貸款計劃的資料包括有關按揭貸款計劃對借款人的最低收入的要求、就第一按揭連同第二按揭可獲得的按揭貸款金額上限、最長還款年期、整個還款期內的按揭利率變化，以及申請人須繳付的手續費。

2 根據條例附表1第1部第10(2)(d)條述明，售樓說明書內顯示的發展項目中的住宅物業的每一份樓面平面圖須述明以下各項－

- (i) 每個住宅物業的外部尺寸；
- (ii) 每個住宅物業的內部尺寸；
- (iii) 每個住宅物業的內部間隔的厚度；
- (iv) 每個住宅物業內個別分隔室的外部尺寸。

根據條例附表1第1部第10(3)條，如有關發展項目的經批准的建築圖則，提供條例附表1第1部第10(2)(d)條所規定的資料，樓面平面圖須述明如此規定的該資料。

注意，已在土地註冊處註冊的文件，其內容不會被視為「有關資料」；

- 橫截面圖會顯示有關建築物相對毗連該建築物的每條街道的橫截面，以及每條上述街道與已知基準面和該建築物最低的一層住宅樓層的水平相對的水平。橫截面圖能以圖解形式，顯示出建築物最低一層住宅樓層和街道水平的高低差距，不論該最低住宅樓層以何種方式命名；
- 室內和外部的裝置、裝修物料和設備；
- 管理費按甚麼基準分擔；
- 小業主有否責任或需要分擔管理、營運或維持有關發展項目以內或以外的公眾休憩用地或公共設施的開支，以及有關公眾休憩用地或公共設施的位置；以及
- 小業主是否須要負責維修斜坡。

6. 政府批地文件和公契

- 閱覽政府批地文件和公契（或公契擬稿）。公契內載有天台和外牆業權等相關資料。賣方會在售樓處提供政府批地文件和公契（或公契擬稿）的複本，供準買家免費閱覽。
- 留意政府批地文件內所訂明小業主是否須要負責支付地稅。
- 留意公契內訂明有關物業內可否飼養動物。

7. 售樓處內有關可供揀選住宅物業的資料

- 向賣方查詢清楚有哪些一手住宅物業可供揀選。若賣方在售樓處內展示「消耗表」，您可從該「消耗表」得悉在每個銷售日的銷售進度資料，包括在該個銷售日開始時有哪些住宅物業可供出售，以及在該個銷售日內有哪些住宅物業已獲揀選及售出。
- 切勿隨便相信有關發展項目銷情的傳言，倉卒簽立臨時買賣合約。

8. 成交紀錄冊

- 留意發展項目的成交紀錄冊。賣方須於臨時買賣合約訂立後的24小時內，於紀錄冊披露該臨時買賣合約的資料，以及於買賣合約訂立後一個工作天內，披露該買賣合約的資料。您可透過成交紀錄冊得悉發展項目的銷售情況。
- 切勿將賣方接獲用作登記的購樓意向書或本票的數目視為銷情指標。發展項目的成交紀錄冊才是讓公眾掌握發展項目每日銷售情況的最可靠資料來源。

9. 買賣合約

- 確保臨時買賣合約和買賣合約包含條例所規定的強制性條文。

01 NOTES TO PURCHASERS OF FIRST-HAND RESIDENTIAL PROPERTIES

一手住宅物業買家須知

- 留意有關物業買賣交易所包括的裝置、裝修物料和設備，須在臨時買賣合約和買賣合約上列明。
- 留意夾附於買賣合約的圖則。該圖則會顯示所有賣方售予您的物業面積，而該面積通常較該物業的實用面積為大。
- 留意賣方有權改動未落成發展項目的建築圖則（如有的話）。如屬未落成發展項目，條例規定物業的買賣合約須載有強制性條文，列明如有關改動在任何方面對該物業造成影響，賣方須在改動獲建築事務監督批准後的14日內，將該項改動以書面通知買家。
- 訂立臨時買賣合約時，您須向擁有人（即賣方）支付樓價**5%**的臨時訂金。
- 如您在訂立臨時買賣合約後**五個工作日**（工作日指並非公眾假日、星期六、黑色暴雨警告日或烈風警告日的日子）之內，沒有簽立買賣合約，該臨時買賣合約即告終止，有關臨時訂金（即樓價的5%）會被沒收，而擁有人（即賣方）不得因您沒有簽立買賣合約而對您提出進一步申索。
- 在訂立臨時買賣合約後的五個工作日之內，倘您簽立買賣合約，則擁有人（即賣方）必須在訂立該臨時買賣合約後的八個工作日之內簽立買賣合約。
- 有關的訂金，應付予負責為所涉物業擔任保證金保存人的律師事務所。

10. 表達購樓意向

- 留意在賣方（包括其獲授權代表）就有關住宅物業向公眾提供價單前，賣方不得尋求或接納任何對有關住宅物業的購樓意向（不論是否屬明確選擇購樓意向）。因此您不應向賣方或其授權代表提出有關意向。
- 留意在有關住宅物業的銷售開始前，賣方（包括其獲授權代表）不得尋求或接納任何對該物業的有明確選擇購樓意向。因此您不應向賣方或其授權代表提出有關意向。

11. 委託地產代理

- 留意倘賣方委任一個或多於一個地產代理，以協助銷售其發展項目內任何指明住宅物業，該發展項目的價單必須列明在價單印刷日期當日所有獲委任為地產代理的姓名/名稱。
- 您可委託任何地產代理（不一定是賣方所指定的地產代理），以協助您購置發展項目內任何指明住宅物業；您亦可不委託任何地產代理。
- 委託地產代理以物色物業前，您應該 -
 - 了解該地產代理是否只代表您行事。該地產代理若同時代表賣方行事，倘發生利益衝突，未必能夠保障您的最大利益；
 - 了解您須否支付佣金予該地產代理。若須支付，有關的佣金金額和支付日期為何；以及
 - 留意只有持牌地產代理或營業員才可以接受您的委

託。如有疑問，應要求該地產代理或營業員出示其「地產代理證」，或瀏覽地產代理監管局的網頁（網址：www.eaa.org.hk），查閱牌照目錄。

12. 委聘律師

- 考慮自行委聘律師，以保障您的利益。該律師若同時代表賣方行事，倘發生利益衝突，未必能夠保障您的最大利益。
- 比較不同律師的收費。

適用於一手未落成住宅物業

13. 預售樓花同意書

- 洽購地政總署「預售樓花同意方案」下的未落成住宅物業時，應向賣方確認地政總署是否已就該發展項目批出「預售樓花同意書」。

14. 示範單位

- 賣方不一定須設置示範單位供準買家或公眾參觀，但賣方如為某指明住宅物業設置示範單位，必須首先設置該住宅物業的無改動示範單位，才可設置該住宅物業的經改動示範單位，並可以就該住宅物業設置多於一個經改動示範單位。
- 參觀示範單位時，務必視察無改動示範單位，以便與經改動示範單位作出比較。然而，條例並沒有限制賣方安排參觀無改動示範單位及經改動示範單位的先後次序。
- 賣方設置示範單位供公眾參觀時，應已提供有關發展項目的售樓說明書。因此，緊記先行索取售樓說明書，以便在參觀示範單位時參閱相關資料。
- 您可以在無改動示範單位及經改動示範單位中進行量度，並在無改動示範單位內拍照或拍攝影片，惟在確保示範單位參觀者人身安全的前提下，賣方可能會設定合理的限制。

適用於一手未落成住宅物業及尚待符合條件的已落成住宅物業

15. 預計關鍵日期及收樓日期

- 查閱售樓說明書中有關發展項目的預計關鍵日期³。
 - 售樓說明書中有關發展項目的預計關鍵日期並不同買家的「收樓日期」。買家的「收樓日期」一般會較發展項目的預計關鍵日期遲。然而，假若發展項目比預期早落成，「收樓日期」可能會較售樓說明書列出的預計關鍵日期為早。

³ 一般而言，「關鍵日期」指該項目符合批地文件的條件的日期，或該項目在遵照經批准的建築圖則的情況下或按照豁免證明書的發出的條件在各方面均屬完成的日期。有關詳情請參閱條例第2條。

• 收樓日期

- 條例規定買賣合約須載有強制性條文，列明賣方須於買賣合約內列出的預計關鍵日期後的14日內，以書面為發展項目申請佔用文件、合格證明書，或地政總署署長的轉讓同意（視屬何種情況而定）。
 - 如發展項目屬地政總署預售樓花同意方案所規管，賣方須在合格證明書或地政總署署長的轉讓同意發出後的一個月內（以較早者為準），就賣方有能力有效地轉讓有關物業一事，以書面通知買家；或
 - 如發展項目並非屬地政總署預售樓花同意方案所規管，賣方須在佔用文件（包括佔用許可證）發出後的六個月內，就賣方有能力有效地轉讓有關物業一事，以書面通知買家。
- 條例規定買賣合約須載有強制性條文，列明有關物業的買賣須於賣方發出上述通知的日期的14日內完成。有關物業的買賣完成後，賣方將安排買家收樓事宜。
- 認可人士可批予在預計關鍵日期之後完成發展項目
 - 條例規定買賣合約須載有強制性條文，列明發展項目的認可人士可以在顧及純粹由以下一個或多於一個原因所導致的延遲後，批予在預計關鍵日期之後，完成發展項目：
 - 工人罷工或封閉工地；
 - 暴動或內亂；
 - 不可抗力或天災；
 - 火警或其他賣方所不能控制的意外；
 - 戰爭；或
 - 惡劣天氣。
 - 發展項目的認可人士可以按情況，多於一次批予延後預計關鍵日期以完成發展項目，即收樓日期可能延遲。
 - 條例規定買賣合約須載有強制性條文，列明賣方須於認可人士批予延期後的14日內，向買家提供有關延期證明書的文本。
- 如對收樓日期有任何疑問，可向賣方查詢。

適用於一手已落成住宅物業

16. 賣方資料表格

- 確保取得最近三個月內印製有關您擬購買的一手已落成住宅物業的「賣方資料表格」。

17. 參觀物業

- 購置住宅物業前，確保已獲安排參觀您打算購置的住宅物業。倘參觀有關物業並非合理地切實可行，則應參觀與有

01 NOTES TO PURCHASERS OF FIRST-HAND RESIDENTIAL PROPERTIES

一手住宅物業買家須知

關物業相若的物業，除非您以書面同意賣方無須開放與有關物業相若的物業供您參觀。您應仔細考慮，然後才決定是否簽署豁免上述規定的書面同意。

- 除非有關物業根據租約持有，或為確保物業參觀者的人身安全而須設定合理限制，您可以對該物業進行量度、拍照或拍攝影片。

任何與賣方銷售受條例所規管的一手住宅物業有關的投訴和查詢，請與一手住宅物業銷售監管局聯絡。

網址：www.srpa.gov.hk
電話：2817 3313
電郵：enquiry_srpa@hd.gov.hk
傳真：2219 2220

其他相關聯絡資料：

消費者委員會

網址：www.consumer.org.hk
電話：2929 2222
電郵：cc@consumer.org.hk
傳真：2856 3611

地產代理監管局

網址：www.eaa.org.hk
電話：2111 2777
電郵：enquiry@eaa.org.hk
傳真：2598 9596

香港地產建設商會

電話：2826 0111
傳真：2845 2521

一手住宅物業銷售監管局
2023年3月

02 INFORMATION ON THE PHASE

期數的資料

Name of the Phase of the Development:

Phase 2 of MIAMI QUAY (the "Development") is called "MIAMI QUAY II" (the "Phase")

Name of the street at which the Phase is situated and the street number allocated by the Commissioner of Rating and Valuation for the purpose of distinguishing the Phase

23 Shing Fung Road

Total number of storeys of each multi-unit building

Tower 5: 28 Storeys

Tower 6: 28 Storeys

Tower 8: 7 Storeys

Note:

- The above number of storeys includes B/F, G/F (for Tower 5, Tower 6 and Tower 8).
- The above number of storeys does not include transfer plate, Roof, Upper roof and Top roof.

Floor numbering in each multi-unit building as provided in the approved building plans for the Phase

Tower 5: B/F, G/F, 1/F to 3/F, 5/F to 12/F, 15/F to 23/F, 25/F to 30/F, Roof, Upper roof and Top roof.

Tower 6: B/F, G/F, 1/F to 3/F, 5/F to 12/F, 15/F to 23/F, 25/F to 30/F, Roof, Upper roof and Top roof.

Tower 8: B/F, G/F, 1/F to 3/F, 5/F to 6/F, Roof and Top roof.

Omitted floor numbers in each multi-unit building in which the floor numbering is not in consecutive order

Tower 5: 4/F, 13/F, 14/F and 24/F are omitted

Tower 6: 4/F, 13/F, 14/F and 24/F are omitted

Tower 8: 4/F is omitted

Refuge floors (if any) of each multi-unit building

Tower 5 and Tower 6: Roof

Tower 8: No Refuge Floor

發展項目的期數的名稱：

MIAMI QUAY（「發展項目」）的第2期稱為「MIAMI QUAY II」（「期數」）

期數所位於的街道名稱及由差餉物業估價署署長為識別期數的目的而編配的門牌號數
承豐道23號

每幢多單位建築物的樓層的總數

第5座：28層

第6座：28層

第8座：7層

備註：

- 上述樓層數目包括地庫、地下（第5座、第6座及第8座）。
- 上述樓層數目不包括轉換層、天台、上層天台及頂層天台。

期數的經批准的建築圖則所規定的每幢多單位建築物內的樓層號數

第5座：地庫、地下、1樓至3樓、5樓至12樓、15樓至23樓、25樓至30樓、天台、上層天台及頂層天台。

第6座：地庫、地下、1樓至3樓、5樓至12樓、15樓至23樓、25樓至30樓、天台、上層天台及頂層天台。

第8座：地庫、地下、1樓至3樓、5樓至6樓、天台及頂層天台。

每幢有不依連續次序的樓層號數的多單位建築物內被略去的樓層號數

第5座：不設4樓、13樓、14樓及24樓

第6座：不設4樓、13樓、14樓及24樓

第8座：不設4樓

每幢多單位建築物內的庇護層（如有的話）

第5座及第6座：天台

第8座：不設庇護層

03 INFORMATION ON VENDOR AND OTHERS INVOLVED IN THE PHASE

賣方及有參與期數的其他人的資料

Vendor

Voyage Mile Limited

Holding company of the Vendor

Galaxy Blossom Limited

Authorized Person for the Phase

Chan Wan Ming

The firm or corporation of which an Authorized Person for the Phase is a proprietor, director or employee in his or her professional capacity

P & T Architects Limited

Building contractor for the Phase

China Overseas Building Construction Limited

The firms of solicitors acting for the owner in relation to the sale of residential properties in the Phase

Baker & McKenzie

lu, Lai & Li

Any authorized institution that has made a loan, or has undertaken to provide finance, for the construction of the Phase

Bank of China (Hong Kong) Limited

BNP Paribas

Standard Chartered Bank (Hong Kong) Limited

Any other person who has made a loan for the construction of the Phase

Smart Time International Limited

NART Finance Limited

New World Finance Company Limited

Perfect Horizon Holdings Limited

賣方

Voyage Mile Limited

賣方的控權公司

Galaxy Blossom Limited

期數的認可人士

陳韻明

期數的認可人士以其專業身分擔任經營人、董事或僱員的商號或法團

巴馬丹拿建築師有限公司

期數的承建商

中國海外房屋工程有限公司

就期數中的住宅物業的出售而代表擁有人行事的律師事務所

貝克·麥堅時律師事務所

姚黎李律師行

已為期數的建造提供貸款或已承諾為該項建造提供融資的認可機構

中國銀行（香港）有限公司

BNP Paribas

渣打銀行（香港）有限公司

已為期數的建造提供貸款的任何其他人

聯泰國際有限公司

NART Finance Limited

新世界金融有限公司

Perfect Horizon Holdings Limited

04 RELATIONSHIP BETWEEN PARTIES INVOLVED IN THE PHASE

有參與期數的各方的關係

| | | |
|-----|---|-----------------------|
| (a) | The vendor or a building contractor for the Phase is an individual, and that vendor or contractor is an immediate family member of an authorized person for the Phase; 賣方或有關期數的承建商屬個人，並屬該期數的認可人士的家人； | Not applicable 不適用 |
| (b) | The vendor or a building contractor for the Phase is a partnership, and a partner of that vendor or contractor is an immediate family member of such an authorized person; 賣方或該期數的承建商屬合夥，而該賣方或承建商的合夥人屬上述認可人士的家人； | Not applicable 不適用 |
| (c) | The vendor or a building contractor for the Phase is a corporation, and a director or the secretary of that vendor or contractor (or a holding company of that vendor) is an immediate family member of such an authorized person; 賣方或該期數的承建商屬法團，而該賣方或承建商（或該賣方的控股公司）的董事或秘書屬上述認可人士的家人； | No 否 |
| (d) | The vendor or a building contractor for the Phase is an individual, and that vendor or contractor is an immediate family member of an associate of such an authorized person; 賣方或該期數的承建商屬個人，並屬上述認可人士的有聯繫人士的家人； | Not applicable 不適用 |
| (e) | The vendor or a building contractor for the Phase is a partnership, and a partner of that vendor or contractor is an immediate family member of an associate of such an authorized person; 賣方或該期數的承建商屬合夥，而該賣方或承建商的合夥人屬上述認可人士的有聯繫人士的家人； | Not applicable 不適用 |
| (f) | The vendor or a building contractor for the Phase is a corporation, and a director or the secretary of that vendor or contractor (or a holding company of that vendor) is an immediate family member of an associate of such an authorized person; 賣方或該期數的承建商屬法團，而該賣方或承建商（或該賣方的控股公司）的董事或秘書屬上述認可人士的有聯繫人士的家人； | No 否 |
| (g) | The vendor or a building contractor for the Phase is an individual, and that vendor or contractor is an immediate family member of a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the Phase; 賣方或該期數的承建商屬個人，並屬就該期數內的住宅物業的出售代表擁有人行事的律師事務所行事的經營人的家人； | Not applicable 不適用 |
| (h) | The vendor or a building contractor for the Phase is a partnership, and a partner of that vendor or contractor is an immediate family member of a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the Phase; 賣方或該期數的承建商屬合夥，而該賣方或承建商的合夥人屬就該期數內的住宅物業的出售代表擁有人行事的律師事務所行事的經營人的家人； | Not applicable 不適用 |
| (i) | The vendor or a building contractor for the Phase is a corporation, and a director or the secretary of that vendor or contractor (or a holding company of that vendor) is an immediate family member of a proprietor of such a firm of solicitors; 賣方或該期數的承建商屬法團，而該賣方或承建商（或該賣方的控股公司）的董事或秘書屬上述律師事務所的經營人的家人； | No 否 |
| (j) | The vendor, a holding company of the vendor, or a building contractor for the Phase, is a private company, and an authorized person for the Phase, or an associate of such an authorized person, holds at least 10% of the issued shares in that vendor, holding company or contractor; 賣方、賣方的控股公司或有關期數的承建商屬私人公司，而該期數的認可人士或該認可人士的有聯繫人士持有該賣方、控股公司或承建商最少10%的已發行股份； | No 否 |

| | | |
|-----|--|-----------------------|
| (k) | The vendor, a holding company of the vendor, or a building contractor for the Phase, is a listed company, and such an authorized person, or such an associate, holds at least 1% of the issued shares in that vendor, holding company or contractor; 賣方、賣方的控股公司或該期數的承建商屬上市公司，而上述認可人士或上述有聯繫人士持有該賣方、控股公司或承建商最少1%的已發行股份； | Not applicable 不適用 |
| (l) | The vendor or a building contractor for the Phase is a corporation, and such an authorized person, or such an associate, is an employee, director or secretary of that vendor or contractor or of a holding company of that vendor; 賣方或該期數的承建商屬法團，而上述認可人士或上述有聯繫人士屬該賣方、承建商或該賣方的控股公司的僱員、董事或秘書； | No 否 |
| (m) | The vendor or a building contractor for the Phase is a partnership, and such an authorized person, or such an associate, is an employee of that vendor or contractor; 賣方或該期數的承建商屬合夥，而上述認可人士或上述有聯繫人士屬該賣方或承建商的僱員； | Not applicable 不適用 |
| (n) | The vendor, a holding company of the vendor, or a building contractor for the Phase, is a private company, and a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the Phase holds at least 10% of the issued shares in that vendor, holding company or contractor; 賣方、賣方的控股公司或該期數的承建商屬私人公司，而就該期數中的住宅物業的出售而代表擁有人行事的律師事務所的經營人持有該賣方、控股公司或承建商最少10%的已發行股份； | No 否 |
| (o) | The vendor, a holding company of the vendor, or a building contractor for the Phase, is a listed company, and a proprietor of such a firm of solicitors holds at least 1% of the issued shares in that vendor, holding company or contractor; 賣方、賣方的控股公司或該期數的承建商屬上市公司，而上述律師事務所的經營人持有該賣方、控股公司或承建商最少1%的已發行股份； | Not applicable 不適用 |
| (p) | The vendor or a building contractor for the Phase is a corporation, and a proprietor of such a firm of solicitors is an employee, director or secretary of that vendor or contractor or of a holding company of that vendor; 賣方或該期數的承建商屬法團，而上述律師事務所的經營人屬該賣方或承建商或該賣方的控股公司的僱員、董事或秘書； | No 否 |
| (q) | The vendor or a building contractor for the Phase is a partnership, and a proprietor of such a firm of solicitors is an employee of that vendor or contractor; 賣方或該期數的承建商屬合夥，而上述律師事務所的經營人屬該賣方或承建商的僱員； | Not applicable 不適用 |
| (r) | The vendor or a building contractor for the Phase is a corporation, and the corporation of which an authorized person for the Phase is a director or employee in his or her professional capacity is an associate corporation of that vendor or contractor or of a holding company of that vendor; 賣方或該期數的承建商屬法團，而該期數的認可人士以其專業身分擔任董事或僱員的法團為該賣方或承建商或該賣方的控股公司的有聯繫法團； | No 否 |
| (s) | The vendor or a building contractor for the Phase is a corporation, and that contractor is an associate corporation of that vendor or of a holding company of that vendor. 賣方或該期數的承建商屬法團，而該承建商屬該賣方或該賣方的控股公司的有聯繫法團。 | No 否 |

05 INFORMATION ON DESIGN OF THE PHASE

期數的設計資料

There are non-structural prefabricated external walls forming part of the enclosing walls of the Phase.

期數有構成圍封牆的一部份的非結構的預製外牆。

The range of thickness of the non-structural prefabricated external walls of Tower 5 & Tower 6 of the Phase is 150mm.

期數的第5座及第6座的非結構的預製外牆之厚度範圍為150毫米。

The range of thickness of the non-structural prefabricated external walls of Tower 8 of the Phase is 150mm.

期數的第8座的非結構的預製外牆之厚度範圍為150毫米。

Schedule of total area of the non-structural prefabricated external walls of each residential property

每個住宅物業的非結構的預製外牆的總面積表

| Tower 座數 | Floor 樓層 | Flat 單位 | Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積（平方米） |
|----------------|-------------|------------|---|
| Tower 5 第5座 | 1/F 1樓 | A | - |
| | | B | - |
| | | E | - |
| | | F | - |
| | | J | 0.218 |
| | 2/F 2樓 | K | - |
| | | A | - |
| | | B | - |
| | | C | - |
| | | D | - |
| | | E | - |
| | | F | - |
| | | G | - |
| | | H | 0.212 |
| | | J | 0.230 |
| | | K | - |

Remark:

4/F, 13/F, 14/F and 24/F are omitted in Tower 5;

4/F, 13/F, 14/F and 24/F are omitted in Tower 6;

4/F is omitted in Tower 8

備註：

第5座不設4樓、13樓、14樓及24樓；

第6座不設4樓、13樓、14樓及24樓；

第8座不設4樓。

| Tower 座數 | Floor 樓層 | Flat 單位 | Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積（平方米） |
|----------------|--------------------|------------|---|
| Tower 5 第5座 | 3/F-29/F 3樓至29樓 | A | - |
| | | B | - |
| | | C | - |
| | | D | - |
| | | E | - |
| | | F | - |
| | | G | - |
| | | H | 0.212 |
| | | J | 0.230 |
| | | K | - |
| | 30/F 30樓 | A | - |
| | | B | - |
| | | C | - |
| | | D | - |
| | | E | - |
| | | F | - |
| | | G | - |
| | | H | 0.212 |
| | | J | 0.230 |
| | | K | - |

| Tower 座數 | Floor 樓層 | Flat 單位 | Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積（平方米） |
|----------------|------------------|------------|---|
| Tower 6 第6座 | 1/F 1樓 | J | 0.218 |
| | | K | - |
| | | L | 0.818 |
| | | M | - |
| | 2/F-7/F 2樓至7樓 | C | - |
| | | D | - |
| | | E | 0.248 |
| | | F | 0.289 |
| | | G | - |
| | | H | 0.806 |
| | | J | 0.218 |
| | | K | - |
| | | L | 0.818 |
| | | M | - |

| Tower 座數 | Floor 樓層 | Flat 單位 | Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積（平方米） |
|----------------|--------------------|------------|---|
| Tower 6 第6座 | 8/F-29/F 8樓至29樓 | A | - |
| | | B | - |
| | | C | - |
| | | D | - |
| | | E | 0.248 |
| | | F | 0.289 |
| | | G | - |
| | | H | 0.806 |
| | | J | 0.218 |
| | | K | - |
| | | L | 0.818 |
| | | M | - |
| | 30/F 30樓 | A | - |
| | | C | - |
| | | D | - |
| | | E | 0.248 |
| | | F | 0.289 |
| | | G | - |
| | | H | 0.806 |
| | | J | 0.218 |

| Tower 座數 | Floor 樓層 | Flat 單位 | Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積（平方米） |
|----------------|------------------|------------|---|
| Tower 8 第8座 | 1/F 1樓 | A | 0.630 |
| | | B | - |
| | | C | - |
| | | D | - |
| | 2/F-6/F 2樓至6樓 | E | 0.765 |
| | | A | 0.750 |
| | | B | - |
| | | C | - |
| | | D | - |
| | | E | 0.885 |

05 INFORMATION ON DESIGN OF THE PHASE

期數的設計資料

There are curtain walls forming part of the enclosing walls of the Phase.

期數有構成圍封牆的一部份的幕牆。

The range of thickness of curtain walls of Tower 5, Tower 6 & Tower 8 of the Phase is 200mm.

期數的第5座、第6座及第8座的幕牆之厚度範圍為200毫米。

Schedule of total area of the curtain walls of each residential property

每個住宅物業的幕牆的總面積表

| Tower 座數 | Floor 樓層 | Flat 單位 | Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米) |
|----------------|-------------|------------|--|
| Tower 5 第5座 | 1/F 1樓 | A | 1.639 |
| | | B | 1.155 |
| | | E | 0.633 |
| | | F | 1.045 |
| | | J | 0.670 |
| | | K | 0.720 |
| | | | |
| | 2/F 2樓 | A | 1.639 |
| | | B | 1.195 |
| | | C | 1.165 |
| | | D | 0.633 |
| | | E | 0.593 |
| | | F | 1.035 |
| | | G | 1.230 |
| | | H | 0.720 |
| | | J | 0.670 |
| | | K | 0.720 |

Remark:

4/F, 13/F, 14/F and 24/F are omitted in Tower 5;

4/F, 13/F, 14/F and 24/F are omitted in Tower 6;

4/F is omitted in Tower 8

備註：

第5座不設4樓、13樓、14樓及24樓；

第6座不設4樓、13樓、14樓及24樓；

第8座不設4樓。

| Tower 座數 | Floor 樓層 | Flat 單位 | Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米) |
|----------------|--------------------|------------|--|
| Tower 5 第5座 | 3/F-29/F 3樓至29樓 | A | 1.639 |
| | | B | 1.195 |
| | | C | 1.165 |
| | | D | 0.633 |
| | | E | 0.593 |
| | | F | 1.035 |
| | | G | 1.230 |
| | | H | 0.720 |
| | | J | 0.670 |
| | | K | 0.720 |
| | | | |
| | 30/F 30樓 | A | 1.639 |
| | | B | 1.195 |
| | | C | 1.165 |
| | | D | 0.633 |
| | | E | 0.593 |
| | | F | 1.035 |
| | | G | 1.230 |
| | | H | 0.720 |
| | | J | 0.670 |
| | | K | 0.720 |

| Tower 座數 | Floor 樓層 | Flat 單位 | Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米) |
|----------------|------------------|------------|--|
| Tower 6 第6座 | 1/F 1樓 | J | 0.480 |
| | | K | 0.680 |
| | | L | 1.370 |
| | | M | 0.395 |
| | 2/F-7/F 2樓至7樓 | C | 1.190 |
| | | D | 1.205 |
| | | E | 0.511 |
| | | F | 0.844 |
| | | G | 1.293 |
| | | H | 1.103 |
| | | J | 0.480 |
| | | K | 0.680 |
| | | L | 1.370 |
| | | M | 0.395 |

| Tower 座數 | Floor 樓層 | Flat 單位 | Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米) |
|----------------|--------------------|------------|--|
| Tower 6 第6座 | 8/F-29/F 8樓至29樓 | A | 1.298 |
| | | B | 1.136 |
| | | C | 1.190 |
| | | D | 1.205 |
| | | E | 0.511 |
| | | F | 0.844 |
| | | G | 1.293 |
| | | H | 1.103 |
| | | J | 0.480 |
| | | K | 0.680 |
| | | L | 1.370 |
| | | M | 0.395 |
| | 30/F 30樓 | A | 3.448 |
| | | C | 1.190 |
| | | D | 1.205 |
| | | E | 0.511 |
| | | F | 0.844 |
| | | G | 1.293 |
| | | H | 1.103 |
| | | J | 0.480 |

| Tower 座數 | Floor 樓層 | Flat 單位 | Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米) |
|----------------|------------------|------------|--|
| Tower 8 第8座 | 1/F 1樓 | A | 1.378 |
| | | B | 0.583 |
| | | C | 0.583 |
| | | D | 0.583 |
| | | E | 1.443 |
| | 2/F-6/F 2樓至6樓 | A | 1.378 |
| | | B | 0.583 |
| | | C | 0.583 |
| | | D | 0.583 |
| | | E | 1.443 |

06 INFORMATION ON PROPERTY MANAGEMENT


物業管理的資料

Miami Quay Property Management Company Limited is appointed as the Manager of the Phase under the deed of mutual covenant that has been executed.

根據已簽立的公契，獲委任為該期數的管理人為Miami Quay Property Management Company Limited。

07 LOCATION PLAN OF THE DEVELOPMENT







發展項目的所在位置圖





This Location Plan is prepared by the Vendor with reference to the Survey Sheet No. T11-NE-C dated 31st July, 2025 from Survey and Mapping Office of the Lands Department with adjustments where necessary.

此所在位置圖是由賣方參考2025年7月31日出版之地政總署測繪處之測繪圖（圖幅編號T11-NE-C）擬備，有需要處經修正處理。

Notation 圖例

-  Power plant (including electricity sub-stations)
發電廠（包括電力分站）
-  Hospital
醫院
-  Public convenience
公廁
-  Public utility installation
公用事業設施裝置
-  Public park
公園
-  Public transport terminal (including a rail station)
公共交通總站（包括鐵路車站）

 Location of the Development
發展項目的位置

Scale: 0M/米 250M/米
比例：

Notes:


- The Vendor advises prospective purchasers to conduct an on-site visit for a better understanding of the development site, its surrounding environment and the public facilities nearby.
- The plan may show more than the area required under the Residential Properties (First-hand Sales) Ordinance due to the technical reason that the boundary of the Development is irregular.
- The Map is provided by the CSDI Portal and intellectual property rights are owned by the Government of the HKSAR.

備註：

- 賣方建議準買家到該發展地盤作實地考察，以對該發展地盤、其周邊地區環境及附近的公共設施有較佳了解。
- 由於發展項目的邊界不規則的技術原因，此圖所顯示的範圍可能超過《一手住宅物業銷售條例》所規定的範圍。
- 地圖由空間數據共享平台提供，香港特別行政區政府為知識產權擁有人。

08 AERIAL PHOTOGRAPH OF THE PHASE

期數的鳥瞰照片



● Location of the Phase
期數的位置

Adopted from part of the aerial photograph taken by the Survey and Mapping Office, Lands Department at a flying height of 3,000 feet, photo no. E249494C, date of flight: 7th January, 2025.

摘錄自地政總署測繪處在3,000呎的飛行高度拍攝之鳥瞰照片，照片編號E249494C，飛行日期：2025年1月7日。

Survey and Mapping Office, Lands Department, The Government of HKSAR ©
Copyright reserved - reproduction by permission only.

香港特別行政區政府地政總署測繪處©版權所有，未經許可，不得複製。

The Aerial Photograph is provided by the CSDI Portal and intellectual property rights are owned by the Government of the HKSAR.

鳥瞰照片由空間數據共享平台提供，香港特別行政區政府為知識產權擁有人。

Notes:

1. Copy of the aerial photograph of the Phase is available for free inspection at the sales offices during opening hours.
2. The aerial photograph may show more than the area required under the Residential Properties (First-hand Sales) Ordinance due to technical reason that the boundary of the Phase is irregular.


備註：

1. 期數的鳥瞰照片之副本可於售樓處開放時間內免費查閱。
2. 由於期數的邊界不規則的技術原因，此鳥瞰照片所顯示的範圍可能超過《一手住宅物業銷售條例》所規定的範圍。

This page is left blank intentionally
此頁特意留白

09 OUTLINE ZONING PLAN RELATING TO THE DEVELOPMENT

關於發展項目的分區計劃大綱圖



Location of the Development
發展項目的位置

Scale : 0M/米
比例 : 500M/米

Notes:

1. The last updated Outline Zoning Plan and the attached schedule as at the date of printing of the sales brochure is available for free inspection at the sales office during opening hours.
2. The Vendor advises prospective purchasers to conduct an on-site visit for a better understanding of the development site, its surrounding environment and the public facilities nearby.
3. The plan may show more than the area required under the Residential Properties (First-hand Sales) Ordinance due to technical reason that the boundary of the Development is irregular.
4. The plan, prepared by the Planning Department under the direction of the Town Planning Board, is reproduced with the permission of the Director of Lands. ©The Government of Hong Kong SAR.

Adopted from part of the Approved Kai Tak Outline Zoning Plan, Plan No. S/K22/8, gazetted on 28th October, 2022, with adjustments where necessary as shown in red.

摘錄自2022年10月28日刊憲之啟德分區計劃大綱核准圖，圖則編號為S/K22/8，有需要處經修正處理，以紅色顯示。

Notation 圖例

Zones 地帶

- | | |
|-------|--|
| C | Commercial 商業 |
| R(B) | Residential (Group B) 住宅 (乙類) |
| G/IC | Government, Institution of Community 政府、機構或社區 |
| O | Open Space 休憩用地 |
| OU | Other Specified Uses 其他指定用途 |
| OU(A) | Other Specified Uses (Amenity Area) 其他指定用途 (美化市容地帶) |

Communications 交通

- | | |
|--|--|
| | Major Road and Junction 主要道路及路口 |
| | Elevated Road 高架道路 |
| | Pedestrian Precinct/Street 行人專用區或街道 |

Miscellaneous 其他


- | | |
|--|--|
| | Boundary of Planning Scheme 規劃範圍界線 |
| | Building Height Control Zone Boundary 建築物高度管制區界線 |
| | Maximum Building Height (In Metres Above Principal Datum) 最高建築物高度 (在主水平基上若干米) |
| | P F S Petrol Filling Station 加油站 |
| | Area Designated for Waterfront Promenade 指定為「海濱長廊」的地區 |
| | NBA Non-Building Area 非建築用地 |

備註：

1. 在印刷售樓說明書當日所適用的最近期分區計劃大綱圖及其附表，可於售樓處開放時間內免費查閱。
2. 賣方建議準買家到有關發展地盤作實地考察，以對該發展地盤、其周邊地區環境及附近的公共設施有較佳了解。
3. 由於發展項目的邊界不規則的技術原因，此圖所顯示的範圍可能超過《一手住宅物業銷售條例》所規定的範圍。
4. 此圖為規劃署遵照城市規劃委員會指示擬備，版權屬香港特別行政區政府，經地政總署准許複印。

09 OUTLINE ZONING PLAN RELATING TO THE DEVELOPMENT

關乎發展項目的分區計劃大綱圖



Adopted from part of the draft Ngau Tau Kok & Kowloon Bay Outline Zoning Plan, Plan No. S/K13/33, gazetted on 21st March, 2025, with adjustments where necessary as shown in red.

摘錄自2025年3月21日刊憲之牛頭角及九龍灣分區計劃大綱草圖，圖則編號為S/K13/33，有需要處經修正處理，以紅色顯示。

Notation 圖例

Zones 地帶

| | |
|----|--------------------------------|
| C | Commercial 商業 |
| O | Open Space 休憩用地 |
| OU | Other Specified Uses 其他指定用途 |

Miscellaneous 其他

| | |
|---------------|---|
| — • — | Boundary of Planning Scheme 規劃範圍界線 |
| — · — · — · — | Building Height Control Zone Boundary 建築物高度管制區界線 |
| △ 100 | Maximum Building Height (In Metres Above Principal Datum) 最高建築物高度（在主水平基上若干米） |

Communications 交通

| | |
|-------|--|
| ==+== | Major Road and Junction 主要道路及路口 |
| == | Elevated Road 高架道路 |
| == | Pedestrian Precinct/Street 行人專用區或街道 |

Location of the Development 發展項目的位置 Scale : 0M/米 500M/米
比例 :

Notes:

- The last updated Outline Zoning Plan and the attached schedule as at the date of printing of the sales brochure is available for free inspection at the sales office during opening hours.
- The Vendor advises prospective purchasers to conduct an on-site visit for a better understanding of the development site, its surrounding environment and the public facilities nearby.
- The plan may show more than the area required under the Residential Properties (First-hand Sales) Ordinance due to technical reason that the boundary of the Development is irregular.
- The plan, prepared by the Planning Department under the direction of the Town Planning Board, is reproduced with the permission of the Director of Lands. ©The Government of Hong Kong SAR.

備註：

- 在印刷售樓說明書當日所適用的最近期分區計劃大綱圖及其附表，可於售樓處開放時間內免費查閱。
- 賣方建議準買家到有關發展地盤作實地考察，以對該發展地盤、其周邊地區環境及附近的公共設施有較佳了解。
- 由於發展項目的邊界不規則的技術原因，此圖所顯示的範圍可能超過《一手住宅物業銷售條例》所規定的範圍。
- 此圖為規劃署遵照城市規劃委員會指示擬備，版權屬香港特別行政區政府，經地政總署准許複印。

發展項目的布局圖



Legend 圖例

| | | |
|----------------|--------------------------------|----------|
| ALUM. FINS | = ALUMINIUM FINS | = 鋁質裝飾線 |
| A.F. | = ARCHITECTURAL FEATURE | = 建築裝飾 |
| A/C HOOD | = AIR CONDITIONER HOOD | = 空調機遮簷 |
| A/C PLATFORM | = AIR CONDITIONER PLATFORM | = 空調機平台 |
| A.D. | = AIR DUCT | = 風管槽 |
| ALUM. CLADDING | = ALUMINIUM CLADDING | = 鋁質飾面板 |
| B. | = BATHROOM | = 浴室 |
| BAL. | = BALCONY | = 露台 |
| B.R. | = BEDROOM | = 睡房 |
| CD | = CABLE DUCT | = 電線管道 |
| DIN. | = DINING ROOM | = 飯廳 |
| DN | = DOWN | = 落 |
| ELE ROOM | = ELECTRIC ROOM | = 電線房 |
| EL. D. | = ELECTRICAL DUCT | = 電線槽 |
| ELV | = EXTRA LOW VOLTAGE CABLE DUCT | = 特低壓電線槽 |
| EMR | = ELECTRICAL METER ROOM | = 電錶房 |
| H.R. | = HOSE REEL | = 消防喉轆 |

| | | |
|----------------|--|---------------------|
| H/L | = HIGH LEVEL | = 高位 |
| KIT. | = KITCHEN | = 廚房 |
| LAV. | = LAVATORY | = 洗手間 |
| LIV. | = LIVING ROOM | = 客廳 |
| M.B. | = MASTER BATHROOM | = 主人浴室 |
| M.B.R. | = MASTER BEDROOM | = 主人睡房 |
| OPEN KIT. | = OPEN KITCHEN | = 開放式廚房 |
| OPEN KIT.* | = OPEN KITCHEN (*INDUCTION HOBS ONLY) | = 開放式廚房 (*只供電磁爐) |
| P.D. | = PIPE DUCT | = 管道 |
| PA. | = PLANTER | = 花槽 |
| R.C. PLINTH | = REINFORCED CONCRETE PLINTH | = 混凝土底座 |
| RS & MRR | = REFUSE STORAGE AND MATERIAL RECOVERY ROOM | = 垃圾及物料回收室 |
| STONE CLADDING | = STONE CLADDING | = 石製飾面板 |
| U.P. | = UTILITY PLATFORM | = 工作平台 |
| UTIL. | = UTILITY ROOM | = 工作間 |
| WMC | = WATER METER CABINET | = 水錶櫃 |

Notes applicable to the floor plans of this section:

1. There are architectural features, metal grilles and/or exposed pipes on the external walls of some of the floors. For details, please refer to the latest approved building plans.
2. Common pipes exposed and/or enclosed in cladding are located at/adjacent to the balcony and/or utility platform and/or roof and/or flat roof and/or air conditioner platform and/or external wall of some residential units. For details, please refer to the latest approved building plans and/or approved drainage plans.
3. There are sunken slabs (for mechanical & electrical services of units above) and/or ceiling bulkheads for the air-conditioning fittings and/or mechanical & electrical services at some residential units.
4. Balconies, utility platforms and air-conditioner platforms are non-enclosed areas.
5. The indications of fittings and fitments such as sinks, hobs, toilet bowls, wash basins, bathtubs etc. shown on the floor plans are indications of their approximate locations only and not indications of their actual size, designs and shapes.
6. Some air conditioner platform(s) outside the residential unit will be placed with air conditioner belonging to the unit. The location of these air conditioner may emit heat and/ or sound. The location of air conditioner of the Phase may be revised, subject to the approval of the relevant government authority. For details, please refer to the latest approved building plans.


適用於本章節所有平面圖的備註：

1. 部份樓層外牆設有建築裝飾、金屬格柵及/或外露喉管。詳細資料請參考最新批准的建築圖則。
2. 部份單位的露台及/或工作平台及/或天台及/或平台及/或空調機平台及/或外牆或其鄰近地方設有外露及/或內藏於飾板的公用喉管。詳細資料請參考最新批准的建築圖則及/或排水設施圖。
3. 部分住宅單位天花板有跌級樓板（用以安裝樓上單位之機電設備）及/或天花假陣內裝置空調裝備及/或其他機電設備。
4. 露台、工作平台及空調機平台為不可封閉的地方。
5. 樓面平面圖所示之裝置及設備如洗滌盤、煮食爐、坐廁、面盆、浴缸等只供展示其大約位置而非展示其實際大小、設計及形狀。
6. 部份住宅單位外的空調機平台將會放置該單位的一部或多部空調機室外機。該等空調機室外機的位置可能發出熱力及/或聲音。期數之空調機室外機的位置可能修改，並受制於相關政府部門之批准。詳細資料請參考最新批准的建築圖則。

11

期數的住宅物業的樓面平面圖

Tower 5 **1/F**
第5座 1樓



Scale: 0M/米 5M/米

比例： 

| | Tower 座數 | Floor 樓層 | Flat 單位 | | | | | |
|---|----------------|-------------|-------------------------|------------------------|------------------------|------------------------|------------------------------|------------------|
| | | | A | B | E | F | J | K |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 5 第5座 | 1/F 1樓 | 150 | 150 | 150 | 150 | 150 | 150 |
| The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）(毫米) | | | 3350, 3450, 3650, 3700, | 3350, 3450, 3650, 3700 | 3350, 3450, 3650, 3700 | 3350, 3450, 3650, 3700 | 3350, 3400, 3450, 3650, 3700 | 3350, 3650, 3700 |


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 5 **2/F**
第5座 **2樓**



Scale: 0M/米 5M/米
 比例:



| | Tower 座數 | Floor 樓層 | Flat 單位 | | | | | | | | | |
|---|----------------|-------------|------------|------|------|------|------|------|------|------|------|------|
| | | | A | B | C | D | E | F | G | H | J | K |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 5 第5座 | 2/F 2樓 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 |
| The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）(毫米) | | | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 |


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 5 3/F, 5/F-12/F, 15/F-23/F & 25/F-30/F
第5座 3樓、5樓至12樓、15樓至23樓及25樓至30樓



Scale: 0M/米 5M/米
 比例:

| | Tower 座數 | Floor 樓層 | Flat 單位 | | | | | | | | | |
|---|----------------|--|---------------------------------|---------------------------------|--|---------------------------------|---------------------------------|--|--|--|--|------------------------|
| | | | A | B | C | D | E | F | G | H | J | K |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 5 第5座 | 3/F, 5/F-12/F, 15/F-23/F & 25/F-29/F 3樓、5樓至12樓、 15樓至23樓及25樓至29樓 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 |
| | | 30/F 30樓 | 200, 450 | 200 | 200 | 200 | 200 | 200, 450 | 200 | 200 | 200 | 200 |
| 3/F, 5/F-12/F, 15/F-23/F & 25/F-28/F 3樓、5樓至12樓、 15樓至23樓及25樓至28樓 | | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | |
| 29/F 29樓 | | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | |
| The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米） | | 30/F 30樓 | 3400, 3450, 3650, 3750 | 3400, 3450, 3650, 3750 | 3400, 3450, 3650, 3700, 3800 | 3400, 3450, 3650, 3750 | 3400, 3450, 3650, 3750 | 3400, 3650, 3700, 3900, 4000 | 3400, 3650, 3700, 3900, 4000 | 3400, 3450, 3650, 3700, 3750 | 3400, 3450, 3650, 3700, 3750 | 3400, 3450, 3750 |

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: Not applicable to the Phase)

Notes:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：不適用於期數）

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 5 **Roof**
第5座 天台





| | Tower 座數 | Floor 樓層 | Flat 單位 | | |
|---|----------------|-------------|-----------------------|---|---|
| | | | A | B | K |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 5 第5座 | Roof 天台 | Not applicable 不適用 | | |
| The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米） | | | | | |

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: Not applicable to the Phase)


- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：不適用於期數）

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。



Tower 6 1/F
第6座 1樓



Scale: 0M/米 5M/米
比例:

| | Tower 座數 | Floor 樓層 | Flat 單位 | | | |
|---|----------------|-------------|------------------------|------------------------|------------------------|------------------|
| | | | J | K | L | M |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 6 第6座 | 1/F 1樓 | 150 | 150 | 150 | 150 |
| The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米） | | | 3350, 3450, 3650, 3700 | 3350, 3450, 3650, 3700 | 3350, 3400, 3450, 3700 | 3350, 3650, 3700 |


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 6 **2/F**
第6座 **2樓**



Scale: 0M/米 5M/米
 比例:

| | Tower 座數 | Floor 樓層 | Flat 單位 | | | | | | | | | |
|---|----------------|-------------|------------|------|------|------|------|------|------|------|------|------|
| | | | C | D | E | F | G | H | J | K | L | M |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 6 第6座 | 2/F 2樓 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 |
| The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米） | | | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 |


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 6 3/F
第6座 3樓



Scale: 0M/米 5M/米
比例:

| | Tower 座數 | Floor 樓層 | Flat 單位 | | | | | | | | | |
|---|----------------|-------------|------------|------|------|------|------|------|------|------|------|------|
| | | | C | D | E | F | G | H | J | K | L | M |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 6 第6座 | 3/F 3樓 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 |
| The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米） | | | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 |


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 6 **5/F**
第6座 5樓



Scale: 0M/米 5M/米
比例:

| | Tower 座數 | Floor 樓層 | Flat 單位 | | | | | | | | | |
|---|----------------|-------------|------------|------|------|------|------|------|------|------|------|------|
| | | | C | D | E | F | G | H | J | K | L | M |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 6 第6座 | 5/F 5樓 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 |
| The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米） | | | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 |


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 6 **6/F**
第6座 **6樓**



Scale: 0M/米 5M/米
 比例:

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

| | Tower 座數 | Floor 樓層 | Flat 單位 | | | | | | | | | |
|---|----------------|-------------|------------|------|------|------|------|------|------|------|------|------|
| | | | C | D | E | F | G | H | J | K | L | M |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 6 第6座 | 6/F 6樓 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 |
| The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米） | | | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 |


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 6 7/F
第6座 7樓



Scale: 0M/米 5M/米
比例:

| | Tower 座數 | Floor 樓層 | Flat 單位 | | | | | | | | | |
|---|----------------|-------------|------------|------|------|------|------|------|------|------|------|------|
| | | | C | D | E | F | G | H | J | K | L | M |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 6 第6座 | 7/F 7樓 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 |
| The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米） | | | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 |


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 6 8/F-12/F, 15/F-23/F & 25/F-29/F
第6座 8樓至12樓、15樓至23樓及25樓至29樓



Scale: 0M/米 5M/米
比例:

| | Tower 座數 | Floor 樓層 | Flat 單位 | | | | | | | | | | | |
|---|----------------|--|---|-------------|------|------|------|------|------|------|------|---|--|--|
| | | | A | B | C | D | E | F | G | H | J | K | L | M |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 6 第6座 | 8/F-12/F, 15/F-23/F & 25/F-28/F 8樓至12樓、 15樓至23樓及25樓至28樓 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 |
| | | 29/F 29樓 | 200, 500 | 200, 500 | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 200, 500 | 150, 200, 500 | 150, 200, 500 |
| 8/F-12/F, 15/F-23/F & 25/F-28/F 8樓至12樓、 15樓至23樓及25樓至28樓 | | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 |
| 29/F 29樓 | | 3100, 3150, 3400, 3650 | 2800, 3100, 3150, 3400, 3650, 3750 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 3400 | 2850, 2900, 3100, 3150, 3200, 3400, 3450, 3650 | 2700, 2850, 2950, 3050, 3100, 3300, 3400, 3650, 3700 | 3100, 3150, 3400, 3450, 3750 |

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: Not applicable to the Phase)

Notes:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：不適用於期數）

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 6 30/F
第6座 30樓



Scale: 0M/米 5M/米
比例:

| | Tower 座數 | Floor 樓層 | Flat 單位 | | | | | | | |
|---|----------------|-------------|------------------------------------|------------------------|------------------|------|------|------|------|----------|
| | | | A | C | D | E | F | G | H | J |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 6 第6座 | 30/F 30樓 | 150, 200, 300 | 200 | 200, 450 | 200 | 200 | 200 | 200 | 200, 450 |
| The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米） | | | 3400, 3700, 3750, 4000, 4050, 4100 | 3400, 3800, 3850, 4150 | 3400, 3700, 4000 | 3400 | 3400 | 3400 | 3400 | 3400 |

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

| | Tower 座數 | Floor 樓層 | Flat 單位 |
|--|----------------|-------------|-----------------------|
| | | | A |
| <p>The thickness of the floor slabs (excluding plaster) of each residential property (mm)</p> <p>每個住宅物業的樓板（不包括灰泥）的厚度（毫米）</p> | Tower 6 第6座 | Roof 天台 | Not applicable 不適用 |
| <p>The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm)</p> <p>每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）</p> | | | |


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: Not applicable to the Phase)

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：不適用於期數）

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 8 1/F
第8座 1樓



Scale: 0M/米 5M/米
比例: 10M/米

| | Tower 座數 | Floor 樓層 | Flat 單位 | | | | |
|---|----------------|-------------|------------------------|------------------------------|------------------------------|------------------------------|------------------------|
| | | | A | B | C | D | E |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 8 第8座 | 1/F 1樓 | 150 | 150 | 150 | 150 | 150 |
| The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米） | | | 3350, 3450, 3650, 3700 | 3350, 3400, 3450, 3650, 3700 | 3350, 3400, 3450, 3650, 3700 | 3350, 3400, 3450, 3650, 3700 | 3350, 3450, 3650, 3700 |

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

Notes:



- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
- 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

備註：

- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 8 2/F-3/F
第8座 2樓至3樓



Tower 8 3/F Part Plan
第8座 3樓 局部平面圖

Scale: 0M/米 5M/米
比例:



| | Tower 座數 | Floor 樓層 | Flat 單位 | | | | |
|---|----------------|------------------|------------|------|------|------|------|
| | | | A | B | C | D | E |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 8 第8座 | 2/F-3/F 2樓至3樓 | 150 | 150 | 150 | 150 | 150 |
| The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米） | | | 3150 | 3150 | 3150 | 3150 | 3150 |

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)



- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。



Tower 8 5/F-6/F
第8座 5樓至6樓



Tower 8 6/F Part Plan
第8座 6樓 局部平面圖

Scale: 0M/米 5M/米
比例:

| | Tower 座數 | Floor 樓層 | Flat 單位 | | | | |
|---|----------------|------------------------|------------------------------|------------------------------|------------------------------|------------------------|-----|
| | | | A | B | C | D | E |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 8 第8座 | 5/F 5樓 | 150 | 150 | 150 | 150 | 150 |
| | | 6/F 6樓 | 200 | 200 | 200 | 200 | 200 |
| 5/F 5樓 | | 3150 | 3150 | 3150 | 3150 | 3150 | |
| 6/F 6樓 | | 3200, 3250, 3450, 3550 | 3200, 3250, 3450, 3500, 3550 | 3200, 3250, 3450, 3500, 3550 | 3200, 3250, 3450, 3500, 3550 | 3200, 3250, 3450, 3550 | |

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)


Notes:

1. The dimensions in the floor plans are all structural dimensions in millimetre.
2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。



54

| | Tower 座數 | Floor 樓層 | Flat 單位 | | | | |
|---|----------------|-------------|-----------------------|---|---|---|---|
| | | | A | B | C | D | E |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米） | Tower 8 第8座 | Roof 天台 | Not applicable 不適用 | | | | |
| The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米） | | | | | | | |

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|-------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 5 第5座 | 1/F 1樓 | A | 57.616 (620) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | B | 39.337 (423) Balcony 露台：-- (--) Utility Platform 工作平台：-- (--), Verandah 陽台：-- (--) | - | - | - | 10.428 (112) | - | - | - | - | - | - |
| | | E | 30.846 (332) Balcony 露台：2.075 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | F | 43.109 (464) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | J | 29.833 (321) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | K | 30.560 (329) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|-------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 5 第5座 | 2/F 2樓 | A | 57.616 (620) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | B | 43.444 (468) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | C | 37.688 (406) Balcony 露台：-- (--) Utility Platform 工作平台：-- (--), Verandah 陽台：-- (--) | - | - | - | 7.440 (80) | - | - | - | - | - | - |
| | | D | 29.431 (317) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | E | 30.188 (325) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|-------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 5 第5座 | 2/F 2樓 | F | 42.762 (460) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | G | 41.808 (450) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | H | 29.270 (315) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | J | 29.435 (317) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | K | 30.560 (329) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|--------------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 5 第5座 | 3/F-29/F 3樓至29樓 | A | 57.616 (620) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | B | 43.444 (468) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | C | 41.188 (443) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | D | 29.431 (317) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | E | 30.188 (325) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|--------------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 5 第5座 | 3/F-29/F 3樓至29樓 | F | 42.762 (460) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | G | 41.808 (450) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | H | 29.270 (315) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | J | 29.435 (317) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | K | 30.560 (329) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|-------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|-----------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 5 第5座 | 30/F 30樓 | A | 57.616 (620) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | 30.782 (331) | - | - | - |
| | | B | 43.444 (468) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | 26.325 (283) | - | - | - |
| | | C | 41.188 (443) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | D | 29.431 (317) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | E | 30.188 (325) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|-------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|-----------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 5 第5座 | 30/F 30樓 | F | 42.762 (460) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | G | 41.808 (450) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | H | 29.270 (315) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | J | 29.435 (317) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | K | 30.560 (329) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | 15.702 (169) | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|-------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 6 第6座 | 1/F 1樓 | J | 30.275 (326) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | K | 29.589 (318) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | L | 43.040 (463) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | M | 23.737 (256) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|------------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 6 第6座 | 2/F-7/F 2樓至7樓 | C | 43.838 (472) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | D | 42.932 (462) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | E | 30.501 (328) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | F | 31.055 (334) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | G | 40.382 (435) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|------------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 6 第6座 | 2/F-7/F 2樓至7樓 | H | 42.162 (454) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | J | 30.275 (326) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | K | 29.589 (318) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | L | 43.040 (463) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | M | 23.737 (256) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|--------------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 6 第6座 | 8/F-29/F 8樓至29樓 | A | 44.778 (482) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | B | 45.895 (494) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | C | 43.659 (470) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | D | 42.932 (462) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | E | 30.501 (328) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | F | 31.055 (334) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台、工作平台及陽台 (如有)) 平方米 (平方呎) | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積 (不計算入實用面積) 平方米 (平方呎) | | | | | | | | | |
|--|--------------------|------------|---|---|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 6 第6座 | 8/F-29/F 8樓至29樓 | G | 40.382 (435) Balcony 露台: 2.000 (22) Utility Platform 工作平台: 1.500 (16), Verandah 陽台: -- (--) | - | - | - | - | - | - | - | - | - | - |
| | | H | 42.162 (454) Balcony 露台: 2.000 (22) Utility Platform 工作平台: 1.500 (16), Verandah 陽台: -- (--) | - | - | - | - | - | - | - | - | - | - |
| | | J | 30.275 (326) Balcony 露台: 2.000 (22) Utility Platform 工作平台: 1.500 (16), Verandah 陽台: -- (--) | - | - | - | - | - | - | - | - | - | - |
| | | K | 29.589 (318) Balcony 露台: 2.000 (22) Utility Platform 工作平台: 1.500 (16), Verandah 陽台: -- (--) | - | - | - | - | - | - | - | - | - | - |
| | | L | 43.040 (463) Balcony 露台: 2.000 (22) Utility Platform 工作平台: 1.500 (16), Verandah 陽台: -- (--) | - | - | - | - | - | - | - | - | - | - |
| | | M | 23.330 (251) Balcony 露台: 2.000 (22) Utility Platform 工作平台: 1.500 (16), Verandah 陽台: -- (--) | - | - | - | - | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台 (如有) 之樓面面積, 是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積 (不計算入實用面積), 是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註:

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎, 並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|-------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|-----------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 6 第6座 | 30/F 30樓 | A | 132.500 (1426) Balcony 露台：-- (--) Utility Platform 工作平台：-- (--), Verandah 陽台：-- (--) | - | - | - | 51.097 (550) | - | - | 44.476 (479) | 4.410 (47) | - | - |
| | | C | 42.889 (462) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | D | 42.932 (462) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | E | 30.501 (328) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|-------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 6 第6座 | 30/F 30樓 | F | 31.055 (334) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | G | 40.382 (435) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | H | 42.162 (454) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | J | 30.417 (327) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|-------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 8 第8座 | 1/F 1樓 | A | 42.105 (453) Balcony 露台：-- (--) Utility Platform 工作平台：-- (--), Verandah 陽台：-- (--) | - | - | - | 29.122 (313) | - | - | - | - | - | - |
| | | B | 28.553 (307) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | C | 28.553 (307) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | D | 28.628 (308) Balcony 露台：2.075 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | E | 42.356 (456) Balcony 露台：-- (--) Utility Platform 工作平台：-- (--), Verandah 陽台：-- (--) | - | - | - | 31.480 (339) | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|------------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 8 第8座 | 2/F-3/F 2樓至3樓 | A | 45.604 (491) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | B | 28.553 (307) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | C | 28.553 (307) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | D | 28.553 (307) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |
| | | E | 45.856 (494) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|-------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 8 第8座 | 5/F 5樓 | A | 45.604 (491) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | 24.514 (264) | - | - | - | - | - | - |
| | | B | 28.553 (307) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | 19.905 (214) | - | - | - | - | - | - |
| | | C | 28.553 (307) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | 14.811 (159) | - | - | - | - | - | - |
| | | D | 28.553 (307) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | 18.480 (199) | - | - | - | - | - | - |
| | | E | 45.856 (494) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | 23.991 (258) | - | - | - | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

12 AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

期數中的住宅物業的面積

| Description of Residential Property 住宅物業的描述 | | | Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積（包括露台、工作平台及陽台（如有）） 平方米（平方呎） | Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎） | | | | | | | | | |
|--|-------------|------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|-----------------|-----------------|---------------|------------|
| Tower 座數 | Floor 樓層 | Flat 單位 | | Air-conditioning plant room 空調機房 | Bay window 窗台 | Cockloft 閣樓 | Flat roof 平台 | Garden 花園 | Parking space 停車位 | Roof 天台 | Stairhood 梯屋 | Terrace 前庭 | Yard 庭院 |
| Tower 8 第8座 | 6/F 6樓 | A | 45.604 (491) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | 36.218 (390) | - | - | - |
| | | B | 28.553 (307) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | 26.695 (287) | - | - | - |
| | | C | 28.553 (307) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | 23.965 (258) | - | - | - |
| | | D | 28.553 (307) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | 26.925 (290) | - | - | - |
| | | E | 45.856 (494) Balcony 露台：2.000 (22) Utility Platform 工作平台：1.500 (16), Verandah 陽台：-- (--) | - | - | - | - | - | - | 36.912 (397) | - | - | - |

The saleable area and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Notes:

- The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.
- 4/F, 13/F, 14/F and 24/F are omitted.

實用面積以及構成住宅物業一部分的範圍內的露台、工作平台及陽台（如有）之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

附註：

- 上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。
- 不設4樓、13樓、14樓及24樓。

Not applicable.

不適用。

- | | |
|--|--|
| <ol style="list-style-type: none"> 1. A preliminary deposit of 5% of the purchase price is payable on the signing of the preliminary agreement for sale and purchase ("preliminary agreement"); 2. The preliminary deposit paid by the purchaser on the signing of that preliminary agreement will be held by a firm of solicitors acting for the owner, as stakeholders; 3. If the purchaser fails to execute the agreement for sale and purchase within 5 working days after the date on which the purchaser enters into that preliminary agreement- <ol style="list-style-type: none"> (i) that preliminary agreement is terminated; (ii) the preliminary deposit is forfeited; and (iii) the owner does not have any further claim against the purchaser for the failure. | <ol style="list-style-type: none"> 1. 在簽署臨時買賣合約（「該臨時合約」）時須支付款額為售價之5%的臨時訂金； 2. 買方在簽署該臨時合約時支付的臨時訂金，會由代表擁有人行事的律師事務所以保證金保存人的身份持有； 3. 如買方沒有於訂立該臨時合約的日期之後5個工作日內簽立買賣合約- <ol style="list-style-type: none"> (i) 該臨時合約即告終止； (ii) 有關的臨時訂金即予沒收；及 (iii) 擁有人不得就買方沒有簽立買賣合約而針對買方提出進一步申索。 |
|--|--|

15 SUMMARY OF DEED OF MUTUAL COVENANT

公 契 的 摘 要

1. Common Parts of the Development

(a) Common Parts means all areas, systems, equipment, facilities, machinery, fixtures, fittings, conduits or other matters in the Land (meaning the land on which the Development is constructed, and, where the context permits, shall include the Development thereon):

- (i) which are intended for the common use and benefit of different owners, occupiers, licensees or invitees of the Land or any part thereof;
- (ii) as will fall within the definition of “common parts” in section 2 of the Building Management Ordinance (Cap. 344); or
- (iii) which are from time to time designated by an owner to be Common Parts in accordance with the DMC.

These include lobbies, staircases, lifts, Parking Spaces for Disabled Persons, Visitors’ Parking Spaces, loading and unloading spaces, Bicycle Parking Spaces, Greenery Areas, Recreational Facilities, external walls, curtain walls, external parapets of the Development etc.

(b) Common Parts are categorized into Development Common Parts (provided or installed for the common use and benefit of the owners, occupiers, licensees or invitees of different Flats and Parking Spaces), Residential Common Parts (provided or installed for the common use and benefit of owners, occupiers, licensees or invitees of different Flats) and Parking Common Parts (provided or installed for the common use and benefit of owners, occupiers, licensees or invitees of different Parking Spaces and Residential Common Parking Spaces).

(c) The owners may use the Common Parts for all purposes connected with the proper use and enjoyment of his Unit.

(d) The owners may not convert any of the Common Parts to his own use or for his own benefit unless the approval of the Owners’ Committee has been obtained.

(e) The owners may not obstruct the Common Parts nor do anything in or to the Common Parts which may be or

become a nuisance to any other owner or occupiers of the Land or any neighbouring premises.

(f) The owners may not alter the Common Parts or do anything which may interfere with or damage the Common Parts or adversely affect the normal functioning of the Common Parts.

(g) The Manager has the full right and authority to control the Common Parts and to generally administer and manage the Common Parts. The Manager shall hold the Common Parts as trustee for all owners.

2. Number of Undivided Shares assigned to each residential property in the Phase

Undivided Shares are allocated to each residential property. They are set out in the below table.

| Tower | Floor | Flat | No. of Undivided Shares allocated to each Unit |
|---------|-------|------|--|
| Tower 5 | 1/F | A | 58 / 49,945 |
| | | B | 40 / 49,945 |
| | | E | 31 / 49,945 |
| | | F | 43 / 49,945 |
| | | J | 30 / 49,945 |
| | | K | 31 / 49,945 |
| | 2/F | A | 58 / 49,945 |
| | | B | 43 / 49,945 |
| | | C | 39 / 49,945 |
| | | D | 29 / 49,945 |
| | | E | 30 / 49,945 |
| | | F | 43 / 49,945 |
| | | G | 42 / 49,945 |
| | | H | 29 / 49,945 |
| | | J | 29 / 49,945 |
| | | K | 31 / 49,945 |

| | | | |
|---------|----------------------------|---|-------------|
| Tower 5 | 3/F - 29/F (23 Storeys) | A | 58 / 49,945 |
| | | B | 43 / 49,945 |
| | | C | 41 / 49,945 |
| | | D | 29 / 49,945 |
| | | E | 30 / 49,945 |
| | | F | 43 / 49,945 |
| | | G | 42 / 49,945 |
| | | H | 29 / 49,945 |
| | | J | 29 / 49,945 |
| | | K | 31 / 49,945 |
| | 30/F | A | 61 / 49,945 |
| | | B | 46 / 49,945 |
| | | C | 41 / 49,945 |
| | | D | 29 / 49,945 |
| | | E | 30 / 49,945 |
| | | F | 43 / 49,945 |
| | | G | 42 / 49,945 |
| | | H | 29 / 49,945 |
| | | J | 29 / 49,945 |
| | | K | 33 / 49,945 |
| Tower 6 | 1/F | J | 30 / 49,945 |
| | | K | 30 / 49,945 |
| | | L | 43 / 49,945 |
| | | M | 24 / 49,945 |
| | 2/F - 7/F (5 Storeys) | C | 44 / 49,945 |
| | | D | 43 / 49,945 |
| | | E | 31 / 49,945 |
| | | F | 31 / 49,945 |
| | | G | 40 / 49,945 |
| | | H | 42 / 49,945 |
| | | J | 30 / 49,945 |
| | | K | 30 / 49,945 |
| | | L | 43 / 49,945 |
| | | M | 24 / 49,945 |

| | | | |
|---------|----------------------------|---|--------------|
| Tower 6 | 8/F - 29/F (19 Storeys) | A | 45 / 49,945 |
| | | B | 46 / 49,945 |
| | | C | 44 / 49,945 |
| | | D | 43 / 49,945 |
| | | E | 31 / 49,945 |
| | | F | 31 / 49,945 |
| | | G | 40 / 49,945 |
| | | H | 42 / 49,945 |
| | | J | 30 / 49,945 |
| | | K | 30 / 49,945 |
| | | L | 43 / 49,945 |
| | | M | 23 / 49,945 |
| | 30/F | A | 142 / 49,945 |
| | | C | 43 / 49,945 |
| | | D | 43 / 49,945 |
| | | E | 31 / 49,945 |
| | | F | 31 / 49,945 |
| | | G | 40 / 49,945 |
| | | H | 42 / 49,945 |
| | | J | 30 / 49,945 |

| Tower | Floor | Flat | No. of Undivided Shares allocated to each Unit |
|---------|--------------------------|------|--|
| Tower 8 | 1/F | A | 45 / 49,945 |
| | | B | 29 / 49,945 |
| | | C | 29 / 49,945 |
| | | D | 29 / 49,945 |
| | | E | 45 / 49,945 |
| | 2/F - 3/F (2 Storeys) | A | 46 / 49,945 |
| | | B | 29 / 49,945 |
| | | C | 29 / 49,945 |
| | | D | 29 / 49,945 |
| | | E | 46 / 49,945 |

| | | | |
|---------|-----|---|-------------|
| Tower 8 | 5/F | A | 48 / 49,945 |
| | | B | 31 / 49,945 |
| | | C | 30 / 49,945 |
| | | D | 31 / 49,945 |
| | | E | 48 / 49,945 |
| | 6/F | A | 50 / 49,945 |
| | | B | 32 / 49,945 |
| | | C | 31 / 49,945 |
| | | D | 32 / 49,945 |
| | | E | 50 / 49,945 |

Notes: There are no 4/F, 13/F, 14/F and 24/F in all Towers. There is no Flat I in all Towers. There are no Tower 4 and Tower 7.

3. Term of years for which the Manager of the Development is appointed

The Manager will be appointed for an initial term of two years from the date of the Deed of Mutual Covenant and Management Agreement ("DMC"). The appointment of the Manager may be terminated according to the provisions of the DMC.

4. Basis on which the Management Expenses are shared among the owners of residential properties in the Development

Each owner shall contribute towards the Management Expenses (which shall be the expenses, costs and charges necessarily and reasonably incurred in the management of the Development, and shall be based on the budget prepared by the Manager) (including the Manager's Remuneration) of the Development in such manner, amount and proportion as provided in the DMC by reference to the Management Shares allocated to his Unit. In general,

(a) the owners of Units shall contribute towards the Management Expenses relating to the Development Common Parts in proportion to the Management Shares allocated to their Units;

(b) the owners of Flats shall contribute towards the Management Expenses relating to the Residential Common Parts in proportion to the Management Shares allocated to their Flats; and

(c) the owners of Flats shall contribute towards 17.4% of the Management Expenses relating to the Parking Common Parts in proportion to the Management Shares allocated to their Flats.

The number of Management Shares of a residential property is the same as the number of Undivided Shares allocated to that residential property. However, the total number of Undivided Shares in the Development is different from the total number of Management Shares in the Development. The total number of Management Shares in the Development is 48,945.

5. Basis on which the Management Fee Deposit is fixed

The amount of Management Fee Deposit is 3 months' monthly management fee.

6. Area (if any) in the Phase retained by the owner (i.e. the Vendor) for its own use

There is no area in the Phase which is retained by the owner for that owner's own use as referred to in section 14(2) (f), Part 1, Schedule 1 of Residential Properties (First-hand Sales) Ordinance (Cap. 621).

15 SUMMARY OF DEED OF MUTUAL COVENANT

公 契 的 摘 要

1. 發展項目的公用部分

(a) 公用部分指所有在該土地（指發展項目於其上興建之土地，及如文意允許，包括其上之發展項目）內符合以下情況的區域、系統、裝備、設備、機器、固定裝置、裝置、管道及其他事宜：

- (i) 該部分為該土地或其任何部分之不同業主、佔用人、被許可人或被邀請人共同使用與享用；
- (ii) 該部分符合《建築物管理條例》（第344章）第2條中「公用部分」的定義；或
- (iii) 該部分由業主不時根據公契指定為公用部分。

上述包括大堂、樓梯、升降機、供傷殘人士用停車位、訪客停車位、上落貨停車位、單車停車位、綠化範圍、康樂設施、外牆、幕牆及發展項目之外部矮牆等。

(b) 公用部分分為發展項目公用部分（提供或安裝給不同住宅單位及停車位的業主、佔用人、被許可人或被邀請人共同使用與享用）、住宅公用部分（提供或安裝給不同住宅單位的業主、佔用人、被許可人或被邀請人共同使用與享用）及停車場公用部分（提供或安裝給不同停車位及住宅公用停車位的業主、佔用人、被許可人或被邀請人共同使用與享用）。

(c) 業主有權為了所有有關正當使用與享用其單位的目的使用公用部分。

(d) 除非已經取得業主委員會的批准，業主不得轉變任何公用部分供其個人使用或享用。

(e) 業主不得阻塞公用部分，亦不得在或對公用部分作出任何事情，以致可能或成為對該土地或任何毗鄰房產的任何其他業主或佔用人造成滋擾。

(f) 業主不得更改公用部分或作出任何事情，以干涉或損壞公用部分或對公用部分的正常運作有不利影響。

(g) 管理人具有充分權利及授權控制公用部分和全面控制與管理公用部分。管理人須作為全體業主的受託人持有公用部分。

2. 分配予期數中各住宅物業的不分割份數的數目

住宅物業配有不分割份數。詳細的分配狀況，請參閱下表。

| 座數 | 樓層 | 單位 | 每個單位獲分配的不分割份數的數目 |
|-----|-----------------|----|------------------|
| 第5座 | 1樓 | A | 58 / 49,945 |
| | | B | 40 / 49,945 |
| | | E | 31 / 49,945 |
| | | F | 43 / 49,945 |
| | | J | 30 / 49,945 |
| | | K | 31 / 49,945 |
| | 2樓 | A | 58 / 49,945 |
| | | B | 43 / 49,945 |
| | | C | 39 / 49,945 |
| | | D | 29 / 49,945 |
| | | E | 30 / 49,945 |
| | | F | 43 / 49,945 |
| | | G | 42 / 49,945 |
| | | H | 29 / 49,945 |
| | | J | 29 / 49,945 |
| | | K | 31 / 49,945 |
| | 3樓至29樓 (23層) | A | 58 / 49,945 |
| | | B | 43 / 49,945 |
| | | C | 41 / 49,945 |
| | | D | 29 / 49,945 |
| | | E | 30 / 49,945 |
| | | F | 43 / 49,945 |
| | | G | 42 / 49,945 |
| | | H | 29 / 49,945 |
| | | J | 29 / 49,945 |
| | | K | 31 / 49,945 |

| 第5座 | 30樓 | A | 61 / 49,945 |
|-----|---------------|----|------------------|
| | | B | 46 / 49,945 |
| | | C | 41 / 49,945 |
| | | D | 29 / 49,945 |
| | | E | 30 / 49,945 |
| | | F | 43 / 49,945 |
| | | G | 42 / 49,945 |
| | | H | 29 / 49,945 |
| | | J | 29 / 49,945 |
| | | K | 33 / 49,945 |
| 座數 | 樓層 | 單位 | 每個單位獲分配的不分割份數的數目 |
| 第6座 | 1樓 | J | 30 / 49,945 |
| | | K | 30 / 49,945 |
| | | L | 43 / 49,945 |
| | | M | 24 / 49,945 |
| | 2樓至7樓 (5層) | C | 44 / 49,945 |
| | | D | 43 / 49,945 |
| | | E | 31 / 49,945 |
| | | F | 31 / 49,945 |
| | | G | 40 / 49,945 |
| | | H | 42 / 49,945 |
| | | J | 30 / 49,945 |
| | | K | 30 / 49,945 |
| | | L | 43 / 49,945 |
| | | M | 24 / 49,945 |

15 SUMMARY OF DEED OF MUTUAL COVENANT

公 契 的 摘 要

| 第6座 | 8樓至29樓 (19層) | A | 45 / 49,945 |
|-----|-----------------|----|------------------|
| | | B | 46 / 49,945 |
| | | C | 44 / 49,945 |
| | | D | 43 / 49,945 |
| | | E | 31 / 49,945 |
| | | F | 31 / 49,945 |
| | | G | 40 / 49,945 |
| | | H | 42 / 49,945 |
| | | J | 30 / 49,945 |
| | | K | 30 / 49,945 |
| | | L | 43 / 49,945 |
| | | M | 23 / 49,945 |
| | 30樓 | A | 142 / 49,945 |
| | | C | 43 / 49,945 |
| | | D | 43 / 49,945 |
| | | E | 31 / 49,945 |
| | | F | 31 / 49,945 |
| | | G | 40 / 49,945 |
| | | H | 42 / 49,945 |
| | | J | 30 / 49,945 |
| 座數 | 樓層 | 單位 | 每個單位獲分配的不分割份數的數目 |
| 第8座 | 1樓 | A | 45 / 49,945 |
| | | B | 29 / 49,945 |
| | | C | 29 / 49,945 |
| | | D | 29 / 49,945 |
| | | E | 45 / 49,945 |
| | 2樓至3樓 (2層) | A | 46 / 49,945 |
| | | B | 29 / 49,945 |
| | | C | 29 / 49,945 |
| | | D | 29 / 49,945 |
| | | E | 46 / 49,945 |

| | | | |
|-----|----|---|-------------|
| 第8座 | 5樓 | A | 48 / 49,945 |
| | | B | 31 / 49,945 |
| | | C | 30 / 49,945 |
| | | D | 31 / 49,945 |
| | | E | 48 / 49,945 |
| | 6樓 | A | 50 / 49,945 |
| | | B | 32 / 49,945 |
| | | C | 31 / 49,945 |
| | | D | 32 / 49,945 |
| | | E | 50 / 49,945 |

註：所有座數不設4樓、13樓、14樓及24樓。所有座數不設I單位。不設第4座及第7座。

3. 發展項目的管理人的委任年期

管理人的首屆任期為由公契及管理協議（「公契」）簽署日期起計兩年。管理人的委任可按公契的條文終止。

4. 在發展項目中的住宅物業的擁有人之間分擔管理開支的基準

每名業主須根據其單位分配到的管理份數按公契指明的方式、金額及比例分擔發展項目的管理開支（指管理發展項目時必須地和合理地招致的支出、費用及收費，且須基於管理人擬定之預算）（包括管理人之酬金）。一般而言：

- (a) 單位業主須按分配到的其單位之管理份數之比例分擔有關發展項目公用部分之管理開支；
- (b) 住宅物業業主須按分配到的其住宅物業之管理份數之比例分擔有關住宅公用部分之管理開支；及
- (c) 住宅物業業主須按分配到的其住宅物業之管理份數之比例分擔有關停車場公用部分之管理開支的17.4%。

每個住宅物業之管理份數相等於其獲分配之不分割份數，唯發展項目不分割份數總數與發展項目管理份數總數不同。發展項目之管理份數總數為48,945。

5. 計算管理費按金的基準

管理費按金相等於三個月之管理費。

6. 擁有人（即賣方）在期數中保留作自用的範圍（如有的話）

本期數並無《一手住宅物業銷售條例》（第621章）附表1第1部第14(2)(f)條所提及之擁有人在期數中保留作自用的範圍。

16 SUMMARY OF LAND GRANT

批地文件的摘要

1. The lot number of the land on which the Phase is situated:
New Kowloon Inland Lot No. 6574.
2. The term of years under the lease:
A term of 50 years from 10 December 2018.
3. The user restrictions applicable to that land:
 - (a) The lot or any part thereof or any building or part of any building erected or to be erected thereon shall not be used for any purpose other than for private residential purposes.
 - (b) No grave or columbarium shall be erected or made on the lot, nor shall any human remains or animal remains whether in earthenware jars, cinerary urns or otherwise be interred therein or deposited thereon.
4. The facilities that are required to be constructed and provided for the Government, or for public use:
A promenade in such portions shown coloured yellow and yellow hatched black respectively on the plan annexed to the Land Grant ("the Yellow Areas" and "the Yellow Hatched Black Area" respectively) which is required to be laid, formed, erected, constructed, provided and landscaped by the grantee as a public pedestrian access with a minimum width of 3 metres along such alignment in the Yellow Areas and the Yellow Hatched Black Area as may be specified by the Director of Lands ("the Director") for the use by members of the public to pass and repass on foot for all lawful purposes free of cost and charges and without any interruption for the purpose of gaining access to and from the Government land at the seaside adjacent to the Yellow Areas at all reasonable times; and a public pedestrian access with a width of 4.5 metres within the Yellow Hatched Black Area to be provided by the grantee as a dedicated pedestrian zone.
5. The grantee's obligations to lay, form or landscape any areas, or to construct or maintain any structures or facilities, within or outside that land:
 - (a) The Development is required to be completed and made fit for occupation on or before 30 June 2024 (Note: the Government has granted an extension of that date to 30 June 2025).
 - (b) The grantee shall throughout the tenancy: (i) maintain all buildings in accordance with the approved design, disposition and height, and any approved building plans without variation or modification thereto, and (ii) maintain all buildings erected or to be erected in good and substantial repair and condition and in such repair and condition deliver up the same at the expiration or sooner determination of the tenancy.
 - (c) (i) (I) The grantee shall on or before 30 June 2022 (Note: the Government has granted an extension of that date to 30 June 2023) or such other date as may be approved by the Director, at the grantee's own expense and in all respects to the satisfaction of the Director, lay, form, erect, construct, provide and landscape a promenade within the Yellow Areas and the Yellow Hatched Black Area in a good workmanlike manner, with such materials and to such standards, levels, alignment and design as the Director shall approve and in accordance with the Technical Schedules marked "Technical Schedule for the Yellow Areas and the Yellow Hatched Black Area" and "Technical Schedule for the Building Works" annexed to the Land Grant (collectively referred to as "the Technical Schedules"), the plans approved under paragraph 5(c)(ii) and the Landscape Master Plan (as defined in paragraph 5(e)(i)). The grantee shall provide a public pedestrian access with a width of 4.5 metres within the Yellow Hatched Black Area as a dedicated pedestrian zone. For the avoidance of doubt, the Yellow Areas do not include any seawall.
 - (II) For the purpose of this paragraph 5(c), the decision of the Director as to whether and when the works referred to in paragraph 5(c)(i)(I) have been completed in accordance with paragraph 5(c)(i)(I) shall be final and binding on the grantee.
 - (ii) (I) The grantee shall at his own expense submit or cause to be submitted to the Director for his written approval the plans of the Yellow Areas and the Yellow Hatched Black Area, which shall include details and information as to the level, position, alignment and design of the Yellow Areas and the Yellow Hatched Black Area and such other details and information as the Director may require.
 - (II) No amendment, variation, alteration, modification or substitution to the approved plans of the Yellow Areas and the Yellow Hatched Black Area shall be made by the grantee except with the prior written approval of the Director.
 - (III) Any amendment, variation, alteration, modification or substitution by the grantee as approved by the Director under paragraph 5(c)(ii)(II) shall be deemed to be incorporated into the approved plans of the Yellow Areas and the Yellow Hatched Black Area and form part thereof.
 - (IV) No building works (other than the demolition and removal works referred to in paragraph 6(e), site formation works and ground investigation) shall be commenced on or within the Yellow Areas and the Yellow Hatched Black Area unless and until the plans referred to in paragraph 5(c)(ii)(I) shall have been approved by the Director. For the purpose of the conditions under the Land Grant, "building works", "site formation works" and "ground investigation" shall be as defined in the Buildings Ordinance, any regulations made thereunder and any amending legislation.
- (iii) (I) The grantee shall not alter, demolish or damage the existing seawall adjoining the Yellow Areas or carry out any works which may alter, damage or adversely affect the seawall or any part or parts thereof and the decision of the Director as to whether any works will alter, damage or adversely affect the seawall shall be final and binding on the grantee.
- (II) The maximum superimposed load within 10 metres from and behind the copeline of the seawall shall not exceed 10 kilonewtons per square metre.
- (III) No form of percussive piling shall be used within 15 metres from the copeline of the seawall.

- (iv) The grantee shall, upon completion of the works referred to in paragraph 5(c)(i)(I), at his own expense and in all respects to the satisfaction of the Director, uphold, manage, repair and maintain the Yellow Areas and the Yellow Hatched Black Area and everything forming a portion of or pertaining to any of them in good and substantial repair and condition until such time as possession of the whole of the Yellow Areas and the Yellow Hatched Black Area has been re-delivered to the Government in accordance with paragraph 5(c)(vii)(IV).
- (v) In the event of non-fulfilment of the grantee's obligations under paragraph 5(c)(i)(I) or 5(c)(iv), the Government may carry out the necessary works at the cost of the grantee who shall pay to the Government on demand a sum equal to the cost thereof, such sum to be determined by the Director whose determination shall be final and binding on the grantee.
- (vi) The Government shall have no responsibility or liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the grantee or any other person whether arising out of or incidental to the fulfilment of the grantee's obligations under paragraph 5(c)(i)(I) or 5(c)(iv) or the exercise of the rights by the Government under paragraph 5(c)(v) or otherwise, and no claim whatsoever shall be made against the Government by the grantee in respect of any such loss, damage, nuisance or disturbance.
- (vii) (I) For the purpose only of carrying out the works specified in paragraphs 5(c)(i)(I) and 5(c)(iv), the grantee shall be granted possession of the Yellow Areas and the Yellow Hatched Black Area on a date to be specified in a letter from the Director to the grantee, such date to be not later than 31 March 2020.
- (II) The Government shall have no responsibility or liability in respect of any damage or loss whatsoever caused to or suffered by the grantee arising out of the deferred possession of the Yellow Areas and the Yellow Hatched Black Area and no claim whatsoever shall be made against the Government by the grantee in respect of any such damage or loss.
- (III) The grantee shall accept the Yellow Areas and the Yellow Hatched Black Area in such state and condition and with such trees, structures and foundations as existing on the date on which possession of the Yellow Areas and the Yellow Hatched Black Area is given to the grantee, and agrees not to make any claims whatsoever against the Government in respect thereof.
- (IV) The Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof as the Director may at his sole discretion specify or require shall be re-delivered by the grantee to the Government on demand on or before 30 June 2022 (Note: the Government has granted an extension of that date to 30 June 2023) or such other date as may be approved by the Director and in any event shall be deemed to have been re-delivered to the Government by the grantee on the date of a letter from the Director indicating that the conditions under the Land Grant have been complied with to his satisfaction.
- (viii) The grantee shall not without the prior written consent of the Director use the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof for the purpose of storage or parking of vehicles or for the erection of any temporary structure or for any purposes other than the carrying out of the works specified in paragraphs 5(c)(i)(I) and 5(c)(iv).
- (ix) (I) The grantee shall at all reasonable times prior to the re-delivery of the possession of the whole of the Yellow Areas and the Yellow Hatched Black Area:
 - (1) permit the Government, the Director and his officers, contractors and agents and any persons authorized by the Director, the right of ingress, egress and regress to, from and through the lot, the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof for the purpose of inspecting, checking and supervising any works to be carried out in compliance with paragraphs 5(c)(i)(I) and 5(c)(iv) and the carrying out, inspecting, checking and supervising of the works under paragraph 5(c)(v) and any other works which the Director may consider necessary in the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof;
 - (2) permit the Government, the Director and his officers, contractors and agents and any persons authorized by the Director, and the relevant public utility companies authorized by the Government the right of ingress, egress and regress to, from and through the lot, the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof as the Government, the Director or the relevant public utility companies may require for the purpose of any works to be carried out in, upon or under the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof or any adjoining land including but not limited to the laying and subsequent maintenance of all pipes, wire, conduits, cable-ducts and other conducting media and ancillary equipment necessary for the provision of telephone, electricity, gas (if any) and other services intended to serve the lot or any adjoining or neighbouring land or premises, and the grantee shall co-operate fully with the Government, the Director and his officers, contractors and agents and any persons authorized by the Director, and also with the relevant public utility companies duly authorized by the Government on all matters relating to any of the aforesaid works to be carried out within the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof; and
 - (3) permit the officers of the Water Authority and such other persons as may be authorized by them the right of ingress, egress and regress to, from and through the lot, the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof as the officers of the Water Authority or such authorized persons may require for the purpose of carrying out any works in relation to the operation, maintenance, repairing, replacement and alteration of any other waterworks installations within the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof.



- (II) The Government, the Director and his officers, contractors and agents and any persons or public utility companies duly authorized under paragraph 5(c)(ix)(I) shall have no responsibility or liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the grantee or any person arising out of or incidental to the exercise of the rights by the Government, the Director and his officers, contractors and agents and any persons or public utility companies duly authorized under paragraph 5(c)(ix)(I).
- (III) Without prejudice to the generality of paragraph 5(c)(i)(I), the grantee shall at all reasonable times prior to the re-delivery of possession of the whole of the Yellow Areas and the Yellow Hatched Black Area provide a public pedestrian access with a minimum width of 3 metres along such alignment in the Yellow Areas and the Yellow Hatched Black Area as may be specified by the Director for the use by members of the public to pass and repass on foot for all lawful purposes free of cost and charges and without any interruption for the purpose of gaining access to and from the Government land at the seaside adjacent to the Yellow Areas. The grantee shall at his own expense ensure that such public pedestrian access shall not be interfered with or obstructed by the carrying out of the works whether under paragraph 5(c)(i)(I) or 5(c)(iv) or otherwise.
- (x) The grantee shall indemnify and keep indemnified the Government against all claims, costs, demands, charges, damages, actions and proceedings of whatsoever nature arising out of or in connection with any defects, wants of repair, imperfections, breakdown, faults or any other outstanding works (whether in respect of workmanship, material, design or otherwise) on the Yellow Areas and the Yellow Hatched Black Area and everything forming a portion thereof or pertaining thereto and all trees' health problems, including defects, disorders, factors or causes which may affect the health of any trees, shrubs or other plants in the Yellow Areas and the Yellow Hatched Black Area (which health problems are referred to as "Trees' Health Problems"):
- (I) which may exist at the date(s) of re-delivery of possession by the grantee of the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof; and
 - (II) which shall occur or become apparent within a period of 12 calendar months after the date(s) of re-delivery of possession by the grantee of the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof ("the Defects Liability and Plant Establishment Period of the Yellow Areas and the Yellow Hatched Black Area").
- (xi) Whenever required by the Director, the grantee shall at his own expense and within such time and to such standard and in such manner as may be specified by the Director, carry out all works of maintenance, repair, amendment, reconstruction and rectification and any other works as may be necessary to remedy and rectify any defects, wants of repair, imperfections, breakdown, faults or any other outstanding works on the Yellow Areas and the Yellow Hatched Black Area and everything forming a portion thereof or pertaining thereto which shall occur or become apparent within the Defects Liability and Plant Establishment Period of the Yellow Areas and the Yellow Hatched Black Area. In addition to the foregoing, the grantee shall at his own expense and within such time and to such standard and in such manner as may be specified by the Director, make good and rectify any defects, wants of repair, imperfections, breakdown, faults or any other outstanding works on the Yellow Areas and the Yellow Hatched Black Area and everything forming a portion thereof or pertaining thereto which may exist at the date(s) of re-delivery of possession of the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof by the grantee.
- (xii) In the event that due to any Trees' Health Problems which may exist at the date(s) of re-delivery of possession of the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof by the grantee to the Government, any trees, shrubs or other plants within the Yellow Areas and the Yellow Hatched Black Area have not grown or developed within the Defects Liability and Plant Establishment Period of the Yellow Areas and the Yellow Hatched Black Area to a state and condition to the satisfaction of the Director, the grantee shall, if so required by the Director, at his own expense and within such time and to such standard and in such manner as may be specified by the Director, carry out replanting, landscaping works, tree maintenance measures or any other measures in all respects to the satisfaction of the Director.
- (xiii) The Director will, shortly before the expiry of the Defects Liability and Plant Establishment Period of the Yellow Areas and the Yellow Hatched Black Area, cause an inspection to be carried out in respect of the Yellow Areas and the Yellow Hatched Black Area and everything forming a portion thereof or pertaining thereto for the purpose of identifying any defects, wants of repair, imperfections, breakdown, faults or any other outstanding works and any Trees' Health Problems which may be evident. The Director reserves the right to serve upon the grantee within 14 days after the expiry of the Defects Liability and Plant Establishment Period of the Yellow Areas and the Yellow Hatched Black Area, a Schedule or Schedules of Defects specifying any defects, wants of repair, imperfections, breakdown, faults or any other outstanding works and any Trees' Health Problems which may be evident within the Yellow Areas and the Yellow Hatched Black Area and everything forming a portion thereof or pertaining thereto and the grantee shall at his own expense cause all necessary works and measures to be carried out (including replanting, landscaping works, tree maintenance measures and any other measures specified in paragraph 5(c)(xii)) so as to remedy and rectify the same within such time and to such standard and in such manner as may be specified by the Director.
- (xiv) If the grantee shall fail to carry out any of the works referred to in paragraphs 5(c)(xi) and 5(c)(xii), then any such works may be carried out by the Government and all costs and charges incurred in connection therewith by the Government as certified by the Director (whose decision shall be final and binding on the grantee) shall on demand be paid by the grantee.
- (xv) For the purpose of this paragraph 5(c) only, the expression "grantee" shall exclude his assigns.
- (d) (i) The Director shall have the right to amend, vary, alter, modify or substitute the Technical Schedules as he shall in his absolute discretion deem fit.

- (ii) No amendment, variation, alteration, modification or substitution to the Technical Schedules shall be made by the grantee except with the prior written approval of the Director.
 - (iii) Any amendment, variation, alteration, modification or substitution by the Director under paragraph 5(d)(i) or by the grantee as approved by the Director under paragraph 5(d)(ii) shall be deemed to be incorporated into the Technical Schedules and form part thereof.
 - (iv) If in the opinion of the Director (whose opinion shall be final and binding on the grantee) there exists any conflict between the provisions of the Technical Schedules and the conditions of the Land Grant, the conditions of the Land Grant shall prevail.
- (e) (i) The grantee shall at his own expense submit to the Director for his approval a landscape master plan indicating the location, disposition and layout of the landscaping works to be provided within the Yellow Areas and the Yellow Hatched Black Area ("Landscape Master Plan") in compliance with the requirements stipulated in paragraphs 5(e)(ii) and 5(e)(iii). No building works (other than the demolition and removal works referred to in paragraph 6(e), site formation works and ground investigation) shall be commenced on the Yellow Areas and the Yellow Hatched Black Area until the Landscape Master Plan has been approved in writing by the Director and consent, if required, has been granted in respect of the proposals for the preservation of trees under paragraph 6(a).
- (ii) The Landscape Master Plan shall be at a scale of 1:200 or larger and shall contain information on the landscaping proposals including a survey and treatment of existing trees, site layout and formation levels, conceptual form of building development, illustrative layout of hard and soft landscaping areas and such other information as the Director may require.
- (iii) Not less than 36% of the Yellow Areas and the Yellow Hatched Black Area shall be planted with trees, shrubs or other plants. The decision of the Director on which landscaping works proposed by the grantee constitutes that said 36% referred to in this paragraph 5(e)(iii) shall be final and binding on the grantee. The Director at his sole discretion may accept other non-planting features proposed by the grantee as an alternative to planting trees, shrubs or other plants. For the avoidance of doubt, the landscaping works provided under this paragraph 5(e)(iii) shall not form part of the Greenery Area referred to in paragraph 5(k)(ii).
- (iv) The grantee shall at his own expense landscape the Yellow Areas and the Yellow Hatched Black Area in accordance with the approved Landscape Master Plan in all respects to the satisfaction of the Director and no amendment, variation, alteration, modification or substitution of the approved Landscape Master Plan shall be made without the prior written consent of the Director.
- (v) Without prejudice to the generality of paragraph 5(c)(iv), the grantee shall at his own expense keep and maintain the landscaping works in a safe, clean, neat, tidy and healthy condition all to the satisfaction of the Director until such time as possession of the whole of the Yellow Areas and the Yellow Hatched Black Area has been re-delivered to the Government in accordance with paragraph 5(c)(vii)(IV).
- (f) (i) Spaces shall be provided within the lot to the satisfaction of the Director for the parking of motor vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation and belonging to the residents of the building(s) erected or to be erected on the lot and their bona fide guests, visitors or invitees according to a prescribed rate ("the Residential Parking Spaces").
- (ii) Additional spaces for the parking of motor vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the bona fide guests, visitors or invitees of the residents of the building(s) erected or to be erected on the lot shall be provided according to a prescribed rate ("the Visitors' Parking Spaces").
- (iii) Out of the spaces referred to in paragraph 5(f)(i) (as may be varied under the Land Grant) and paragraph 5(f)(ii), the grantee shall reserve and designate such number of spaces for the parking of motor vehicles by disabled persons as defined in the Road Traffic Ordinance, any regulations made thereunder and any amending legislation as the Building Authority may require and approve ("the Parking Spaces for Disabled Persons").
- (iv) Spaces shall be provided within the lot to the satisfaction of the Director for the parking of motor cycles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the residents of the building(s) erected or to be erected on the lot and their bona fide guests, visitors or invitees according to a prescribed rate ("the Motor Cycle Parking Spaces").
- (v) Spaces shall be provided within the lot to the satisfaction of the Director for the parking of bicycles belonging to the residents of the building(s) erected or to be erected on the lot and their bona fide guests, visitors or invitees according to a prescribed rate ("the Bicycle Parking Spaces").
- (vi) Spaces shall be provided within the lot to the satisfaction of the Director for the loading and unloading of goods vehicles according to a prescribed rate ("the Loading and Unloading Spaces").
- (g) The grantee shall:
- (i) on or before 30 June 2024 (Note: the Government has granted an extension of that date to 30 June 2025) or such other date as may be approved by the Director, at the grantee's own expense, to such standards and design to the satisfaction of the Director of Electrical and Mechanical Services, and in all respects in compliance with the Buildings Ordinance and the Electricity Ordinance, any regulations made thereunder and any amending legislation:
 - (I) provide and install charging facilities for electric vehicles including, but not limited to, fixed electrical installations and installation of final circuits, in all the parking spaces provided in accordance with paragraphs 5(f)(i), 5(f)(ii), 5(f)(iii) and 5(f)(iv) (as may be respectively varied under the Land Grant); and

- (II) provide and install electric vehicle medium chargers including the final circuits referred to in paragraph 5(g)(i)(I) in not less than 30% of the parking spaces provided in accordance with paragraphs 5(f)(i), 5(f)(ii) and 5(f)(iii) (as may be respectively varied under the Land Grant) with at least one electric vehicle medium charger for each of such parking spaces; and
- (ii) throughout the term of the Land Grant, at his own expense and in all respects to the satisfaction of the Director of Electrical and Mechanical Services upkeep, maintain, repair and manage the charging facilities for electric vehicles and electric vehicle medium chargers provided and installed under paragraphs 5(g)(i)(I) and 5(g)(i)(II) in good repair and operational condition.
- (h) The grantee shall maintain the parking, loading and unloading spaces and other areas, including but not restricted to the lifts, landings and manoeuvring and circulations areas in accordance with the car park layout plan approved by and deposited with the Director.
- (i) Any private streets, roads and lanes which by the conditions under the Land Grant are required to be formed shall be sited to the satisfaction of the Director and included in or excluded from the area to be leased as may be determined by him and in either case shall be surrendered to the Government free of cost if so required. If the said streets, roads, and lanes are surrendered to the Government, the surfacing, kerbing, draining (both foul and storm water sewers), channelling and road lighting thereof shall be carried out by the Government at the expense of the grantee and thereafter they shall be maintained at public expense. If the said private streets, roads and lanes remain part of the area to be leased, they shall be lighted, surfaced, kerbed, drained, channelled and maintained by and at the expense of the grantee in all respects to the satisfaction of the Director and the Director may carry out or cause to be carried out the installation and maintenance of road lighting for the sake of public interest as required. The grantee shall bear the capital cost of installation of road lighting and allow free ingress and egress to and from the area to be leased to workmen and vehicles for the purpose of installation and maintenance of the road lighting.
- (j) The grantee shall at his own expense maintain those parts of recreational facilities provided within the lot and facilities ancillary thereto which are exempted from the gross floor area calculation pursuant to the Land Grant ("the Exempted Facilities") in good and substantial repair and condition and shall operate the Exempted Facilities to the satisfaction of the Director. The Exempted Facilities shall only be used by the residents of the residential block(s) in the Development and their bona fide visitors and by no other person or persons.
- (k) (i) The grantee shall at his own expense submit to the Director for his approval a landscape plan indicating the location, disposition and layout of the landscaping works to be provided within the lot ("the Landscape Plan for the Lot") in compliance with the requirements stipulated in paragraph 5(k)(ii).
- (ii) (I) Not less than 30% of the area of the lot shall be planted with trees, shrubs or other plants.
- (II) Not less than 66% of the 30% referred to in paragraph 5(k)(ii)(I) ("the Greenery Area") shall be provided at such location or level as may be determined by the Director at his sole discretion so that the Greenery Area shall be visible to pedestrians or accessible by any person or persons entering the lot.
- (III) Without prejudice to paragraph 5(k)(ii)(II), the Greenery Area or any part or parts thereof shall be provided within that portion of the lot shown coloured pink hatched black on the plan annexed to the Land Grant ("the Pink Hatched Black Areas") located within 3 metres from the boundary of the lot between the points A and M as shown and marked on the plan annexed to the Land Grant.
- (IV) Not less than 20% of the roof area of any building or buildings erected or to be erected on the lot shall form part of the 30% referred to in paragraph 5(k)(ii)(I).
- (V) The decision of the Director as to which landscaping works proposed by the grantee constitutes the 30% referred to in paragraph 5(k)(ii)(I), which area constitutes the roof area of any building or buildings referred to in paragraph 5(k)(ii)(IV) and whether the provision of the Greenery Area has been complied with in accordance with paragraph 5(k)(ii)(II) shall be final and binding on the grantee.
- (VI) The Director at his sole discretion may accept other non-planting features proposed by the grantee as an alternative to planting trees, shrubs or other plants.
- (iii) The grantee shall at his own expense landscape the lot in accordance with the approved Landscape Plan for the Lot in all respects to the satisfaction of the Director, and no amendment, variation, alteration, modification or substitution of the approved Landscape Plan for the Lot shall be made without the prior written consent of the Director.
- (iv) The grantee shall thereafter at his own expense maintain and keep the landscaped works in a safe, clean, neat, tidy and healthy condition all to the satisfaction of the Director.
- (l) (i) The grantee shall construct and maintain at his own expense and to the satisfaction of the Director such drains and channels, whether within the boundaries of the lot or on Government land, as the Director may consider necessary to intercept and convey into the nearest stream-course, catchpit, channel or Government storm-water drain all storm-water or rain-water falling or flowing on to the lot, and the grantee shall be solely liable for and shall indemnify and keep indemnified the Government and its officers from and against all actions, claims and demands arising out of any damage or nuisance caused by such storm-water or rain-water.
- (ii) The works of connecting any drains and sewers from the lot to the Government storm-water drains and sewers, when laid and commissioned, may be carried out by the Director who shall not be liable to the grantee for any loss or damage thereby occasioned and the grantee shall pay to the Government on demand the cost of such connection works. Alternatively, the said connection works may be carried out by the grantee at his own expense and to the satisfaction of the Director and in such case any section of the said connection works which is constructed within Government land

shall be maintained by the grantee at his own cost and upon demand be handed over by the grantee to the Government for future maintenance thereof at the expense of the Government and the grantee shall pay to the Government on demand the cost of the technical audit in respect of the said connection works. The Director may, upon failure of the grantee to maintain any section of the said connection works which is constructed within Government land, carry out such maintenance works as he considers necessary and the grantee shall pay to the Government on demand the cost of such works.

- (m)(i) The grantee shall within six calendar months from the date of the Land Grant or such other period as may be approved by the Director, at the grantee's own expense and in all respects to the satisfaction of the Director of Environmental Protection submit or cause to be submitted to the Director of Environmental Protection for his approval in writing a sewerage impact assessment ("the SIA") on the development of the lot containing, among others, such information and particulars as the Director of Environmental Protection may require including but not limited to all adverse sewerage impacts as may arise from the development of the lot, and recommendations for mitigation measures, improvement works and other measures and works.
- (ii) The grantee shall at his own expense and within such time limit as may be stipulated by the Director of Environmental Protection implement the recommendations in the SIA as approved by the Director of Environmental Protection in all respects to the satisfaction of the Director of Environmental Protection and the Director of Drainage Services.
- (iii) The technical aspects of the SIA shall be undertaken by a member of the Hong Kong Institution of Engineers with civil engineering as the specialist discipline or a chartered civil engineer.
- (iv) No building works (other than the demolition and removal works referred to in paragraph 6(e), ground investigation and site formation works) shall be commenced on the lot or any part thereof until the SIA shall have been approved in writing by the Director of Environmental Protection.

- (v) For the avoidance of doubt and without prejudice to the generality of the provisions of the Land Grant, the grantee expressly acknowledges and agrees that the grantee shall have the sole responsibility at his own expense to implement the recommendations in the SIA as approved by the Director of Environmental Protection in all respects to the satisfaction of the Director of Environmental Protection and the Director of Drainage Services. The Government and its officers shall be under no responsibility, obligation or liability whatsoever to the grantee for any cost, damage or loss caused to or suffered by the grantee whether arising out of or incidental to the fulfilment of the grantee's obligations under this paragraph 5(m) or otherwise, and no claim whatsoever shall be made against the Government or its officers by the grantee in respect of such cost, damage or loss.

- (n) (i) The grantee shall on or before 30 June 2024 (Note: the Government has granted an extension of that date to 30 June 2025) or such other date as may be approved by the Director, at the grantee's own expense and in all respects to the satisfaction of the Water Authority:

- (I) submit or cause to be submitted to the Water Authority for its approval in writing a proposal for providing and installing automatic meter reading ("AMR") outstation(s) on the lot or any part thereof which proposal shall contain, among others, such information and particulars as the Water Authority may require including but not limited to a layout plan showing the location of the AMR outstation(s) to be provided and installed in accordance with paragraph 5(n)(i)(II), the arrangement and the associated details of the AMR equipment for building up the AMR outstation(s), and the area or space designated for accommodating the AMR equipment; and

- (II) provide and install the AMR outstation(s) as approved by the Water Authority under paragraph 5(n)(i)(I) ("the AMR Outstation(s)") for all AMR meters including meters for fresh water supply for individual consumers, master meters or check meters for fresh water supply, flushing water supply and fire service supply and other additional meters for various water supplies as the Water Authority may at its sole discretion require or approve, which

shall, for the avoidance of doubt, include:

- (1) the necessary cable conduits and cables;
- (2) AMR panel(s) in which the AMR equipment is installed; and
- (3) other facilities and associated equipment.

For the purpose of this paragraph 5(n), the expression "consumer" shall be as defined in the Waterworks Ordinance, any regulations made thereunder and any amending legislation.

- (ii) The grantee shall not commence any works for providing and installing the AMR Outstation(s) until the proposal referred to in paragraph 5(n)(i)(I) shall have been approved by the Water Authority.
- (iii) The grantee shall throughout the term of the Land Grant, at his own expense and in all respects to the satisfaction of the Water Authority, upkeep, maintain, repair and manage the AMR Outstation(s) in good repair and operational condition until such time as the same shall have been delivered to the Water Authority in accordance with paragraph 5(n)(vii).
- (iv) The Water Authority shall, at any time at its absolute discretion, have the right to serve upon the grantee a notice in writing requiring the grantee to demolish or remove the objects or materials placed over, above or below, or stacked on or within, the area or space designated for accommodating the AMR Outstation(s) and such objects or materials which in the opinion of the Water Authority (whose opinion shall be final and binding on the grantee) prevent or disrupt the accommodation, operation and maintenance of the AMR Outstation(s). The grantee shall upon receipt of such written notice, at his own expense, demolish or remove the objects or materials and reinstate and repair the area or space affected by the demolition or removal within such period as stipulated in such written notice and in all respects to the satisfaction of the Water Authority.

- (v) In the event of non-fulfilment of any of the grantee's obligations under this paragraph 5(n), the Water Authority may carry out the necessary works at the cost of the grantee who shall pay to the Water Authority on demand a sum equal to the cost thereof, such sum to be determined by the Water Authority whose determination shall be final and binding on the grantee.
- (vi) The grantee shall, at all times throughout the term of the Land Grant, permit the Water Authority and its officers, contractors, agents, workmen and any persons authorized by the Water Authority with or without tools, equipment, plant, machinery or motor vehicles the right of free and unrestricted ingress, egress and regress to, from and through the lot or any part(s) thereof and any building(s) erected or to be erected thereon for the purposes of:
- (I) inspecting and checking any works to be carried out in accordance with paragraphs 5(n)(i)(II), 5(n)(iii) and 5(n)(iv);
- (II) carrying out any works in accordance with paragraph 5(n)(v); and
- (III) inspecting, operating, maintaining, repairing, renewing, removing, replacing and redeveloping the AMR Outstation(s) after the AMR Outstation(s) shall have been delivered to the Water Authority in accordance with paragraph 5(n)(vii).
- (vii) The grantee shall when called upon to do so by the Water Authority and within such time as may be specified by the Water Authority deliver the AMR Outstation(s) to the Water Authority without any payment or compensation provided always that the Water Authority shall be under no obligation to take possession of the AMR Outstation(s) at the request of the grantee but may do so as and when it in its absolute discretion sees fit.
- (viii) The Government, the Water Authority, its officers, contractors, agents, workmen and any persons authorized by the Water Authority shall have no responsibility or liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the grantee arising out of or incidental to the fulfilment of the grantee's obligations under paragraphs 5(n)(i)(II), 5(n)(iii), 5(n)(iv) and 5(n)(vi) or the carrying out of the works under paragraph 5(n)(v) or the exercise by the Government, the Water Authority, its officers, contractors, agents, workmen and any persons authorized by the Water Authority of any of the rights conferred under paragraph 5(n)(vi), and no claim whatsoever shall be made against any of them by the grantee in respect of any such loss, damage, nuisance or disturbance.
- (ix) The grantee shall at all times indemnify and keep indemnified the Government, the Water Authority and its officers, contractors, agents, workmen and any persons authorized by the Water Authority under paragraph 5(n)(viii) from and against all liabilities, losses, damages, expenses, claims, costs, charges, demands, actions and proceedings whatsoever arising whether directly or indirectly out of or in connection with the provision, installation, repair, maintenance and management of the AMR Outstation(s) or in connection with the works under paragraph 5(n)(v).
- (x) For the purpose of paragraphs 5(n)(i), 5(n)(ii), 5(n)(iii) and 5(n)(vii), the expression "grantee" shall exclude his assigns.
6. The lease conditions that are onerous to a purchaser:
- (a) No trees growing on the lot or adjacent thereto shall be removed or interfered with without the prior written consent of the Director who may, in granting consent, impose such conditions as to transplanting, compensatory landscaping or replanting as he may deem appropriate.
- (b) The Residential Parking Spaces and the Motor Cycle Parking Spaces shall not be:
- (i) assigned except:
- (I) together with a residential unit in the Development; or
- (II) to a person who is already the owner of a residential unit in the Development; or
- (ii) underlet except to residents of the residential units in the Development.
- Provided that in any event not more than three in number of the total of the Residential Parking Spaces and the Motor Cycle Parking Spaces shall be assigned to the owner or underlet to the resident of any one residential unit in the Development.
- (c) (i) The Residential Parking Spaces shall not be used for any purpose other than for the parking of motor vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the residents of the building(s) erected or to be erected on the lot and their bona fide guests, visitors or invitees and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.
- (ii) The Visitors' Parking Spaces shall not be used for any purpose other than for the parking of motor vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the bona fide guests, visitors or invitees of the residents of the building(s) erected or to be erected on the lot and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.
- (iii) The Parking Spaces for Disabled Persons shall not be used for any purpose other than for the parking of motor vehicles by disabled persons as defined in the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the residents of the building(s) erected or to be erected on the lot and their bona fide guests, visitors or invitees and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.
- (iv) The Motor Cycle Parking Spaces shall not be used for any purpose other than for the parking of motor cycles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending

legislation, and belonging to the residents of the building(s) erected or to be erected on the lot and their bona fide guests, visitors or invitees and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.

- (v) The Loading and Unloading Spaces shall not be used for any purpose other than for the loading and unloading of goods vehicles in connection with the building(s) erected or to be erected on the lot. Each of the said spaces provided shall measure 3.5 metres in width and 11.0 metres in length with a minimum headroom of 4.7 metres.
- (d) Upon development or redevelopment of the lot, a temporary access for construction vehicles into the lot may be permitted in such position and subject to such conditions as may be imposed by the Director. Upon completion of the development or redevelopment, the grantee shall at his own expense within the time limit specified by the Director and in all respects to the satisfaction of the Director, reinstate the area or areas upon which the temporary access was constructed.
- (e) The grantee acknowledges that as at the date of the Land Grant, there are some structures and foundations existing on the lot, the Yellow Areas and the Yellow Hatched Black Area. The grantee undertakes to demolish and remove at his own expense and in all respects to the satisfaction of the Director the said structures and foundations from the lot, the Yellow Areas and the Yellow Hatched Black Area. The Government will accept no responsibility or liability for any loss, damage, nuisance or disturbance caused to or suffered by the grantee by reason of the presence of the said structures and foundations or subsequent demolition or removal of the said structures and foundations. The grantee shall indemnify and keep indemnified the Government from and against all liability, claims, costs, demands, actions or other proceedings whatsoever arising whether directly or indirectly out of or in connection with the presence and subsequent demolition and removal of the said structures and foundations. For the purpose of this paragraph 6(e), the decision of the Director as to whether and when the demolition and removal of the said structures and foundations have been completed shall be final and binding on the grantee.

- (f) The grantee shall not cut away, remove or set back any Government land adjacent to or adjoining the lot or carry out any building-up, filling-in or any slope treatment works of any kind whatsoever on any Government land except with the prior written consent of the Director who may, at his sole discretion, give his consent subject to such terms and conditions as he sees fit, including the grant of additional Government land as an extension to the lot at such premium as he may determine.
- (g) Where there is or has been any cutting away, removal or setting back of any land, or any building-up or filling-in or any slope treatment works of any kind whatsoever, whether with or without the prior written consent of the Director, either within the lot or on any Government land, which is or was done for the purpose of or in connection with the formation, levelling or development of the lot or any part thereof or any other works required to be done by the grantee under the conditions of the Land Grant, or for any other purpose, the grantee shall at his own expense carry out and construct such slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works as shall or may then or at any time thereafter be necessary to protect and support such land within the lot and also any adjacent or adjoining Government or leased land and to obviate and prevent any falling away, landslip or subsidence occurring thereafter. The grantee shall at all times during the term of the Land Grant maintain at his own expense the said land, slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works in good and substantial repair and condition to the satisfaction of the Director. In the event that as a result of or arising out of any formation, levelling, development or other works done by the grantee or owing to any other reason, any falling away, landslip or subsidence occurs at any time, whether in or from any land, within the lot or from any adjacent or adjoining Government or leased land, the grantee shall at his own expense reinstate and make good the same to the satisfaction of the Director and shall indemnify and keep indemnified the Government, its agents and contractors from and against all costs, charges, damages, demands and claims whatsoever which shall or may be made, suffered or incurred through or by reason of such falling away, landslip or subsidence. In addition to any other rights or remedies provided in the Land Grant for breach of any of the conditions of the Land Grant, the Director shall be entitled by notice in writing to call upon the grantee to carry out, construct and maintain the said land, slope treatment works, retaining walls, or other support,

protection, and drainage or ancillary or other works or to reinstate and make good any falling away, landslip or subsidence, and if the grantee shall neglect or fail to comply with the notice to the satisfaction of the Director within the period specified therein, the Director may forthwith execute and carry out any necessary works and the grantee shall on demand repay to the Government the cost thereof, together with any administrative or professional fees and charges.

- (h) Where prestressed ground anchors have been installed, upon development or redevelopment of the lot or any part thereof, the grantee shall at his own expense carry out regular maintenance and regular monitoring of the prestressed ground anchors throughout their service life to the satisfaction of the Director and shall supply to the Director such reports and information on all such monitoring works as the Director may from time to time in his absolute discretion require. If the grantee shall neglect or fail to carry out the required monitoring works, the Director may forthwith execute and carry out the monitoring works and the grantee shall on demand repay to the Government the cost thereof.
- (i) In the event of earth, spoil, debris, construction waste or building materials ("the waste") from the lot, or from other areas affected by any development of the lot being eroded, washed down or dumped onto public lanes or roads or into or onto road-culverts, foreshore or seabed, sewers, storm-water drains or nullahs or other Government properties ("the Government properties"), the grantee shall at his own expense remove the waste from and make good any damage done to the Government properties. The grantee shall indemnify and keep indemnified the Government against all actions, claims and demands arising out of any damage or nuisance to private property caused by such erosion, washing down or dumping. The Director may (but is not obliged to), at the request of the grantee, remove the waste from and make good any damage done to the Government properties and the grantee shall pay to the Government on demand the cost thereof.
- (j) The grantee shall take or cause to be taken all proper and adequate care, skill and precautions at all times, and particularly when carrying out construction, maintenance, renewal or repair work ("the Works"), to avoid causing any damage, disturbance or obstruction to any Government or other existing drain, waterway or watercourse, water main, road, footpath, street furniture, sewer, nullah, pipe, cable,

wire, utility service or any other works or installations being or running upon, over, under or adjacent to the lot, the Yellow Areas, the Yellow Hatched Black Area or any part of any of them ("the Services"). The grantee shall prior to carrying out any of the Works make or cause to be made such proper search and enquiry as may be necessary to ascertain the present position and levels of the Services, and shall submit his proposals for dealing with any of the Services which may be affected by the Works in writing to the Director for his approval in all respects, and shall not carry out any work whatsoever until the Director shall have given his written approval to the Works and to such aforesaid proposals. The grantee shall comply with and at his own expense meet any requirements which may be imposed by the Director in respect of the Services in granting the aforesaid approval, including the cost of any necessary diversion, relaying or reinstatement. The grantee shall at his own expense in all respects repair, make good and reinstate to the satisfaction of the Director any damage, disturbance or obstruction caused to the lot, the Yellow Areas, the Yellow Hatched Black Area or any part of any of them or any of the Services in any manner arising out of the Works (except for nullah, sewer, storm-water drain or water main, the making good of which shall be carried out by the Director, unless the Director elects otherwise, and the grantee shall pay to the Government on demand the cost of such works). If the grantee fails to carry out any such necessary diversion, relaying, repairing, making good and reinstatement of the lot, the Yellow Areas, the Yellow Hatched Black Area or any part of any of them or of any of the Services to the satisfaction of the Director, the Director may carry out any such diversion, relaying, repairing, making good or reinstatement as he considers necessary and the grantee shall pay to the Government on demand the cost of such works.

- (k) Upon any failure or neglect by the grantee to perform, observe or comply with the Land Grant, the Government shall be entitled to re-enter upon and take back possession of the lot or any part thereof and all or any buildings, erections and works on the lot or any part thereof. Upon re-entry: (i) the rights of the grantee under the Land Grant on the part of the lot re-entered shall absolutely cease and determine; (ii) the grantee shall not be entitled to any refund of premium, any payment or compensation whatsoever in respect of the value of the land or any building(s) erected thereon or any amount expended by the grantee in the preparation, formation or development of the lot or any part thereof; but (iii) the

rights, remedies and claims of the Government in respect of any breach, non-observance or non-performance of the Land Grant are not to be thereby prejudiced.

- (l) See 5 above.

Note: The expression "grantee" as mentioned in this section means the "Purchaser" under the Land Grant, and where the context so admits or requires includes his executors, administrators and assigns and in case of a corporation its successors and assigns.

16 SUMMARY OF LAND GRANT

批地文件的摘要

1. 期數所位於的土地的地段編號：

新九龍內地段第6574號。

2. 有關租契規定的年期：

由2018年12月10日起計50年。

3. 適用於該土地的用途限制：

- (a) 該地段或其任何部分或其上已建或擬建建築物除私人住宅用途外，不得用作其他用途。
- (b) 該地段內不得興建或建造墳墓或靈灰安置所，亦不得於該地段其上或內安葬或放置人類遺骸或動物遺骸（不論是否置於陶瓶或骨灰甕內或以其他方式安葬或放置）。

4. 按規定須興建並提供予政府或供公眾使用的設施：

於批地文件所夾附的圖則上分別以黃色及黃色間黑斜線顯示（分別為「黃色範圍」及「黃色間黑斜線範圍」）並須由承授人鋪設、塑造、興建、建造、提供及作環境美化的海濱長廊，以作沿著黃色範圍及黃色間黑斜線範圍並由地政總署署長（「署長」）指明之定線及闊度最少3米的公共行人通道，供所有公眾人士於所有合理時間內為所有合法目的免收費用及不得受任何干擾地徒步經過及再經過，以來往位於海旁並毗鄰黃色範圍之政府土地；及於黃色間黑斜線範圍內由承授人提供闊4.5米之公共行人通道，用作行人專用區域。

5. 有關承授人在該土地內外鋪設、塑造或作環境美化的任何範圍，或興建或維持任何構築物或設施的責任：

- (a) 發展項目須於2024年6月30日（註：政府已批准將該日期延至2025年6月30日）或之前建成至適宜佔用。
- (b) 承授人須於批地文件年期內：(i)按照經批准之設計、規劃及高度及經批准之建築圖則維持所有建築物，不得有變更或改動；及(ii)保持所有已建或擬建建築物修葺良好堅固，並於年期屆滿或終止時將其在同樣的修葺狀態下交回予政府。
- (c) (i) (I) 承授人須於2022年6月30日（註：政府已批准將該日期延至2023年6月30日）或之前（或經署長批准的其他日期），自費以署長批准及按照於批

地文件所夾附以「黃色範圍及黃色間黑斜線範圍之工程規格附表」及「建築工程規格附表」標示之工程規格附表（統稱「工程規格附表」）、按照第5(c)(ii)段經批准的圖則、及按照第5(e)(i)段定義之園景設計圖之材料、標準、高度、定線及設計，於黃色範圍及黃色間黑斜線範圍以熟練的方式鋪設、塑造、興建、建造、提供及作環境美化的海濱長廊，致使署長在各方面滿意。承授人須於黃色間黑斜線範圍內提供闊4.5米之公共行人通道，用作行人專用區域。為免存疑，黃色範圍不包括任何海堤。

- (II) 就本5(c)段而言，署長就第5(c)(i)(I)段提及的工程是否已按照第5(c)(i)(I)段完成及於何時完成而所作之決定為最終決定並對承授人具約束力。

- (ii) (I) 承授人須自費向署長呈交或安排呈交黃色範圍及黃色間黑斜線範圍的圖則以供其書面批准，黃色範圍及黃色間黑斜線範圍的圖則須包括黃色範圍及黃色間黑斜線範圍之高度、位置、定線及設計的細節及資料，及署長要求之任何其他細節及資料。

- (II) 除非經署長事先書面批准，承授人不得修訂、變動、改動、變更或替代經批准之黃色範圍及黃色間黑斜線範圍的圖則。

- (III) 任何根據第5(c)(ii)(II)段經署長批准而作出之修訂、變動、改動、變更或替代須被視為納入經署長批准之黃色範圍及黃色間黑斜線範圍的圖則並構成其部分。

- (IV) 除非第5(c)(ii)(I)段提及之圖則已經署長批准，不得在黃色範圍及黃色間黑斜線範圍內展開任何建築工程（第6(e)段提及之拆除及移除工程、地盤平整工程及土地勘探除外）。就批地文件之條件而言，「建築工程」、「地盤平整工程」及「土地勘探」根據《建築物條例》、其任何附屬規例及任何修訂法例定義。

- (iii) (I) 承授人不得更改、拆除或損壞毗連黃色範圍現存之海堤，或對海堤或其任何部分進行任何更改、損壞或對其造成不利影響之工程，署長就任何工程是否會對海堤作出更改、損壞或造成不利影響而所作之決定為最終決定並對承授人具約束力。

- (II) 由海堤之蓋頂線後方起計10米之內之最大累積荷載重量不得多於每平方米10千牛頓。

- (III) 於海堤之蓋頂線15米之內不得進行任何形式的撞擊式打樁工程。

- (iv) 在第5(c)(i)(I)段提及之工程完成後，承授人須自費維護、管理、維修及保養黃色範圍及黃色間黑斜線範圍，及其所有構成或附屬部分，令其處於修葺良好堅固的狀態，致使署長在各方面滿意，直至整個黃色範圍及黃色間黑斜線範圍之管有權按照第5(c)(vii)(IV)段交回予政府。

- (v) 倘若承授人未能根據第5(c)(i)(I)段或第5(c)(iv)段履行該段下之責任，政府可進行所需之工程，唯費用由承授人支付，就此承授人須應要求向政府繳付一筆款項，數額等於上述工程之費用，該數額由署長釐定，此決定為最終決定並對承授人具約束力。

- (vi) 就任何對承授人或任何其他人所造成或承授人或任何其他人士蒙受的損失、損壞、滋擾或干擾，不論是否因承授人履行第5(c)(i)(I)段或第5(c)(iv)段的責任或政府行使第5(c)(v)段的權利或其他原因而引起或附帶發生，政府概不負責或承擔任何責任；且承授人亦不得針對政府就該等損失、損壞、滋擾或干擾提出任何申索。

- (vii) (I) 僅就進行第5(c)(i)(I)段及第5(c)(iv)段指明之工程而言，黃色範圍及黃色間黑斜線範圍的管有權在署長發出信件予承授人中指明之日期賦予承授人，唯該日期不可在2020年3月31日之後。

- (II) 就任何對承授人所造成或承授人蒙受的損壞或損失，不論是否因延遲移交黃色範圍及黃色間黑斜線範圍的管有權而引起，政府概不負責或承擔任何責任；且承授人亦不得針對政府就該等損壞或損失提出任何申索。

- (III) 承授人已接受黃色範圍及黃色間黑斜線範圍及其上之樹木、構築物及地基於黃色範圍及黃色間黑斜線範圍的管有權賦予承授人當天之現存情況及狀態；且承授人同意不得針對政府就其提出任何申索。

- (IV) 承授人須於2022年6月30日（註：政府已批准將該日期延至2023年6月30日）或之前（或經署長批准的其他日期）應署長行使其全權酌情權指明或要求將黃色範圍及黃色間黑斜線範圍或其任何部分之管有權交回予政府。且不論任何情況，黃色範圍及黃色間黑斜線範圍會被視為於署長發出

信件表示批地文件各項條件已妥為履行致使其滿意的當天由承授人交回予政府。

- (viii) 除非經署長事先書面許可，承授人不得使用黃色範圍及黃色間黑斜線範圍或其任何部分作儲存用途或停泊車輛或任何臨時構築物之建造或任何除進行第5(c)(i)(I)段及第5(c)(iv)段指明之工程外之用途。
- (ix) (I) 承授人須在其交回整個黃色範圍及黃色間黑斜線範圍之管有權之前於所有合理時間內：
- (1) 允許政府、署長及其官員、承建商及代理及任何獲署長授權人士，有權進出、往返及穿越該地段、黃色範圍及黃色間黑斜線範圍或其任何部分，以便視察、檢查及監督任何須按第5(c)(i)(I)段及第5(c)(iv)段進行的工程，及進行、視察、檢查及監督根據第5(c)(v)段進行的工程及任何其他署長認為有需要在黃色範圍及黃色間黑斜線範圍或其任何部分內進行的工程；
 - (2) 允許政府、署長及其官員、承建商及代理及任何獲署長授權人士、及獲政府授權的相關公用事業公司應政府、署長或相關公用事業公司之要求有權進出、往返及穿越該地段、黃色範圍及黃色間黑斜線範圍或其任何部分，以供其在黃色範圍及黃色間黑斜線範圍或其任何部分或任何毗連土地之內、之上或之下進行任何工程，包括但不限於鋪設及於其後保養所有管道、電線、導管、電纜管道及其他傳導媒體及為向該地段或任何毗連或鄰近土地或處所提供電訊、電力、氣體（如有）及其他服務而所需的附屬設備。承授人須就有關任何上述於黃色範圍及黃色間黑斜線範圍或其任何部分內進行的工程之所有事宜與政府、署長及其官員、承建商及代理及任何獲署長授權人士、及政府正式授權的相關公用事業公司通力合作；及
 - (3) 允許水務監督之官員及其他獲其授權之人士應其要求有權進出、往返及穿越該地段、黃色範圍及黃色間黑斜線範圍或其任何部分，以進行任何與黃色範圍及黃色間黑斜線範圍或其任何部分內之任何其他水務設施之操作、保養、維修、更換及改動有關之工程。
- (II) 就任何對承授人或任何人所造成或承授人或任何人蒙受的損失、損壞、滋擾或干擾，不論是否因政府、署長及其官員、承建商及代理、及任何根據第5(c)(ix)(I)段獲正式授權人士或公用事業公司行使權利而引起或附帶發生，政府、署長及其官員、承建商及代理、及任何根據第5(c)(ix)(I)段獲正式授權人士或公用事業公司概不負責或承擔任何責任。
- (III) 在不影響第5(c)(i)(I)段之一般性的原則下，在交回整個黃色範圍及黃色間黑斜線範圍的管有權之前，承授人須沿著黃色範圍及黃色間黑斜線範圍並由署長指明之定線提供闊度最少3米的公共行人通道，供所有公眾人士於所有合理時間內為所有合法目的免收費用及不得受任何干擾地徒步經過及再經過，以來往位於海旁並毗鄰黃色範圍之政府土地。承授人須自費確保該公共行人通道不受工程干擾或阻礙，不論是否進行根據第5(c)(i)(I)段或第5(c)(iv)段指明之工程或其他工程。
- (x) 承授人須就在黃色範圍及黃色間黑斜線範圍及其所有構成或附屬部分的任何欠妥之處、失修、瑕疵、故障、失靈或任何其他尚未完成的工程（不論是否關乎造工、材料、設計或其他原因），及於黃色範圍及黃色間黑斜線範圍內所有樹木健康問題（包括可能影響任何樹木、灌木或其他植物之健康的欠妥之處、失調、因素或成因）（該健康問題稱為「樹木健康問題」）：
- (I) 並於承授人交回黃色範圍及黃色間黑斜線範圍或其任何部分的管有權當日已存在的；及
 - (II) 於承授人交回黃色範圍及黃色間黑斜線範圍或其任何部分的管有權之日期後12個曆月內發生或明顯可見的（「黃色範圍及黃色間黑斜線範圍的維修責任及植物培植期」），
- 所引致或與之有關的所有申索、費用、索求、收費、損害賠償、訴訟及司法程序（不論任何性質），承授人須彌償政府，並使其維持獲彌償。
- (xi) 在署長要求時，承授人須自費於署長指明之時間內及以其指明之標準及形式，在黃色範圍及黃色間黑斜線範圍及其所有構成或附屬部分，進行所有保養、維修、修改、重建與修正工程及任何其他必要工程，以補救及修正於黃色範圍及黃色間黑斜線範圍的維修責任及植物培植期內發生或明顯可見的任何欠妥之處、失修、瑕疵、故障、失靈或任何其他尚未完成的工程。除前述的規定外，承授人須自費於署長指明之時間內及以其指明之標準及形式，在黃色範圍及黃色間黑斜線範圍及其所有構成或附屬部分，進行修復及修正於承授人交回黃色範圍及黃色間黑斜線範圍或其任何部分的管有權當日已存在的任何欠妥之處、失修、瑕疵、故障、失靈或任何其他尚未完成的工程。
- (xii) 倘若因承授人在交回黃色範圍及黃色間黑斜線範圍或其任何部分的管有權予政府當日已存在的樹木健康問題，以致黃色範圍及黃色間黑斜線範圍內之任何樹木、灌木或其他植物未能在黃色範圍及黃色間黑斜線範圍的維修責任及植物培植期內生長或發育至署長滿意之程度及狀況，承授人須在署長要求時自費於署長指明之時間內及以其指明之標準及形式，進行重新栽種、園景美化工程、樹木保養措施或任何其他措施，致使署長在各方面滿意。
- (xiii) 署長在黃色範圍及黃色間黑斜線範圍的維修責任及植物培植期屆滿前，將會安排檢查黃色範圍及黃色間黑斜線範圍及其所有構成或附屬部分，以識別任何明顯的欠妥之處、失修、瑕疵、故障、失靈或任何其他尚未完成的工程及任何樹木健康問題。署長保留權利在黃色範圍及黃色間黑斜線範圍的維修責任及植物培植期屆滿後14天內向承授人送達一份或多份欠妥之處的列表，列明在黃色範圍及黃色間黑斜線範圍及其所有構成或附屬部分內任何明顯的欠妥之處、失修、瑕疵、故障、失靈或任何其他尚未完成的工程，及任何樹木健康問題。承授人須自費於署長指明之時間內及以其指明之標準及形式，安排進行及採取所有必要的工程和措施（包括第5(c)(xii)段指明之重新栽種、園景美化工程、樹木保養措施及任何其他措施）加以補救和修正。
- (xiv) 如承授人未能進行第5(c)(xi)段及第5(c)(xii)段提及之工程，政府可進行該等工程，且承授人須應要求向政府繳付與該等工程有關而產生之費用及收費，該數額由署長核證，其決定為最終決定並對承授人具約束力。
- (xv) 僅就本5(c)段而言，「承授人」一詞不包括其承讓人。

- (d) (i) 署長可據其絕對酌情權認為合適時修訂、變動、改動、變更或替代工程規格附表。
- (ii) 除非經署長事先書面批准，承授人不得修訂、變動、改動、變更或替代工程規格附表。
- (iii) 署長根據第5(d)(i)段作出之或承授人根據第5(d)(ii)段經署長批准而作出之任何修訂、變動、改動、變更或替代須被視為納入工程規格附表並構成其部分。
- (iv) 如署長之意見認為（其意見為最終意見並對承授人具約束力）工程規格附表的條款與批地文件之條件相抵觸，須以批地文件之條件為準。
- (e) (i) 承授人須自費向署長呈交園景設計圖以供其批准，園景設計圖須按第5(e)(ii)段及第5(e)(iii)段要求訂定在黃色範圍及黃色間黑斜線範圍內提供的園景工程之位置、規劃及布局（「園景設計圖」）。在園景設計圖經署長書面批准及根據第6(a)段之樹木保育建議獲授許可（如有必要）之前，不得在黃色範圍及黃色間黑斜線範圍展開任何建築工程（第6(e)段提及之拆除及移除工程、地盤平整工程及土地勘探除外）。
- (ii) 園景設計圖須為1:200或更大比例，並載有園景美化建議的相關資料，包括現有樹木普查及處理方案、地盤布局及平整水平、建築發展概念、園景建築及種植花木範圍之圖解布局，及署長要求的其他資料。
- (iii) 須在黃色範圍及黃色間黑斜線範圍不少於百分之三十六的範圍內栽種樹木、灌木或其他植物。署長就承授人建議的哪些園景工程屬本5(e)(iii)段提及的百分之三十六而所作之決定為最終決定並對承授人具約束力。署長可行使其全權酌情權接受承授人建議的其他非植物特色替代栽種樹木、灌木或其他植物。為免存疑，根據本5(e)(iii)段提供之園景工程並不構成第5(k)(ii)段提及的綠化範圍之其中一部分。
- (iv) 承授人須按照經批准之園景設計圖自費於黃色範圍及黃色間黑斜線範圍上進行園景工程，致使署長在各方面滿意。除非經署長事先書面許可，不得修訂、變動、改動、變更或替代經批准之園景設計圖。
- (v) 在不影響第5(c)(iv)段之一般性的原則下，承授人須自費維持及保養園景工程，使其處於安全、清潔、整齊、井然及健康的狀態，致使署長滿意，直至整個黃色範圍及黃色間黑斜線範圍的管有權按照第5(c)(vii)(IV)段交回予政府。
- (f) (i) 須於該地段內按指定比率提供若干車位，以供按《道路交通條例》、其任何附屬規例及任何修訂法例獲發牌，並屬於該地段上已建或擬建建築物的住客、其真實賓客、訪客或所邀請者之車輛停泊（「住宅停車位」），致使署長滿意。
- (ii) 須按指定比率提供若干額外車位，以供按《道路交通條例》、其任何附屬規例及任何修訂法例獲發牌，並屬於該地段上已建或擬建建築物的住客的真實賓客、訪客或所邀請者之車輛停泊（「訪客停車位」）。
- (iii) 承授人須從第5(f)(i)段（可按批地文件更改）及第5(f)(ii)段提及之車位中，保留及指定按建築事務監督要求及批准之數目的車位，以供傷殘人士（按《道路交通條例》、其任何附屬規例及任何修訂法例定義）使用之車輛停泊（「供傷殘人士用停車位」）。
- (iv) 須於該地段內按指定比率提供若干車位，以供按《道路交通條例》、其任何附屬規例及任何修訂法例獲發牌，並屬於該地段上已建或擬建建築物的住客、其真實賓客、訪客或所邀請者之電單車停泊（「電單車停車位」），致使署長滿意。
- (v) 須於該地段內按指定比率提供若干車位，以供屬於該地段上已建或擬建建築物的住客、其真實賓客、訪客或所邀請者之單車停泊（「單車停車位」），致使署長滿意。
- (vi) 須於該地段內按指定比率提供若干車位供貨車上落貨（「上落貨停車位」），致使署長滿意。
- (g) 承授人須：
- (i) 於2024年6月30日（註：政府已批准將該日期延至2025年6月30日）或之前（或經署長批准的其他日期），自費以致使機電工程署署長滿意的標準及設計，及在各方面遵守《建築物條例》及《電力條例》、其任何附屬規例及任何修訂法例：
- (I) 於按照第5(f)(i)段、第5(f)(ii)段、第5(f)(iii)段及第5(f)(iv)段（可分別按批地文件更改）提供的所有停車位，提供及安裝供電動車輛使用的充電設施，包括但不限於固定電力裝置及最終電路裝置；及
- (II) 於按照第5(f)(i)段、第5(f)(ii)段及第5(f)(iii)段（可分別按批地文件更改）提供之停車位中不少於百分之三十的停車位，提供及安裝電動車輛中速充電器，包括第5(g)(i)(I)段提及之最終電路，使每個該等停車位至少有一個電動車輛中速充電器；及
- (ii) 於批地文件年期內自費維修、保養、修理及管理根據第5(g)(i)(I)段及第5(g)(i)(II)段提供及安裝的供電動車輛使用的充電設施及電動車輛中速充電器，使其處於維修妥善及操作良好的狀況，致使機電工程署署長在各方面滿意。
- (h) 承授人須按照經署長批准並給署長存檔之車場布局圖維持停車位、上落貨停車位及其他範圍，包括但不限於升降機、樓梯平台及運轉及通道地方。
- (i) 任何在批地文件之條件下指明需要拓建的私家街、私家路及後巷之選址須使署長滿意，並由署長決定包括或排除於出租範圍，並須應要求免費交還予政府。如上述私家街、私家路及後巷交還予政府，該處鋪設路面、路邊石、排水渠（污水及雨水渠）及安裝道路照明的工程將由政府進行，唯費用由承授人支付，此後之維修費用則為公共開支。如上述私家街、私家路及後巷位於出租範圍內，承授人須於該處自費進行安裝路燈、鋪設路面、路邊石、排水渠及渠道的工程，並須自費保養，致使署長在各方面滿意；署長可基於公眾利益按需要在該處進行或安排進行路燈安裝及維修工程，承授人須承擔路燈安裝工程的資本開支，並允許工人和車輛自由進出該土地範圍，以便安裝及維修該等路燈。
- (j) 承授人須自費保養在該地段內按批地文件獲豁免計算總樓面面積的康樂設施及其附屬設施（「獲豁免設施」），使其處於修葺良好堅固的狀態，並須運作獲豁免設施致使署長滿意。獲豁免設施只准供發展項目之住宅大廈的住客及其真正賓客使用，並不得供其他人士使用。
- (k) (i) 承授人須自費向署長呈交園景圖則以供其批准，園景圖則須按第5(k)(ii)段要求訂定該地段內提供的園景工程之位置、規劃及布局（「該地段園景圖則」）。
- (ii) (I) 須在該地段不少於百分之三十的範圍內栽種樹木、灌木或其他植物。
- (II) 於第5(k)(ii)(I)段提及之百分之三十中不少於百分之六十六（「綠化範圍」）須在按署長全權酌情決定的地點或水平提供，使綠化範圍可被行人看見或可供任何進入該地段的人士進出。

- (III) 在不影響第5(k)(ii)(II)段之情況下，須於批地文件所夾附的圖則上以粉紅色間黑斜線顯示（「粉紅色間黑斜線範圍」）部分並於批地文件所夾附的圖則上以「A」與「M」顯示及標示兩點之間並由該地段邊界起計3米之內提供綠化範圍或其任何部分。
- (IV) 該地段不少於百分之二十之已建或擬建建築物的天台範圍將構成第5(k)(ii)(I)段提及之百分之三十之其中一部分。
- (V) 就承授人建議的哪些園景工程屬第5(k)(ii)(I)段提及的百分之三十，署長就哪些範圍屬於第5(k)(ii)(IV)段提及之建築物的天台範圍，以及綠化範圍之條款是否已根據第5(k)(ii)(II)段妥為履行，而所作之決定為最終決定並對承授人具約束力。
- (VI) 署長可行使其全權酌情權接受承授人建議的其他非植物特色替代栽種樹木、灌木或其他植物。
- (iii) 承授人須按照經批准之該地段園景圖則自費於該地段上進行園景工程，致使署長在各方面滿意。除非經署長事先書面許可，不得修訂、變動、改動、變更或替代經批准之該地段園景圖則。
- (iv) 此後承授人須自費保養及維持園景工程，使其處於安全、清潔、整齊、井然及健康的狀態，致使署長滿意。
- (I) (i) 承授人須自費建造及保養署長認為有需要的排水渠及渠道（不論是否位於該地段範圍內或政府土地上），以將落在或流經該地段上的雨水截流並排送至就近的水道、集水井、渠道或政府雨水渠，致使署長滿意；且承授人須就因該等雨水造成的任何損壞或滋擾所引致的所有訴訟、申索及索求，自行負責並彌償政府及其官員，並使其維持獲彌償。
- (ii) 連接該地段任何排水渠及污水渠與政府雨水渠及污水渠（如已鋪設及投入運作）之工程可由署長進行，而署長對承授人就任何由此而起的損失或損壞並無責任，且承授人須應要求向政府繳付該接駁工程之費用。另一選擇是，承授人可自費進行該接駁工程並致使署長滿意，而在此情況下，上述位於政府土地內任何部分的接駁工程須由承授人自費保養，且須應要求由承授人交回予政府以供政府自費未來進行保養；承授人亦須應要求向政府繳付該接駁工程技術審核的費用。如承授人未有保養上述位於政府土地內任何部分的接駁工程，署長可進行其認為有需要的保養工程，且承授人須應要求向政府繳付該等工程的費用。
- (m) (i) 承授人須於批地文件之簽立日期起計6個曆月內（或經署長批准的其他期間），自費並致使環境保護署署長在各方面滿意，向環境保護署署長呈交或安排呈交發展該地段之污水系統影響評估（「污水系統影響評估」）以供其書面批准，污水系統影響評估須載有環境保護署署長所要求的資料和詳情，包括但不限於發展該地段可引起的所有不良污水系統影響，及對緩解措施、改善工程及其他措施及工程的建議。
- (ii) 承授人須自費並於環境保護署署長所規定的時限內實施經環境保護署署長批准的污水系統影響評估內的建議，致使環境保護署署長及渠務署署長在各方面滿意。
- (iii) 污水系統影響評估的技術範疇，須由專修土木工程之香港工程師學會成員或已考獲專業牌照之土木工程師承辦。
- (iv) 在污水系統影響評估經環境保護署署長書面批准之前，不得在該地段或其任何部分展開任何建築工程（第6(e)段提及之拆除及移除工程、土地勘探及地盤平整工程除外）。
- (v) 為免存疑及在不影響批地文件條款的一般性的原則下，承授人特此確認及同意承授人須自行負責並自費實施經環境保護署署長批准的污水系統影響評估內的建議，致使環境保護署署長及渠務署署長在各方面滿意。就任何對承授人所造成或承授人蒙受的費用、損壞或損失，不論是否因承授人履行本5(m)段的責任或其他原因而引起或附帶發生，政府及其官員概不負責、盡義務或承擔任何責任；且承授人亦不得針對政府或其官員就該等費用、損壞或損失、提出任何申索。
- (n) (i) 承授人須於2024年6月30日（註：政府已批准將該日期延至2025年6月30日）或之前（或經署長批准的其他日期），自費並致使水務監督在各方面滿意：
- (I) 向水務監督呈交或安排呈交於該地段或其任何部分提供及安裝自動讀錶（「AMR」）外站之建議書以供其書面批准，該建議書須載有水務監督所要求的資料和詳情，包括但不限於顯示按照第5(n)(i)(II)段提供及安裝之AMR外站位置之布局圖、組成AMR外站之AMR設備的編排和相關細節、及指定放置AMR設備之範圍或空間；及
- (II) 於經水務監督按照第5(n)(i)(I)段批准的AMR外站（「AMR外站」）提供及安裝所有AMR水錶，包括個人用戶之食水供應水錶，食水供應、咸水供應及供應消防設施之總水錶或檢測錶，以及其他水務監督可行使其全權酌情權要求或批准作不同水務供應之附加水錶，為免存疑，包括：
- (1) 必須之電纜管道及電纜；
- (2) 已安裝AMR設備之AMR錶板；及
- (3) 其他設施及相關設備。
- 就本5(n)段而言，「用戶」一詞根據《水務設施條例》、其任何附屬規例及任何修訂法例定義。
- (ii) 在第5(n)(i)(I)段提及的建議書經水務監督批准之前，承授人不得展開任何工程提供及安裝AMR外站。
- (iii) 承授人須於批地文件年內自費維修、保養、修理及管理AMR外站使其處於維修妥善及操作良好的狀況，致使水務監督於各方面滿意，直至按照第5(n)(vii)段將其交予水務監督。
- (iv) 水務監督有權按其絕對酌情權於任何時間送達書面通知予承授人要求承授人拆除或移除置於指定放置AMR設備之範圍或空間上、上空或下、或堆疊在其上或其中之物件或材料，及按水務監督意見認為（其意見為最終意見並對承授人具約束力）阻礙或干擾AMR外站之放置、操作和維修之物件或材料。承授人於收到上述書面通知時須於上述書面通知所規定的時限內自費拆除或移除該等物件或材料並將該拆除或移除工程所影響之範圍或空間還原及維修，致使水務監督於各方面滿意。
- (v) 倘若承授人未能根據本5(n)段履行該段下之責任，水務監督可進行所需之工程，唯費用由承授人支付，就此承授人須應要求向水務監督繳付一筆款項，數額等於上述工程之費用，該數額由水務監督釐定，此決定為最終決定並對承授人具約束力。
- (vi) 承授人須於批地文件年內允許水務監督及其官員、承建商、代理、工人及任何獲水務監督授權人士不論帶同或不帶同工具、設備、機器、機械或車輛，有權自由及不受限制地進出、往返及穿越該地段或其任何部分及其上任何已建或擬建建築物，以便：

(I) 視察及檢查任何按照第5(n)(i)(II)段、第5(n)(iii)段及第5(n)(iv)段進行的工程；

(II) 進行任何按照第5(n)(v)段之工程；及

(III) 於AMR外站按照第5(n)(vii)段交予水務監督後，檢查、操作、保養、維修、更新、移除、更換及重建AMR外站。

(vii) 承授人須應水務監督要求及於水務監督指明之時間內將AMR外站交予水務監督，且水務監督毋須向承授人作出任何繳款或賠償，唯水務監督並無責任於承授人要求時接管AMR外站，但水務監督可按其絕對酌情權認為合適時接管AMR外站。

(viii) 就任何對承授人所造成或承授人蒙受的損失、損壞、滋擾或干擾，不論是否因承授人履行第5(n)(i)(II)段、第5(n)(iii)段、第5(n)(iv)段及第5(n)(vi)段的責任或進行根據第5(n)(v)段之工程，或政府、水務監督、其官員、承建商、代理、工人及任何獲水務監督授權人士行使第5(n)(vi)段授予的任何權利而引起或附帶發生，政府、水務監督、其官員、承建商、代理、工人及任何獲水務監督授權人士概不負責或承擔任何責任；且承授人亦不得針對上述任何人就該等損失、損壞、滋擾或干擾提出任何申索。

(ix) 承授人須就提供、安裝、維修、保養及管理AMR外站或與第5(n)(v)段有關之工程，而任何不論直接或間接所引致或與之有關的所有法律責任、損失、損害賠償、支出、申索、費用、收費、索求、訴訟及司法程序，彌償政府、水務監督及其官員、承建商、代理、工人及任何獲水務監督根據第5(n)(viii)段授權人士，並使其維持獲彌償。

(x) 就第5(n)(i)段、第5(n)(ii)段、第5(n)(iii)段及第5(n)(vii)段而言，「承授人」一詞不包括其承讓人。

6. 對買方造成負擔的租用條件：

(a) 除非經署長事先書面許可，不得移除或干擾該地段或其毗鄰所生長的樹木；署長於給予許可時可就移植、補償性環境美化或重新栽種施加其認為合適之條件。

(b) 住宅停車位及電單車停車位均不得：

(i) 轉讓，除非：

(I) 連同發展項目的住宅單位轉讓；或

(II) 轉讓予已是發展項目住宅單位業主之人士；或

(ii) 出租，除非出租予發展項目住宅單位之住客。

唯於任何情況下，轉讓予發展項目住宅單位之業主或出租予發展項目住宅單位之住客的住宅停車位及電單車停車位總數不得多於三個。

(c) (i) 住宅停車位不得用作停泊按《道路交通條例》、其任何附屬規例及任何修訂法例獲發牌，且屬於該地段上已建或擬建建築物的住客、其真實賓客、訪客或所邀請者之車輛以外的任何用途，尤其是上述車位不得用作儲存、展示或展覽供出售或作他用的車輛或用作提供汽車清潔美容服務。

(ii) 訪客停車位不得用作停泊按《道路交通條例》、其任何附屬規例及任何修訂法例獲發牌，且屬於該地段上已建或擬建建築物的住客的真實賓客、訪客或所邀請者之車輛以外的任何用途，尤其是上述車位不得用作儲存、展示或展覽供出售或作他用的車輛或用作提供汽車清潔美容服務。

(iii) 供傷殘人士用停車位不得用作停泊傷殘人士（按《道路交通條例》、其任何附屬規例及任何修訂法例定義）使用，且屬於該地段上已建或擬建建築物的住客、其真實賓客、訪客或所邀請者之車輛以外的任何用途，尤其是上述車位不得用作儲存、展示或展覽供出售或作他用的車輛或用作提供汽車清潔美容服務。

(iv) 電單車停車位不得用作停泊按《道路交通條例》、其任何附屬規例及任何修訂法例獲發牌，且屬於該地段上已建或擬建建築物的住客、其真實賓客、訪客或所邀請者之電單車以外的任何用途，尤其是上述車位不得用作儲存、展示或展覽供出售或作他用的車輛或用作提供汽車清潔美容服務。

(v) 上落貨停車位不得用作與該地段已建或擬建建築物之貨車上落貨之外的任何用途。而上述每一車位須闊3.5米，長11.0米，其通行高度不得少於4.7米。

(d) 當發展或重建該地段時，可於受制於署長施加的條件下允許之指定位置作臨時通道供建築車輛進入該地段。於發展項目或重建項目完工後於署長指定之時限內，承授人須自費還原該已興建作臨時通道之範圍，致使署長在各方面滿意。

(e) 承授人確認於批地文件之簽立日期，於該地段、黃色範圍及黃色間黑斜線範圍內有現存構築物及地基。承授人承諾自費拆除及移除於該地段、黃色範圍及黃色間黑斜線範圍之該構築物及地基，致使署長在各方面滿意。就任何因該構築物及地基之存在，或該構築物及地基其後拆除或移除而對承授人所造成或承授人蒙受的損失、損壞、滋擾或干擾，政府概不負責或承擔任何責任。承授人須就該構築物及地基之存在及其後之拆除及移除，而任何不論直接或間接所引致或與之有關的所有法律責任、申索、費用、索求、訴訟或其他司法程序，彌償政府，並使其維持獲彌償。就本6(e)段而言，署長就該構築物及地基之拆除及移除是否已完成及於何時完成而所作之決定為最終決定並對承授人具約束力。

(f) 除非經署長事先書面許可，承授人不得削去、清除或後移該地段任何毗鄰或毗連的政府土地，或於任何政府土地進行任何種類的堆土、填土或斜坡整理工程。署長可全權酌情給予有關許可，但須受其全權酌情決定施加任何其認為合適之條款及條件所規限，包括由其釐定之地價批出額外政府土地作為該地段的增批部分。

(g) 若有或曾有任何土地之削去、清除或後移，或任何種類的堆土、填土或斜坡整理工程，不論是否經署長事先書面同意，不論是否位於該地段內或任何政府土地內，亦不論進行上述工程的目的是為承授人進行開拓、平整或發展工程或其於批地文件之條件下需要進行的任何其他工程的目的或與其有關連的目的或任何其他目的，承授人須自費進行及建造該等於當時或其後有需要之斜坡整理工程、護土牆或其他支撐、防護措施、排水系統或附屬或其他工程，以保護及支持該地段內的土地及任何毗鄰或毗連之政府土地或已出租土地，及排除及預防其後發生的任何泥土剝落、泥石傾瀉或土地下陷。承授人須於批地文件年期內的所有時間自費保養上述土地、斜坡整理工程、護土牆或其他支撐、防護措施、排水系統或附屬或其他工程修葺良好堅固，致使署長滿意。倘若於任何時間因承授人進行的開拓、平整或發展工程或其他工程或任何其他原因而導致或引起任何泥土剝落、泥石傾瀉或土地下陷，不論是否於或自該地段內的任何土地或自任何毗鄰或毗連的政府土地或出租土地，承授人須自費還原和修復致使署長滿意，並須就通過或由於該等泥土剝落、泥石傾瀉或土地下陷而將會或可能造成、蒙受或招致的任何費用、收費、損害、索求及申索彌償政府、其代理人及承建商，並使其維持獲彌償。

償。除了批地文件訂明就任何違反批地文件之條件而有的權利或濟助外，署長亦有權以書面通知形式要求承授人進行、興建及保養上述土地、斜坡整理工程、護土牆、或其他支撐、防護措施、及排水系統或附屬或其他工程，或還原和修復任何泥土剝落、泥石傾瀉或土地下陷，且如承授人忽略或未能在指明期限內遵行該通知致使署長滿意，署長可立即執行和進行任何有需要的工程，而承授人須應要求向政府償還該工程的費用，連同任何行政或專業費用或收費。

- (h) 若於發展或重建該地段或其任何部分時曾安裝預應力地錨，承授人須於該等預應力地錨的使用期限內自費進行定期保養及定期監測致使署長滿意，並須不時於署長行使其絕對酌情權要求時向署長提供所有監測工程之報告及資料。如承授人忽略或未能進行所須的監測工程，署長可立即執行和進行所須的監測工程，而承授人須應要求向政府償還該工程的費用。
- (i) 倘若該地段或其他受開發該地段影響範圍的泥土、廢土、瓦礫、建築廢料或建材（「該等廢料」）遭侵蝕、沖洗或傾倒在公共巷徑或道路上，或路旁暗渠、前濱或海床、污水渠、雨水渠或溝渠或其他政府財產之上或內（「該等政府財產」），承授人須自費清理該等廢料並修葺任何對該等政府財產造成的損壞。承授人須就該等侵蝕、沖洗或傾倒對私人財產造成的任何損壞或滋擾所引致的一切訴訟、申索及索求彌償政府，並使其維持獲彌償。署長可以（但無義務）應承授人請求清理該等廢料並修葺該等廢料對該等政府財產造成的任何損壞，而承授人須應要求向政府繳付有關費用。
- (j) 承授人須於所有時候，尤其是當進行建造、保養、翻新或維修工程（「該等工程」）時，採取或安排採取所有恰當及足夠的謹慎、技巧及預防措施，以免對處於或行經該地段、黃色範圍、黃色間黑斜線範圍或其任何部分之上、之下或旁邊的任何政府或其他現存排水渠、水道或河道、水管、道路、行人徑、街道設施、污水渠、溝渠、管道、電纜、電線、公用服務或任何其他工程或裝置（「該等服務」）造成任何損壞、干擾或阻礙。承授人須於進行任何該等工程前進行或安排進行所需的恰當搜索及勘查，以查明該等服務之現行位置及水平，並須就如何處理任何或會受該等工程影響之該等服務向署長提交書面建議書供其就各方面批准，且不得在署長就該等工程及上述建議書發出書面批准之前進行任何工程。承授人須遵行及自費達成署長於發出上述批准時就該等服務所施加的任何要求，包括任何有需要的改道、重鋪或還原工程之費用。承授人須自費在各方面維修、修復及還原所有因該等工程對該地段、黃色範圍、黃色間黑斜線範圍或其任何部分或任何該等服務所造成，或以任何方式引致的損壞、干擾或阻礙，致使

署長滿意（溝渠、污水渠、雨水渠或水管除外，其之修復將由署長進行，除非署長另有決定，而承授人須應要求向政府繳付上述工程之費用）。若承授人未有對該地段、黃色範圍、黃色間黑斜線範圍或其任何部分或任何該等服務進行任何所需之改道、重鋪、維修、修復及還原工程致使署長滿意，署長可進行其認為有需要之改道、重鋪、維修、修復及還原工程，而承授人須應要求向政府繳付上述工程之費用。

- (k) 當承授人未能或忽略履行、遵守或符合批地文件，政府有權收回及重新管有該地段或其任何部分以及所有或任何於該地段或其任何部分上之建築物、豎設物及工程。當該地段被收回：(i)承授人在批地文件之下於該地段被收回之部分的權利將完全告終及終止；(ii)承授人無權獲得任何地價退款、就該土地及其上之任何建築物的價值的任何款項或賠償，或承授人在準備、平整地盤或發展該地段或其任何部分中花費的任何金額；但(iii)政府就任何違反、未能履行或執行批地文件而有的任何其他權利、濟助及申索將不受此影響。

- (l) 請參閱上文第5段。

註：本節中提述「承授人」一詞指根據批地文件中的「買方」和如文意允許或要求包括其遺囑執行人、遺產管理人、承讓人及（如為法團）其繼承人和承讓人。

1. Description of any facilities that are required under the land grant to be constructed and provided for the Government, or for public use

A promenade in such portions shown coloured yellow and yellow hatched black respectively on the plan annexed to the Land Grant (“the Yellow Areas” and “the Yellow Hatched Black Area” respectively) and a public pedestrian access within the Yellow Hatched Black Area as a dedicated pedestrian zone.

2. Description of any facilities that are required under the land grant to be managed, operated or maintained for public use at the expense of the owners of the residential properties in the Phase

See 1 above.

3. Size of any open space that is required under the land grant to be managed, operated or maintained for public use at the expense of the owners of the residential properties in the Phase

Not applicable.

4. Description of any part of the land (on which the Phase is situated) that is dedicated to the public for the purposes of regulation 22(1) of the Building (Planning) Regulations (Cap. 123 sub. leg. F)

Not applicable.

5. Plan(s) showing the locations of the facilities mentioned in paragraphs 1 and 2 (if any), open spaces mentioned in paragraph 3 (if any) and those parts of the land mentioned in paragraph 4 (if any)

See the plan(s) at the end of this section.

6. General public’s right to use

In relation to any of those facilities and open spaces, and those parts of the land, mentioned in paragraphs 1, 2, 3 and 4 above that are for public use, the general public has the right to use the facilities or open spaces, or the parts of the land, in accordance with the Land Grant or the deed of dedication (as the case may be).

7. Management, operation and maintenance

The facilities mentioned in paragraph 2 and open spaces mentioned in paragraph 3 (if any) are required to be managed, operated or maintained at the expense of the owners of the residential properties in the Phase, and those owners are required to meet a proportion of the expense of managing, operating or maintaining those facilities or open spaces (if any) through the management expenses apportioned to the residential properties concerned.

8. Provisions of the land grant and the deed of dedication (if applicable), and of the deed of mutual covenant in respect of the Phase that concern the facilities mentioned in paragraphs 1 and 2 and open spaces mentioned in paragraph 3 (if any), and those parts of the land mentioned in paragraph 4 (if any)

Yellow Areas and Yellow Hatched Black Area

Land Grant

Special Condition Nos. (1)(b) to (4)

Special Condition No. (1)(b)

“(1) (b) The Purchaser acknowledges that as at the date of this Agreement, there are some structures and foundations existing on the lot, the Yellow Areas (as defined in Special Condition No. (2)(a)(i) hereof) and the Yellow Hatched Black Area (as defined in Special Condition No. (2) (a)(i) hereof). The Purchaser undertakes to demolish and remove at his own expense and in all respects to the satisfaction of the Director the said structures and foundations from the lot, the Yellow Areas and the Yellow Hatched Black Area. The Government will accept no responsibility or liability for any loss, damage, nuisance or disturbance caused to or suffered by the Purchaser by reason of the presence of the said structures and foundations or subsequent demolition or removal of the said structures and foundations. The Purchaser shall indemnify and keep indemnified the Government from and against all liability, claims, costs, demands, actions or other proceedings whatsoever arising whether directly or indirectly out of or in connection with the presence and subsequent demolition and removal of the said structures and foundations. For the purpose of this Special Condition, the decision of the Director as to whether and

when the demolition and removal of the said structures and foundations have been completed shall be final and binding on the Purchaser.”

Special Condition No. (2)

“(2) (a) (i) The Purchaser shall on or before the 30th day of June 2022 (Note: the Government has granted an extension of that date to the 30 June 2023) or such other date as may be approved by the Director, at the Purchaser’s own expense and in all respects to the satisfaction of the Director, lay, form, erect, construct, provide and landscape a promenade within the areas shown colored yellow and yellow hatched black on the plan annexed hereto respectively (hereinafter referred to as “the Yellow Areas” and “the Yellow Hatched Black Area” respectively) in a good workmanlike manner, with such materials and to such standards, levels, alignment and design as the Director shall approve and in accordance with the Technical Schedules marked “Technical Schedule for the Yellow Areas and the Yellow Hatched Black Area” and “Technical Schedule for the Building Works” annexed hereto (hereinafter collectively referred to as “the Technical Schedules”), the plans approved under sub-clause (b) of this Special Condition and the Landscape Master Plan (as defined in Special Condition No. (4)(a) hereof). The Purchaser shall provide a public pedestrian access with a width of 4.5 metres within the Yellow Hatched Black Area as a dedicated pedestrian zone. For the avoidance of doubt, the Yellow Areas do not include any seawall.

(ii) For the purpose of this Special Condition, the decision of the Director as to whether and when the works referred to in sub-clause (a)(i) of this Special Condition have been completed in accordance with sub-clause (a)(i) of this Special Condition shall be final and binding on the Purchaser.

(b) (i) The Purchaser shall at his own expense submit or cause to be submitted to the Director for his written approval the plans of the Yellow Areas and the Yellow Hatched Black Area, which shall include details and information as to the level, position, alignment and design of the Yellow Areas and the Yellow Hatched Black Area and such other details and information as the Director may require.

- (ii) No amendment, variation, alteration, modification or substitution to the approved plans of the Yellow Areas and the Yellow Hatched Black Area shall be made by the Purchaser except with the prior written approval of the Director.
- (iii) Any amendment, variation, alteration, modification or substitution by the Purchaser as approved by the Director under sub-clause (b)(ii) of this Special Condition shall be deemed to be incorporated into the approved plans of the Yellow Areas and the Yellow Hatched Black Area and form part thereof.
- (iv) No building works (other than the demolition and removal works referred to in Special Condition No. (1)(b) hereof, site formation works and ground investigation) shall be commenced on or within the Yellow Areas and the Yellow Hatched Black Area unless and until the plans referred to in sub-clause (b) (i) of this Special Condition shall have been approved by the Director. For the purpose of these Conditions, “building works”, “site formation works” and “ground investigation” shall be as defined in the Buildings Ordinance, any regulations made thereunder and any amending legislation.
- (c) (i) The Purchaser shall not alter, demolish or damage the existing seawall adjoining the Yellow Areas or carry out any works which may alter, damage or adversely affect the seawall or any part or parts thereof and the decision of the Director as to whether any works will alter, damage or adversely affect the seawall shall be final and binding on the Purchaser.
- (ii) The maximum superimposed load within 10 metres from and behind the copeline of the seawall shall not exceed 10 kilonewtons per square metre.
- (iii) No form of percussive piling shall be used within 15 metres from the copeline of the seawall.
- (d) The Purchaser shall, upon completion of the works referred to in sub-clause (a)(i) of this Special Condition, at his own expense and in all respects to the satisfaction of the Director, uphold, manage, repair and maintain the Yellow Areas and the Yellow Hatched Black Area and everything forming a portion of or pertaining to any of them in good and substantial repair and condition until such time as possession of the whole of the Yellow Areas and the Yellow Hatched Black Area has been re-delivered to the Government in accordance with sub-clause (g)(iv) of this Special Condition.
- (e) In the event of non-fulfilment of the Purchaser’s obligations under sub-clause (a)(i) or (d) of this Special Condition, the Government may carry out the necessary works at the cost of the Purchaser who shall pay to the Government on demand a sum equal to the cost thereof, such sum to be determined by the Director whose determination shall be final and binding on the Purchaser.
- (f) The Government shall have no responsibility or liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Purchaser or any other person whether arising out of or incidental to the fulfilment of the Purchaser’s obligations under sub-clause (a)(i) or (d) of this Special Condition or the exercise of the rights by the Government under sub-clause (e) of this Special Condition or otherwise, and no claim whatsoever shall be made against the Government by the Purchaser in respect of any such loss, damage, nuisance or disturbance.
- (g) (i) For the purpose only of carrying out the works specified in sub-clauses (a)(i) and (d) of this Special Condition, the Purchaser shall be granted possession of the Yellow Areas and the Yellow Hatched Black Area on a date to be specified in a letter from the Director to the Purchaser, such date to be not later than the 31st day of March 2020.
- (ii) The Government shall have no responsibility or liability in respect of any damage or loss whatsoever caused to or suffered by the Purchaser arising out of the deferred possession of the Yellow Areas and the Yellow Hatched Black Area and no claim whatsoever shall be made against the Government by the Purchaser in respect of any such damage or loss.
- (iii) The Purchaser shall accept the Yellow Areas and the Yellow Hatched Black Area in such state and condition and with such trees, structures and foundations as existing on the date on which possession of the Yellow Areas and the Yellow Hatched Black Area is given to the Purchaser, and hereby agrees not to make any claims whatsoever against the Government in respect thereof.
- (iv) The Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof as the Director may at his sole discretion specify or require shall be re-delivered by the Purchaser to the Government on demand on or before the 30th day of June 2022 (Note: the Government has granted an extension of that date to the 30 June 2023) or such other date as may be approved by the Director and in any event shall be deemed to have been re-delivered to the Government by the Purchaser on the date of a letter from the Director indicating that these Conditions have been complied with to his satisfaction.
- (h) The Purchaser shall not without the prior written consent of the Director use the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof for the purpose of storage or parking of vehicles or for the erection of any temporary structure or for any purposes other than the carrying out of the works specified in sub-clauses (a)(i) and (d) of this Special Condition.
- (i) (i) The Purchaser shall at all reasonable times prior to the re-delivery of the possession of the whole of the Yellow Areas and the Yellow Hatched Black Area:
 - (I) permit the Government, the Director and his officers, contractors and agents and any persons authorized by the Director, the right of ingress, egress and regress to, from and through the lot, the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof for the purpose of inspecting, checking and supervising any works to be carried out in compliance with sub-clauses (a)(i) and (d) of this Special Condition and the carrying out, inspecting, checking and supervising of the works under sub-clause (e) of this Special Condition and any other works which the Director may consider necessary in the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof;
 - (II) permit the Government, the Director and his officers, contractors and agents and any persons

authorized by the Director, and the relevant public utility companies authorized by the Government the right of ingress, egress and regress to, from and through the lot, the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof as the Government, the Director or the relevant public utility companies may require for the purpose of any works to be carried out in, upon or under the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof or any adjoining land including but not limited to the laying and subsequent maintenance of all pipes, wire, conduits, cable-ducts and other conducting media and ancillary equipment necessary for the provision of telephone, electricity, gas (if any) and other services intended to serve the lot or any adjoining or neighbouring land or premises, and the Purchaser shall co-operate fully with the Government, the Director and his officers, contractors and agents and any persons authorized by the Director, and also with the relevant public utility companies duly authorized by the Government on all matters relating to any of the aforesaid works to be carried out within the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof; and

(III) permit the officers of the Water Authority and such other persons as may be authorized by them the right of ingress, egress and regress to, from and through the lot, the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof as the officers of the Water Authority or such authorized persons may require for the purpose of carrying out any works in relation to the operation, maintenance, repairing, replacement and alteration of any other waterworks installations within the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof.

(ii) The Government, the Director and his officers, contractors and agents and any persons or public utility companies duly authorized under sub-clause (i)(i) of this Special Condition shall have no responsibility or liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Purchaser or any person arising out of or incidental to the exercise of the rights by the Government, the Director and his officers,

contractors and agents and any persons or public utility companies duly authorized under sub-clause (i) (i) of this Special Condition.

(iii) Without prejudice to the generality of sub-clause (a) (i) of this Special Condition, the Purchaser shall at all reasonable times prior to the re-delivery of possession of the whole of the Yellow Areas and the Yellow Hatched Black Area provide a public pedestrian access with a minimum width of 3 metres along such alignment in the Yellow Areas and the Yellow Hatched Black Area as may be specified by the Director for the use by members of the public to pass and repass on foot for all lawful purposes free of cost and charges and without any interruption for the purpose of gaining access to and from the Government land at the seaside adjacent to the Yellow Areas. The Purchaser shall at his own expense ensure that such public pedestrian access shall not be interfered with or obstructed by the carrying out of the works whether under sub-clause (a)(i) or (d) of this Special Condition or otherwise.

(j) The Purchaser shall indemnify and keep indemnified the Government against all claims, costs, demands, charges, damages, actions and proceedings of whatsoever nature arising out of or in connection with any defects, wants of repair, imperfections, breakdown, faults or any other outstanding works (whether in respect of workmanship, material, design or otherwise) on the Yellow Areas and the Yellow Hatched Black Area and everything forming a portion thereof or pertaining thereto and all trees' health problems, including defects, disorders, factors or causes which may affect the health of any trees, shrubs or other plants in the Yellow Areas and the Yellow Hatched Black Area (which trees' health problems are hereinafter referred to as "Trees' Health Problems"):

(i) which may exist at the date(s) of re-delivery of possession by the Purchaser of the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof; and

(ii) which shall occur or become apparent within a period of 12 calendar months after the date(s) of re-delivery of possession by the Purchaser of the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof (hereinafter referred to as "the Defects

Liability and Plant Establishment Period of the Yellow Areas and the Yellow Hatched Black Area").

(k) Whenever required by the Director, the Purchaser shall at his own expense and within such time and to such standard and in such manner as may be specified by the Director, carry out all works of maintenance, repair, amendment, reconstruction and rectification and any other works as may be necessary to remedy and rectify any defects, wants of repair, imperfections, breakdown, faults or any other outstanding works on the Yellow Areas and the Yellow Hatched Black Area and everything forming a portion thereof or pertaining thereto which shall occur or become apparent within the Defects Liability and Plant Establishment Period of the Yellow Areas and the Yellow Hatched Black Area. In addition to the foregoing, the Purchaser shall at his own expense and within such time and to such standard and in such manner as may be specified by the Director, make good and rectify any defects, wants of repair, imperfections, breakdown, faults or any other outstanding works on the Yellow Areas and the Yellow Hatched Black Area and everything forming a portion thereof or pertaining thereto which may exist at the date(s) of re-delivery of possession of the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof by the Purchaser.

(l) In the event that due to any Trees' Health Problems which may exist at the date(s) of re-delivery of possession of the Yellow Areas and the Yellow Hatched Black Area or any part or parts thereof by the Purchaser to the Government, any trees, shrubs or other plants within the Yellow Areas and the Yellow Hatched Black Area have not grown or developed within the Defects Liability and Plant Establishment Period of the Yellow Areas and the Yellow Hatched Black Area to a state and condition to the satisfaction of the Director, the Purchaser shall, if so required by the Director, at his own expense and within such time and to such standard and in such manner as may be specified by the Director, carry out replanting, landscaping works, tree maintenance measures or any other measures in all respects to the satisfaction of the Director.

(m) The Director will, shortly before the expiry of the Defects Liability and Plant Establishment Period of the Yellow Areas and the Yellow Hatched Black Area, cause an inspection to be carried out in respect of the Yellow

Areas and the Yellow Hatched Black Area and everything forming a portion thereof or pertaining thereto for the purpose of identifying any defects, wants of repair, imperfections, breakdown, faults or any other outstanding works and any Trees' Health Problems which may be evident. The Director reserves the right to serve upon the Purchaser within 14 days after the expiry of the Defects Liability and Plant Establishment Period of the Yellow Areas and the Yellow Hatched Black Area, a Schedule or Schedules of Defects specifying any defects, wants of repair, imperfections, breakdown, faults or any other outstanding works and any Trees' Health Problems which may be evident within the Yellow Areas and the Yellow Hatched Black Area and everything forming a portion thereof or pertaining thereto and the Purchaser shall at his own expense cause all necessary works and measures to be carried out (including replanting, landscaping works, tree maintenance measures and any other measures specified in sub-clause (l) of this Special Condition) so as to remedy and rectify the same within such time and to such standard and in such manner as may be specified by the Director.

(n) If the Purchaser shall fail to carry out any of the works referred to in sub-clauses (k) and (1) of this Special Condition, then any such works may be carried out by the Government and all costs and charges incurred in connection therewith by the Government as certified by the Director (whose decision shall be final and binding on the Purchaser) shall on demand be paid by the Purchaser.

(o) For the purpose of this Special Condition only, the expression "Purchaser" shall exclude his assigns."

Special Condition No. (3)

"(3) (a) The Director shall have the right to amend, vary, alter, modify or substitute the Technical Schedules as he shall in his absolute discretion deem fit.

(b) No amendment, variation, alteration, modification or substitution to the Technical Schedules shall be made by the Purchaser except with the prior written approval of the Director.

(c) Any amendment, variation, alteration, modification or substitution by the Director under sub-clause (a) of this

Special Condition or by the Purchaser as approved by the Director under sub-clause (b) of this Special Condition shall be deemed to be incorporated into the Technical Schedules and form part thereof.

(d) If in the opinion of the Director (whose opinion shall be final and binding on the Purchaser) there exists any conflict between the provisions of the Technical Schedules and these Conditions, these Conditions shall prevail."

Special Condition No. (4)

"(4) (a) The Purchaser shall at his own expense submit to the Director for his approval a landscape master plan indicating the location, disposition and layout of the landscaping works to be provided within the Yellow Areas and the Yellow Hatched Black Area (hereinafter referred to as "Landscape Master Plan") in compliance with the requirements stipulated in sub-clauses (b) and (c) of this Special Condition. No building works (other than the demolition and removal works referred to in Special Condition No. (1)(b) hereof, site formation works and ground investigation) shall be commenced on the Yellow Areas and the Yellow Hatched Black Area until the Landscape Master Plan has been approved in writing by the Director and consent, if required, has been granted in respect of the proposals for the preservation of trees under Special Condition No. (11) hereof.

(b) The Landscape Master Plan shall be at a scale of 1:200 or larger and shall contain information on the landscaping proposals including a survey and treatment of existing trees, site layout and formation levels, conceptual form of building development, illustrative layout of hard and soft landscaping areas and such other information as the Director may require.

(c) Not less than 36% of the Yellow Areas and the Yellow Hatched Black Area shall be planted with trees, shrubs or other plants. The decision of the Director on which landscaping works proposed by the Purchaser constitutes that said 36% referred to in this sub-clause (c) shall be final and binding on the Purchaser. The Director at his sole discretion may accept other non-planting features proposed by the Purchaser as an alternative to planting trees, shrubs or other plants. For the avoidance of doubt, the landscaping works provided under this sub-clause

(c) shall not form part of the Greenery Area referred to in Special Condition No. (12)(b) hereof.

(d) The Purchaser shall at his own expense landscape the Yellow Areas and the Yellow Hatched Black Area in accordance with the approved Landscape Master Plan in all respects to the satisfaction of the Director and no amendment, variation, alteration, modification or substitution of the approved Landscape Master Plan shall be made without the prior written consent of the Director.

(e) Without prejudice to the generality of Special Condition No. (2)(d) hereof, the Purchaser shall at his own expense keep and maintain the landscaping works in a safe, clean, neat, tidy and healthy condition all to the satisfaction of the Director until such time as possession of the whole of the Yellow Areas and the Yellow Hatched Black Area has been re-delivered to the Government in accordance with Special Condition No. (2)(g)(iv) hereof."

Deed of mutual covenant

Clause 1

"**"Yellow Areas"** means "the Yellow Areas" as referred to in Special Condition No.(2)(a)(i) of the Land Grant; and

"**Yellow Hatched Black Area**" means "the Yellow Hatched Black Area" as referred to under Special Condition No.(2)(a)(i) of the Land Grant."

Clause 10.1(j)

"Management Expenses.

Management Expenses shall be the expenses, costs and charges necessarily and reasonably incurred in the management of the Land under this Deed including (without limitation) the following:

...

(j) all expenses incurred in relation to the Yellow Areas or Yellow Hatched Black Area under Special Condition No.(4) of the Land Grant; and"

Schedule 7, Paragraph 2“Insurance.

[The Manager shall have the power:]

(a) Subject to the direction of the Owners’ Corporation (if formed), to insure on such terms as the Manager may determine:

(i) the Common Parts, the Slope Structures, the Yellow Areas (until such time as the possession of the Yellow Areas have been re-delivered to the Government in accordance with the Land Grant) and the Yellow Hatched Black Area (until such time as the possession of the Yellow Hatched Black Area has been re-delivered to the Government in accordance with the Land Grant) in their full new reinstatement values in respect of loss or damage by fire or other risks; and

(ii) the Owners and the Manager in respect of such public, third party and occupier’s liability, employer’s liability in respect of employees employed within or exclusively in connection with the management of the Land, and other risks and liabilities (including risks and liabilities arising from the Yellow Areas (until such time as the possession of the Yellow Areas have been re-delivered to the Government in accordance with the Land Grant) or the Yellow Hatched Black Area (until such time as the possession of the Yellow Hatched Black Area has been re-delivered to the Government in accordance with the Land Grant)) as the Manager may decide in such amounts as the Manager deems fit,

with some reputable insurance company as comprehensively as reasonably and commercially possible in the name of the Manager and for and on behalf of the Owners according to their respective interests and to pay all premia required to keep such insurance policies in force. Such insurance could be a block insurance for the entire Development including areas which are not Common Parts.

(b) Subject to Clause 13.1, to pay out or apply all insurance money, compensation or damages recovered by the Manager in respect of any damage or loss to any Common Parts, the Slope Structures, the Yellow Areas or the Yellow Hatched Black Area in the repair, rebuilding or reinstatement of that part of the Common Parts, the Slope Structures, the Yellow Areas or (as the case may be) the Yellow Hatched Black Area.”

Schedule 7, Paragraph 12(d)“Dealings with Government.

(d) [The Manager shall have the power:] [t]o comply with and take all steps the Manager may decide to ensure the compliance with all provisions in the Land Grant applicable to the Land as a whole and Special Condition No.(4) of the Land Grant relating to the Yellow Areas or the Yellow Hatched Black Areas.”

Schedule 7, Paragraph 27

“Matters outside the Land. [The Manager shall have the power:] [t]o carry out and perform, in relation to the Yellow Areas (until such time as the possession of the Yellow Areas have been re-delivered to the Government in accordance with the Land Grant) or the Yellow Hatched Black Area (until such time as the possession of the Yellow Hatched Black Area has been re-delivered to the Government in accordance with the Land Grant) all acts, activities and works required by Special Condition No.(4) of the Land Grant, the law or insurers of insurance taken out in relation thereto, or which are deemed appropriate by the Manager for performing and complying with the provisions of the Land Grant, the law or those insurers in relation to the same.”

Deed of dedication

Not applicable.

1. 對根據批地文件規定須興建並提供予政府或供公眾使用的任何設施的描述

於批地文件所夾附的圖則上分別以黃色及黃色間黑斜線顯示範圍內（分別為「黃色範圍」及「黃色間黑斜線範圍」）的海濱長廊於黃色間黑斜線範圍內用作行人專用區域之公共行人通道。

2. 對根據批地文件規定須由期數中的住宅物業的擁有人出資管理、營運或維持以供公眾使用的任何設施的描述

見上文第1段。

3. 根據批地文件規定須由該期數中的住宅物業的擁有人出資管理、營運或維持以供公眾使用的任何休憩用地的大小
不適用。

4. 期數所位於的土地中為施行《建築物（規劃）規例》（第123章，附屬法例F）第22(1)條而撥供公眾用途的任何部分的描述

不適用。

5. 顯示第1及2段所提及之設施（如有）、第3段所提及之休憩用地（如有）及第4段所提及之土地中的該等部分（如有）之圖則

見本節內之圖則。

6. 公眾之使用權

就上文第1、2、3及4段所提及供公眾使用的任何該等設施及休憩用地，及該土地中的該等部分，公眾有權按照批地文件或撥出私人地方供公眾使用的契據（視屬何情況而定）使用該等設施或休憩用地，或該土地中的該等部分。

7. 管理、營運及維持

第2段所提及之設施及第3段所提及之休憩用地（如有）按規定須由期數中的住宅物業的擁有人出資管理、營運或維持。該等擁有人按規定須以由有關住宅物業分攤的管理開支，應付管理、營運或維持該等設施或休憩用地（如有）的部分開支。

8. 批地文件、撥出私人地方供公眾使用的契據（如有）及期數公契中關於第1及2段所提及之設施、第3段所提及之休憩用地（如有）及第4段所提及之土地中的該等部分（如有）的條文

黃色範圍及黃色間黑斜線範圍

批地文件

特別條件第(1)(b)條至第(4)條

特別條件第(1)(b)條

- 「(1) (b) 買方確認於批地文件之簽立日期，於該地段、黃色範圍（按照特別條件第(2)(a)(i)條定義）及黃色間黑斜線範圍（按照特別條件第(2)(a)(i)條定義）內有現存構築物及地基。買方承諾自費拆除及移除於該地段、黃色範圍及黃色間黑斜線範圍之該構築物及地基，致使署長在各方面滿意。就任何因該構築物及地基之存在，或該構築物及地基其後拆除或移除而對買方所造成或買方蒙受的損失、損壞、滋擾或干擾，政府概不負責或承擔任何責任。買方須就該構築物及地基之存在及其後之拆除及移除，而任何不論直接或間接所引致或與之有關的所有法律責任、申索、費用、索求、訴訟或其他司法程序，彌償政府，並使其維持獲彌償。就本特別條件而言，署長就該構築物及地基之拆除及移除是否已完成及於何時完成而所作之決定為最終決定並對買方具約束力。」

特別條件第(2)條

- 「(2) (a) (i) 買方須於2022年6月30日（註：政府已批准將該日期延至2023年6月30日）或之前（或經署長批准的其他日期），自費以署長批准及按照於批地文件所夾附以「黃色範圍及黃色間黑斜線範圍之工程規格附表」及「建築工程規格附表」標示之工程規格附表（下統稱「工程規格附表」）、按照本特別條件第(b)條經批准的圖則、及按照特別條件第(4)(a)條定義之園景設計圖之材料、標準、高度、定線及設計，於批地文件所夾附的圖則上分別以黃色及黃色間黑斜線顯示（下分別稱為「黃色範圍」及「黃色間黑斜線範圍」）以熟練的方式鋪設、塑造、興建、建造、提供及作環境美化的海濱長廊，致使署長在各方面滿意。買方須於黃色間黑斜線範圍內提供闊4.5米之公共行人通道，用作行人專用區域。為免存疑，黃色範圍不包括任何海堤。

- (ii) 就本特別條件而言，署長就本特別條件第(a)(i)條提及的工程是否已按照本特別條件第(a)(i)條完成及於何時完成而所作之決定為最終決定並對買方具約束力。

- (b) (i) 買方須自費向署長呈交或安排呈交黃色範圍及黃色間黑斜線範圍的圖則以供其書面批准，黃色範圍及黃色間黑斜線範圍的圖則須包括黃色範圍及黃色間黑斜線範圍之高度、位置、定線及設計的細節及資料，及署長要求之任何其他細節及資料。

- (ii) 除非經署長事先書面批准，買方不得修訂、變動、改動、變更或替代經批准之黃色範圍及黃色間黑斜線範圍的圖則。

- (iii) 任何根據本特別條件第(b)(ii)條經署長批准而作出之修訂、變動、改動、變更或替代須被視為納入經署長批准之黃色範圍及黃色間黑斜線範圍的圖則並構成其部分。

- (iv) 除非本特別條件第(b)(i)條提及之圖則已經署長批准，不得在黃色範圍及黃色間黑斜線範圍內展開任何建築工程（特別條件第(1)(b)條提及之拆除及移除工程、地盤平整工程及土地勘探除外）。就批地文件之條件而言，「建築工程」、「地盤平整工程」及「土地勘探」根據《建築物條例》、其任何附屬規例及任何修訂法例定義。

- (c) (i) 買方不得更改、拆除或損壞毗連黃色範圍現存之海堤，或對海堤或其任何部分進行任何更改、損壞或對其造成不利影響之工程，署長就任何工程是否會對海堤作出更改、損壞或造成不利影響而所作之決定為最終決定並對買方具約束力。

- (ii) 由海堤之蓋頂線後方起計10米之內之最大累積荷載重量不得多於每平方米10千牛頓。

- (iii) 於海堤之蓋頂線15米之內不得進行任何形式的撞擊式打樁工程。

- (d) 在本特別條件第(a)(i)條提及之工程完成後，買方須自費維護、管理、維修及保養黃色範圍及黃色間黑斜線範圍，及其所有構成或附屬部分，令其處於修葺良好堅固的狀態，致使署長在各方面滿意，直至整個黃色範圍及黃色間黑斜線範圍之管有權按照本特別條件第(g)(iv)條交回予政府。

- (e) 倘若買方未能根據本特別條件第(a)(i)條或第(d)條履行該段下之責任，政府可進行所需之工程，唯費用由買方支付，就此買方須應要求向政府繳付一筆

款項，數額等於上述工程之費用，該數額由署長釐定，此決定為最終決定並對買方具約束力。

- (f) 就任何對買方或任何其他人所造成或買方或任何其他入蒙受的損失、損壞、滋擾或干擾，不論是否因買方履行本特別條件第(a)(i)條或第(d)條的責任或政府行使本特別條件第(e)條的權利或其他原因而引起或附帶發生，政府概不負責或承擔任何責任；且買方亦不得針對政府就該等損失、損壞、滋擾或干擾提出任何申索。
- (g) (i) 僅就進行本特別條件第(a)(i)條及第(d)條指明之工程而言，黃色範圍及黃色間黑斜線範圍的管有權在署長發出信件予買方中指明之日期賦予買方，唯該日期不可在2020年3月31日之後。
- (ii) 就任何對買方所造成或買方蒙受的損壞或損失，不論是否因延遲移交黃色範圍及黃色間黑斜線範圍的管有權而引起，政府概不負責或承擔任何責任；且買方亦不得針對政府就該等損壞或損失提出任何申索。
- (iii) 買方已接受黃色範圍及黃色間黑斜線範圍及其上之樹木、構築物及地基於黃色範圍及黃色間黑斜線範圍的管有權賦予買方當天之現存情況及狀態；且買方現同意不得針對政府就其提出任何申索。
- (iv) 買方須於2022年6月30日（註：政府已批准將該日期延至2023年6月30日）或之前（或經署長批准的其他日期）應署長行使其全權酌情權指明或要求將黃色範圍及黃色間黑斜線範圍或其任何部分之管有權交回予政府。且不論任何情況，黃色範圍及黃色間黑斜線範圍會被視為於署長發出信件表示批地文件各項條件已妥為履行致使其滿意的當天由買方交回予政府。
- (h) 除非經署長事先書面許可，買方不得使用黃色範圍及黃色間黑斜線範圍或其任何部分作儲存用途或停泊車輛或任何臨時構築物之建造或任何除進行本特別條件第(a)(i)條及第(d)條指明之工程外之用途。
- (i) (i) 買方須在其交回整個黃色範圍及黃色間黑斜線範圍之管有權之前於所有合理時間內：
- (l) 允許政府、署長及其官員、承建商及代理及任何獲署長授權人士，有權進出、往返及穿越該地段、黃色範圍及黃色間黑斜線範圍或其任何部分，以便視察、檢查及監督任何須按本特別條件第(a)(i)條及第(d)條進行的工程，及進行、視察、檢查及監督根據本特別條件第(e)條進行的工程及任何其他署長認為有需要在黃色範圍及黃色間黑斜線範圍或其任何部分內進行的工程；
- (II) 允許政府、署長及其官員、承建商及代理及任何獲署長授權人士、及獲政府授權的相關公用事業公司應政府、署長或相關公用事業公司之要求有權進出、往返及穿越該地段、黃色範圍及黃色間黑斜線範圍或其任何部分，以供其在黃色範圍及黃色間黑斜線範圍或其任何部分或任何毗連土地之內、之上或之下進行任何工程，包括但不限於鋪設及於其後保養所有管道、電線、導管、電纜管道及其他傳導媒體及為向該地段或任何毗連或鄰近土地或處所提供電訊、電力、氣體（如有）及其他服務而所需的附屬設備。買方須就有關任何上述於黃色範圍及黃色間黑斜線範圍或其任何部分內進行的工程之所有事宜與政府、署長及其官員、承建商及代理及任何獲署長授權人士、及政府正式授權的相關公用事業公司通力合作；及
- (III) 允許水務監督之官員及其他獲其授權之人士應其要求有權進出、往返及穿越該地段、黃色範圍及黃色間黑斜線範圍或其任何部分，以進行任何與黃色範圍及黃色間黑斜線範圍或其任何部分內之任何其他水務設施之操作、保養、維修、更換及改動有關之工程。
- (ii) 就任何對買方或任何人所造成或買方或任何人蒙受的損失、損壞、滋擾或干擾，不論是否因政府、署長及其官員、承建商及代理、及任何根據本特別條件第(i)(i)條獲正式授權人士或公用事業公司行使權利而引起或附帶發生，政府、署長及其官員、承建商及代理、及任何根據本特別條件第(i)(i)條獲正式授權人士或公用事業公司概不負責或承擔任何責任。
- (iii) 在不影響本特別條件第(a)(i)條之一般性的原則下，在交回整個黃色範圍及黃色間黑斜線範圍的管有權之前，買方須沿著黃色範圍及黃色間黑斜線範圍並由署長指明之定線提供闊度最少3米的公共行人通道，供所有公眾人士於所有合理時間內為所有合法目的免收費用徒步經過及再經過，以來往位於海旁並毗鄰黃色範圍之政府土地。買方須自費確保該公共行人通道不受工程干擾或阻礙，不論是否進行根據本特別條件第(a)(i)條或第(d)條指明之工程或其他工程。
- (j) 買方須就在黃色範圍及黃色間黑斜線範圍及其所有構成或附屬部分的任何欠妥之處、失修、瑕疵、故障、失靈或任何其他尚未完成的工程（不論是否關乎造工、材料、設計或其他原因），及於黃色範圍及黃色間黑斜線範圍內所有樹木健康問題（包括可能影響任何樹木、灌木或其他植物之健康的欠妥之處、失調、因素或成因）（該健康問題下稱為「樹木健康問題」）：
- (i) 並於買方交回黃色範圍及黃色間黑斜線範圍或其任何部分的管有權當日已存在的；及
- (ii) 於買方交回黃色範圍及黃色間黑斜線範圍或其任何部分的管有權之日期後12個曆月內發生或明顯可見的（下稱「黃色範圍及黃色間黑斜線範圍的維修責任及植物培植期」），
- 所引致或與之有關的所有申索、費用、索求、收費、損害賠償、訴訟及司法程序（不論任何性質），買方須彌償政府，並使其維持獲彌償。
- (k) 在署長要求時，買方須自費於署長指明之時間內及以其指明之標準及形式，在黃色範圍及黃色間黑斜線範圍及其所有構成或附屬部分，進行所有保養、維修、修改、重建與修正工程及任何其他必要工程，以補救及修正於黃色範圍及黃色間黑斜線範圍的維修責任及植物培植期內發生或明顯可見的任何欠妥之處、失修、瑕疵、故障、失靈或任何其他尚未完成的工程。除前述的規定外，買方須自費於署長指明之時間內及以其指明之標準及形式，在黃色範圍及黃色間黑斜線範圍及其所有構成或附屬部分，進行修復及修正於買方交回黃色範圍及黃色間黑斜線範圍或其任何部分的管有權當日已存在的任何欠妥之處、失修、瑕疵、故障、失靈或任何其他尚未完成的工程。
- (l) 倘若因買方在交回黃色範圍及黃色間黑斜線範圍或其任何部分的管有權予政府當日已存在的樹木健康問題，以致黃色範圍及黃色間黑斜線範圍內之任何樹木、灌木或其他植物未能在黃色範圍及黃色間黑斜線

範圍的維修責任及植物培植期內生長或發育至署長滿意之程度及狀況，買方須在署長要求時自費於署長指明之時間內及以其指明之標準及形式，進行重新栽種、園景美化工程、樹木保養措施或任何其他措施，致使署長在各方面滿意。

- (m) 署長在黃色範圍及黃色間黑斜線範圍的維修責任及植物培植期屆滿前，將會安排檢查黃色範圍及黃色間黑斜線範圍及其所有構成或附屬部分，以識別任何明顯的欠妥之處、失修、瑕疵、故障、失靈或任何其他尚未完成的工程及任何樹木健康問題。署長保留權利在黃色範圍及黃色間黑斜線範圍的維修責任及植物培植期屆滿後14天內向買方送達一份或多份欠妥之處的列表，列明在黃色範圍及黃色間黑斜線範圍及其所有構成或附屬部分內任何明顯的欠妥之處、失修、瑕疵、故障、失靈或任何其他尚未完成的工程，及任何樹木健康問題。買方須自費於署長指明之時間內及以其指明之標準及形式，安排進行及採取所有必要的工程和措施（包括本特別條件第(l)條指明之重新栽種、園景美化工程、樹木保養措施及任何其他措施）加以補救和修正。
- (n) 如買方未能進行本特別條件第(k)條及第(l)條提及之工程，政府可進行該等工程，且買方須應要求向政府繳付與該等工程有關而產生之費用及收費，該數額由署長核證，其決定為最終決定並對買方具約束力。
- (o) 僅就本特別條件而言，「買方」一詞不包括其承讓人。」

特別條件第(3)條

- 「(3) (a) 署長可據其絕對酌情權認為合適時修訂、變動、改動、變更或替代工程規格附表。
- (b) 除非經署長事先書面批准，買方不得修訂、變動、改動、變更或替代工程規格附表。
- (c) 署長根據本特別條件第(a)條作出之或買方根據本特別條件第(b)條經署長批准而作出之任何修訂、變動、改動、變更或替代須被視為納入工程規格附表並構成其部分。
- (d) 如署長之意見認為（其意見為最終意見並對買方具約束力）工程規格附表的條款與批地文件之條件相抵觸，須以批地文件之條件為準。」

特別條件第(4)條

- 「(4) (a) 買方須自費向署長呈交園景設計圖以供其批准，園景設計圖須按本特別條件第(b)條及第(c)條要求訂定在黃色範圍及黃色間黑斜線範圍內提供的園景工程之位置、規劃及布局（下稱「園景設計圖」）。在園景設計圖經署長書面批准及根據特別條件第(11)條之樹木保育建議獲授許可（如有必要）之前，不得在黃色範圍及黃色間黑斜線範圍展開任何建築工程（特別條件第(1)(b)條提及之拆除及移除工程、地盤平整工程及土地勘探除外）。
- (b) 園景設計圖須為1:200或更大比例，並載有園景美化建議的相關資料，包括現有樹木普查及處理方案、地盤布局及平整水平、建築發展概念、園景建築及種植花木範圍之圖解布局，及署長要求的其他資料。
- (c) 須在黃色範圍及黃色間黑斜線範圍不少於百分之三十六的範圍內栽種樹木、灌木或其他植物。署長就買方建議的哪些園景工程屬本特別條件第(c)條提及的百分之三十六而所作之決定為最終決定並對買方具約束力。署長可行使其全權酌情權接受買方建議的其他非植物特色替代栽種樹木、灌木或其他植物。為免存疑，根據本特別條件第(c)條提供之園景工程並不構成特別條件第(12)(b)條提及的綠化範圍之其中一部分。
- (d) 買方須按照經批准之園景設計圖自費於黃色範圍及黃色間黑斜線範圍上進行園景工程，致使署長在各方面滿意。除非經署長事先書面許可，不得修訂、變動、改動、變更或替代經批准之園景設計圖。
- (e) 在不影響特別條件第(2)(d)條之一般性的原則下，買方須自費維持及保養園景工程，使其處於安全、清潔、整齊、井然及健康的狀態，致使署長滿意，直至整個黃色範圍及黃色間黑斜線範圍的管有權按照特別條件第(2)(g)(iv)條交回予政府。」

公契

第1條

「「黃色範圍」指批地文件特別條件第(2)(a)(i)條所定義之「黃色範圍」；及

「黃色間黑斜線範圍」指批地文件特別條件第(2)(a)(i)條所定義之「黃色間黑斜線範圍」。」

第10.1(j)條

「管理開支」

管理開支須是按本公契規定管理該土地所必要及合理招致的開支、費用和收費，包括（但不限於）以下各項：

...

- (j) 所有按批地文件特別條件第(4)條下與黃色範圍及黃色間黑斜線範圍有關之開支；及」

附表7第2段

「保險」

〔管理人有權：〕

- (a) 除業主立案法團（如已成立）指示外，按管理人決定之條款作以下投保：
- (i) 公用部分、斜坡構築物、黃色範圍（直至黃色範圍的管有權按照批地文件交回予政府）及黃色間黑斜線範圍（直至黃色間黑斜線範圍的管有權按照批地文件交回予政府）的火險或其他風險保險，保險金額為十足全新重置價值；及
- (ii) 為業主和管理人投購公共責任保險、第三者責任保險及佔用人責任保險、為聘請專門管理該土地的僱員投購僱主責任保險、及其他風險和責任（包括黃色範圍而引起的風險和責任（直至黃色範圍的管有權按照批地文件交回予政府）或黃色間黑斜線範圍而引起的風險和責任（直至黃色間黑斜線範圍的管有權按照批地文件交回予政府）之保險，保險價值以管理人合理地認為合適，

上述保險須以管理人的名義代表業主按其各自的權益向信譽卓著的保險公司投購，保險亦須盡合理及商業上可能全面，管理人有權支付一切需要的保險費，以保持該等保險生效。該等保險可以是為整個發展項目（包括不屬於公用部分的區域）購買的集體保險。

- (b) 除第13.1條另有規定外，用管理人對任何公用部分、斜坡構築物、黃色範圍或黃色間黑斜線範圍的損壞或損失追討得到的一切保險賠償金、補償或損害賠償用於維修、重建或修復該等公用部分、斜坡構築物、黃色範圍或（視屬何情況而定）黃色間黑斜線範圍。」

附表7第12(d)段

「與政府的往來

- (d) 「管理人有權」遵行及採取管理人可決定的一切措施確保所有適用於該土地整體之批地文件條款及與黃色範圍或黃色間黑斜線範圍有關之批地文件特別條件第(4)條條款得以遵行。」

附表7第27段

「邊界外的事宜。管理人有權就黃色範圍（直至黃色範圍的管有權按照批地文件交回予政府）或黃色間黑斜線範圍（直至黃色間黑斜線範圍的管有權按照批地文件交回予政府）進行及履行批地文件特別條件第(4)條、法律或對其投購保險的保險公司要求或管理人認為就履行及遵守批地文件條款、法律或該等保險公司的規定而言屬適當的一切行為、活動及工程。」


撥出私人地方供公眾使用的契據

不適用。




- (a) The purchaser is hereby recommended to instruct a separate firm of solicitors (other than that acting for the owner) to act for the purchaser in relation to the transaction.
 - (b) If the purchaser instructs such separate firm of solicitors to act for the purchaser in relation to the transaction, that firm will be able to give independent advice to the purchaser.
 - (c) If the purchaser instructs the firm of solicitors acting for the owner to act for the purchaser as well, and a conflict of interest arises between the owner and the purchaser:
 - (i) that firm may not be able to protect the purchaser's interests; and
 - (ii) the purchaser may have to instruct a separate firm of solicitors.
 - (d) In the case of paragraph (c)(ii) above, the total solicitors' fees payable by the purchaser may be higher than the fees that would have been payable if the purchaser had instructed a separate firm of solicitors in the first place.
- (a) 謹此建議買方聘用一間獨立的律師事務所（代表擁有人行事者除外），以在交易中代表買方行事。
 - (b) 如買方聘用上述的獨立的律師事務所，以在交易中代表買方行事，該律師事務所將會能夠向買方提供獨立意見。
 - (c) 如買方聘用代表擁有人行事的律師事務所同時代表買方行事，而擁有人與買方之間出現利益衝突：
 - (i) 該律師事務所可能不能夠保障買方的利益；及
 - (ii) 買方可能要聘用一間獨立的律師事務所。
 - (d) 如屬上述(c)(ii)段的情況，買方須支付的律師費用總數，可能高於如買方自一開始即聘用一間獨立的律師事務所便須支付的費用。


Cross-section Plan E-E 橫截面圖E-E





Key Plan
索引圖





Legend 圖例

-  Denotes height (in Metres) above the Hong Kong Principal Datum.
指香港主水平基準以上高度（米）。

 Dotted line denotes the lowest residential floor of the building.
虛線為該建築物最低住宅樓層水平。

 Boundary line of the Development.
發展項目的界線。

 - The part of Emergency Vehicular Access adjacent to Tower 5 is 5.15 metres above the Hong Kong Principal Datum.
毗連第5座的一段緊急行車通道為香港主水平基準以上5.15米。
 - The part of Shing Fung Road adjacent to Tower 5 is 5.00 metres to 5.43 metres above the Hong Kong Principal Datum.
毗連第5座的一段承豐道為香港主水平基準以上5.00米至5.43米。
 - The part of Kai Tak Sky Garden adjacent to Tower 5 is 13.00 metres to 13.10 metres above the Hong Kong Principal Datum.
毗連第5座的一段啟德空中花園主水平基準以上13.00米至13.10米。
 - The part of Promenade Greenway Cum Emergency Vehicular Access (EVA) and Dedicated Pedestrian Zone adjacent to Tower 5 is 4.65 metres to 5.00 metres above the Hong Kong Principal Datum.
毗連第5座的一段綠化通道長廊附帶緊急行車通道及專用步行區為香港主水平基準以上4.65米至5.00米。
 - The part of Covered Walkway adjacent to Tower 5 is 5.25 metres above the Hong Kong Principal Datum.
毗連第5座的一段有蓋行人道為香港主水平基準以上5.25米。

Cross-section Plan F-F
橫截面圖F-FKey Plan
索引圖

Legend 圖例



Denotes height (in Metres) above the Hong Kong Principal Datum.

指香港主水平基準以上高度（米）。



Dotted line denotes the lowest residential floor of the building.



虛線為該建築物最低住宅樓層水平。



Boundary line of the Development.

發展項目的界線。

- The part of Pedestrian Street adjacent to Tower 6 is 5.15 metres to 5.47 metres above the Hong Kong Principal Datum.
毗連第6座的一段行人路為香港主水平基準以上5.15米至5.47米。
- The part of Emergency Vehicular Access adjacent to Tower 6 is 5.15 metres above the Hong Kong Principal Datum.
毗連第6座的一段緊急行車通道為香港主水平基準以上5.15米。
- The part of Promenade Greenway Cum Emergency Vehicular Access (EVA) and Dedicated Pedestrian Zone adjacent to Tower 6 is 4.65 metres to 5.19 metres above the Hong Kong Principal Datum.
毗連第6座的一段綠化通道長廊附帶緊急行車通道及專用步行區為香港主水平基準以上4.65米至5.19米。
- The part of Covered Walkway adjacent to Tower 6 is 5.25 metres above the Hong Kong Principal Datum.
毗連第6座的一段有蓋行人道為香港主水平基準以上5.25米。

Cross-section Plan G-G
橫截面圖G-GKey Plan
索引圖

Legend 圖例



Denotes height (in Metres) above the Hong Kong Principal Datum.

指香港主水平基準以上高度（米）。



Dotted line denotes the lowest residential floor of the building.

虛線為該建築物最低住宅樓層水平。




Boundary line of the Development.

發展項目的界線。

- The part of Shing Fung Road adjacent to Tower 6 is 5.21 metres to 5.48 metres above the Hong Kong Principal Datum.
毗連第6座的一段承豐道為香港主水平基準以上5.21米至5.48米。
- The part of Promenade Greenway Cum Emergency Vehicular Access (EVA) and Dedicated Pedestrian Zone adjacent to Tower 8 is 4.91metres to 5.04 metres above the Hong Kong Principal Datum.
毗連第8座的一段綠化通道長廊附帶緊急行車通道及專用步行區為香港主水平基準以上4.91米至5.04米。
- The part of Emergency Vehicular Access adjacent to Tower 6 is 5.15 metres above the Hong Kong Principal Datum.
毗連第6座的一段緊急行車通道為香港主水平基準以上5.15米。
- The part of Kai Tak Sky Garden adjacent to Tower 6 is 12.96 metres to 13.05 metres above the Hong Kong Principal Datum.
毗連第6座的一段啟德空中花園主水平基準以上12.96米至13.05米。


Cross-section Plan H-H

橫截面圖H-H



Key Plan

索引圖



Legend 圖例



Denotes height (in Metres) above the Hong Kong Principal Datum.

指香港主水平基準以上高度（米）。



Dotted line denotes the lowest residential floor of the building.

虛線為該建築物最低住宅樓層水平。



Boundary line of the Development.


發展項目的界線。

- The part of Pedestrian Street adjacent to Tower 8 is 4.92 metres to 5.12 metres above the Hong Kong Principal Datum.


毗連第8座的一段行人路為香港主水平基準以上4.92米至5.12米。

20 ELEVATION PLAN 立面圖

Tower 5 第5座




Elevation Plan 1
立面圖 1



Elevation Plan 2
立面圖 2

Key Plan 索引圖




Authorized Person for the Phase has certified that the elevations shown on these plan:

期數的認可人士證明本圖所顯示的立面：

- (1) are prepared on the basis of the approved building plans for the Phase as at 28 December 2022; and
以2022年12月28日的期數經批准的建築圖則為基礎擬備；及
- (2) are in general accordance with the outward appearance of the Phase.
大致上與期數的外觀一致。


20 ELEVATION PLAN 立面圖

Tower 5 第5座



Elevation Plan 3
立面圖 3

Key Plan 索引圖



Authorized Person for the Phase has certified that the elevations shown on these plan:

期數的認可人士證明本圖所顯示的立面：

- (1) are prepared on the basis of the approved building plans for the Phase as at 28 December 2022; and
以2022年12月28日的期數經批准的建築圖則為基礎擬備；及
- (2) are in general accordance with the outward appearance of the Phase.
大致上與期數的外觀一致。

20 ELEVATION PLAN 立面圖

Tower 6 第6座




Elevation Plan 1
立面圖 1



Elevation Plan 2
立面圖 2

Key Plan 索引圖




Authorized Person for the Phase has certified that the elevations shown on these plan:

期數的認可人士證明本圖所顯示的立面：


- (1) are prepared on the basis of the approved building plans for the Phase as at 28 December 2022; and
以2022年12月28日的期數經批准的建築圖則為基礎擬備；及
- (2) are in general accordance with the outward appearance of the Phase.
大致上與期數的外觀一致。

20 ELEVATION PLAN 立面圖

Tower 6 第6座




Elevation Plan 3
立面圖 3



Elevation Plan 4
立面圖 4

Key Plan 索引圖



Authorized Person for the Phase has certified that the elevations shown on these plan:

期數的認可人士證明本圖所顯示的立面：


- (1) are prepared on the basis of the approved building plans for the Phase as at 28 December 2022; and
以2022年12月28日的期數經批准的建築圖則為基礎擬備；及
- (2) are in general accordance with the outward appearance of the Phase.
大致上與期數的外觀一致。

20 ELEVATION PLAN 立面圖


Tower 8 第8座




Elevation Plan 1
立面圖 1



Elevation Plan 2
立面圖 2




Elevation Plan 3
立面圖 3



Elevation Plan 4
立面圖 4

Key Plan 索引圖



Authorized Person for the Phase has certified that the elevations shown on these plan:

期數的認可人士證明本圖所顯示的立面：

- (1) are prepared on the basis of the approved building plans for the Phase as at 28 December 2022; and
以2022年12月28日的期數經批准的建築圖則為基礎擬備；及
- (2) are in general accordance with the outward appearance of the Phase.
大致上與期數的外觀一致。

| Category of common facilities 公用設施的類別 | Covered area 有上蓋面積 | | Uncovered area 無上蓋面積 | | Total area 總面積 | |
|--|-------------------------|--------------------------|-------------------------|--------------------------|-------------------------|--------------------------|
| | Area (sq.m.) 面積（平方米） | Area (sq.ft.) 面積（平方呎） | Area (sq.m.) 面積（平方米） | Area (sq.ft.) 面積（平方呎） | Area (sq.m.) 面積（平方米） | Area (sq.ft.) 面積（平方呎） |
| Residents' clubhouse (including any recreational facilities for residents' use) 住客會所（包括供住客使用的任何康樂設施） | Not applicable 不適用 | | | | | |
| Communal garden or play area for residents' use on the roof, or on any floor between the roof and the lowest residential floor, of a building in the Phase (whether known as a communal sky garden or otherwise) 位於期數中的建築物的天台或在天台和最低一層住宅之間的任何一層的、供住客使用的公用花園或遊樂地方（不論是稱為公用空中花園或有其他名稱） | | | | | | |
| Communal garden or play area for residents' use below the lowest residential floor of a building in the Phase (whether known as a covered and landscaped play area or otherwise) 位於期數中的建築物的最低一層住宅樓層以下的、供住客使用的公用花園或遊樂地方（不論是稱為有蓋及園景的遊樂場或有其他名稱） | | | | | | |

Note:
The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer (Not applicable to the figures in the column of the "Total Area").

附註：
上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數（不適用於「總面積」欄內的數字）。

- The address of the website on which a copy of the Outline Zoning Plan relating to the Development is available: www.ozp.tpb.gov.hk.
- (a) A copy of every deed of mutual covenant in respect of the specified residential properties that has been executed is available for inspection at the place at which the specified residential properties are offered to be sold.
(b) The inspection is free of charge.

- 備有關於發展項目的分區計劃大綱圖的文本供閱覽的互聯網網站的網址為 www.ozp.tpb.gov.hk。
- (a) 指明住宅物業每一已簽立的公契的文本存放在指明住宅物業的售樓處，以供閱覽。
(b) 無須為閱覽付費。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

1. Exterior finishes

| Item | Description |
|------------------------------------|---|
| (a) External wall | <p>Type of finishes:</p> <p>Residential Tower: Finished with ceramic tile, aluminium cladding, metal louvre, metal grille, stone cladding, glass cladding, glass balustrade, aluminium framed curtain wall and aluminium framed window.</p> |
| (b) Window | <p>Material of the frame: Aluminium window frames.</p> <p>Material of the glass: Insulated Glass Unit (IGU) with blue low-e coating for living room, dining room and bedroom, except for living and dining room of Flat A of 30/F of Tower 6 (at which there is no window).</p> <p>Monolithic clear tempered glass for kitchen and store room (if window is provided).</p> <p>Sand blast clear tempered glass for bathroom (if window is provided).</p> |
| (c) Bay window | Not applicable. |
| (d) Planter | Not applicable. |
| (e) Verandah or balcony | <p>Type of finishes:</p> <p>Balcony: Wall finished with aluminium cladding except for Flat E and J of Tower 6. Wall finished with ceramic tile for Flat D, E of Tower 5, Flat A, B, E, G, H, J, M of Tower 6 and Flat A, B, C, D, E of Tower 8.</p> <p>Ceiling finished with aluminium panels. Clear laminated tempered glass balustrade fitted with aluminium top rail. Curb finished with natural stone. Floor finished with porcelain tile, except Flat B of 28/F of Tower 5.</p> <p>Flat B of 28/F of Tower 5: Floor finished with porcelain tile and raised floor system with wood deck for balcony.</p> <p>Balcony is covered.</p> <p>There are no verandahs.</p> |
| (f) Drying facilities for clothing | Not Applicable. |

1. 外部裝修物料

| 細項 | 描述 |
|-----------|--|
| (a) 外牆 | <p>裝修物料的類型：</p> <p>住宅大廈： 以瓷磚、鋁質飾面板、金屬百葉、金屬欄柵、石材飾面板、玻璃飾面板、玻璃圍欄、鋁框玻璃幕牆及鋁框窗鋪砌。</p> |
| (b) 窗 | <p>框的用料： 鋁質窗框。</p> <p>玻璃的用料： 雙層中空玻璃（一面清玻璃及一面淺藍低輻射鍍膜玻璃）於客廳、飯廳及睡房，第6座30樓A單位客廳及飯廳除外（該單位客廳及飯廳不設窗戶）。</p> <p>單片透明鋼化玻璃於廚房和儲物室（如有窗）。</p> <p>噴砂透明鋼化玻璃於浴室（如有窗）。</p> |
| (c) 窗台 | 不適用。 |
| (d) 花槽 | 不適用。 |
| (e) 陽台或露台 | <p>裝修物料的類型：</p> <p>露台： 牆壁以鋁質飾面板鋪砌，第6座E及J單位除外。 牆壁以瓷磚鋪砌於第5座D及E單位，第6座A、B、E、G、H、J、M單位及第8座A、B、C、D、E單位。</p> <p>天花裝設鋁板。 圍欄裝設夾層鋼化清玻璃配以鋁質頂欄。 圍邊鋪砌天然石材。 地板鋪砌高溫瓷質磚，第5座28樓B單位除外。</p> <p>第5座28樓B單位： 地板鋪砌高溫瓷質磚及戶外木高架地板系統。</p> <p>露台均有蓋。</p> <p>不設陽台。</p> |
| (f) 乾衣設施 | 不適用。 |

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

2. Interior finishes

| Item | Description |
|-------------------------------|--|
| (a) Lobby | <p>Main Entrance Lobby: Wall finished with wood veneer, metal trim, ceramic tile, porcelain tile, natural stone and mirror feature wall. Floor finished with natural stone. Gypsum board false ceiling finished with emulsion paint and metal trim.</p> <p>Residential Floor Lift Lobby: Wall finished with wallcovering, wood veneer, feature glass, resin wall panel and metal trim. Floor finished with porcelain tile, metal trim. Gypsum board false ceiling finished with emulsion paint and metal trim.</p> |
| (b) Internal wall and ceiling | <p>Internal Wall of living room, dining room and bedroom finished with emulsion paint. Except areas above false ceiling level and areas covered by bulkhead at which there are no wall finish.</p> <p>Except those flats set out below. Flat B of 28/F of Tower 5. Internal wall of living room and dining room finished with stucco paint, natural stone, wood veneer and metal trim. Internal wall of bedroom 1 finished with wood veneer, metal, vinyl, glass, wallpaper and fabric and emulsion paint to the exposed surface. Internal wall of master bedroom finished with wood veneer, metal, mirror and resin and emulsion paint to the exposed surface.</p> <p>Ceiling of living room, dining room and bedroom are finished with emulsion paint where exposed; other parts provided with gypsum board false ceiling and bulkhead, finished with emulsion paint. Except area above false ceiling level and area covered by bulkhead at which there are no ceiling finishes.</p> <p>Except those flats set out below. Flat B of 28/F of Tower 5. Ceiling of living room and dining room, master bedroom and bedroom 1 are finished with emulsion paint where exposed, other parts provided with gypsum board false ceiling finished with emulsion paint and metal trim and bulkhead finished with emulsion paint. Except area above false ceiling level and area covered by bulkhead at which there are no ceiling finishes.</p> |

2. 室內裝修物料

| 細項 | 描述 |
|------------|---|
| (a) 大堂 | <p>入口大堂： 牆身以木皮飾面、金屬飾邊、瓷磚、高溫瓷磚、天然石材及特色鏡鋪砌。 地板鋪砌天然石材。 石膏板假天花髹上乳膠漆及裝設金屬飾邊。</p> <p>住宅樓層升降機大堂： 牆身以牆布飾面、木皮飾面、特色玻璃飾面、樹脂飾面及金屬飾邊鋪砌。 地板鋪砌高溫瓷磚、金屬飾邊。 石膏板假天花髹上乳膠漆及裝設金屬飾邊。</p> |
| (b) 內牆及天花板 | <p>客廳、飯廳、睡房內牆塗有乳膠漆。但不包括假天花以上及被假陣遮蓋之牆身，該處牆身不設裝修物料。</p> <p>下述單位除外。 第5座28樓B單位。 客廳及飯廳牆身以特色油漆、天然石材、木皮飾面及金屬飾邊鋪砌。 睡房1牆身以木皮飾面、金屬、仿皮飾面、玻璃、牆紙及布藝鋪砌及部分髹上乳膠漆。 主人睡房牆身以木皮飾面、金屬、鏡飾面及合成樹脂鋪砌及部分髹上乳膠漆。</p> <p>客廳、飯廳及睡房外露天花髹上乳膠漆，其他部分設有石膏板假天花及假陣髹上乳膠漆。但不包括假天花以上及被假陣遮蓋之天花，該處天花不設裝修物料。</p> <p>下述單位除外。 第5座28樓B單位。 客廳及飯廳、主人睡房及睡房1外露天花髹上乳膠漆，其他部分設有石膏板假天花髹上乳膠漆及金屬飾邊及假陣髹上乳膠漆。但不包括假天花以上及被假陣遮蓋之天花，該處天花不設裝修物料。</p> |

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

2. Interior finishes

| Item | Description |
|--------------------|---|
| (c) Internal floor | <p>Floor of living room, dining room and bedroom(s) finished with engineered timber flooring and wooden veneer skirting. Natural stone border along edge of floor adjoining door to balcony and utility platform and flat roof.</p> <p>Except those flats set out below:</p> <p>Flat J of Tower 6 Floor of living room, dining room and bedroom 1 finished with engineered timber flooring and wooden veneer skirting. Natural stone border along edge of floor adjoining door to balcony and utility platform.</p> <p>Flat B of 28/F of Tower 5 Floor of living room, dining room, master bedroom and bedroom 1 finished with engineered timber flooring. Natural stone border along edge of floor adjoining door to balcony and utility platform. No skirting is provided in the above area.</p> |
| (d) Bathroom | <p>Wall finished with porcelain tile (except those area covered by vanity counter, mirror cabinet and above false ceiling level). Floor finished with porcelain tile (except those area covered by vanity counter), shower room finished with natural stone. Ceiling provided with gypsum board false ceiling finished with emulsion paint, aluminium and metal panel. Wall finishes run up to the level of false ceiling.</p> <p>Except those flats set out below:</p> <p>Flat A of 1/F-30/F of Tower 5 Master Bathroom Wall finished with porcelain tile (except those area covered by vanity counter, mirror cabinet, bathtub and above false ceiling level). Floor finished with porcelain tile (except those area covered by vanity counter and bathtub). Ceiling provided with gypsum board false ceiling finished with emulsion paint, aluminium and metal panel. Wall finishes run up to the level of false ceiling.</p> <p>Flat A of 30/F of Tower 6 Master Bathroom Wall finished with porcelain tile and natural stone (except those area covered by vanity counter, mirror cabinet, bathtub and above false ceiling level). Floor finished with porcelain tile (except those area covered by vanity counter and bathtub), shower room finished with natural stone. Ceiling provided with gypsum board false ceiling finished with emulsion paint, aluminium and metal panel. Wall finishes run up to the level of false ceiling.</p> <p>Flat B of 28/F of Tower 5 Bathroom Wall finished with natural stone (except those area covered by vanity counter, mirror cabinet and above false ceiling level). Floor finished with natural stone (except those area covered by vanity counter). Ceiling provided with gypsum board false ceiling finished with emulsion paint, aluminium and metal panel. Wall finishes run up to the level of false ceiling.</p> |

2. 室內裝修物料

| 細項 | 描述 |
|----------|---|
| (c) 內部地板 | <p>客廳、飯廳及睡房地板以複合木鋪砌，配以木皮牆腳線。通往露台及工作平台門及平台之地板圍邊部分以天然石鋪砌。</p> <p>下述單位除外：</p> <p>第6座J單位 客廳、飯廳及睡房1的地板以複合木鋪砌，配以木皮牆腳線。通往露台及工作平台門之地板圍邊部分以天然石鋪砌。</p> <p>第5座28樓B單位 客廳、飯廳、主人睡房及睡房1地板以複合木鋪砌。通往露台及工作平台門之地板圍邊部分以天然石鋪砌。以上位置不設腳線。</p> |
| (d) 浴室 | <p>牆壁以高溫瓷磚鋪砌（面盆櫃、鏡櫃遮蓋的範圍及假天花以上除外）。 地板以高溫瓷磚鋪砌（面盆櫃遮蓋的範圍除外），淋浴間地板以天然石材鋪砌。 石膏板假天花髹上乳膠漆，裝設鋁板及金屬飾面。牆壁裝修物料鋪砌至假天花。</p> <p>下述單位除外：</p> <p>第5座1樓至30樓A單位之主人浴室 牆壁以高溫瓷磚鋪砌（面盆櫃、浴缸及鏡櫃遮蓋的範圍及假天花以上除外）。 地板以高溫瓷磚鋪砌（面盆櫃及浴缸遮蓋的範圍除外）。 石膏板假天花髹上乳膠漆，裝設鋁板及金屬飾面。牆壁裝修物料鋪砌至假天花。</p> <p>第6座30樓A單位之主人浴室 牆壁以高溫瓷磚及天然石材鋪砌（面盆櫃、浴缸及鏡櫃遮蓋的範圍及假天花以上除外）。 地板以高溫瓷磚鋪砌（面盆櫃及浴缸遮蓋的範圍除外），淋浴間地板以天然石材鋪砌。 石膏板假天花髹上乳膠漆，裝設鋁板及金屬飾面。牆壁裝修物料鋪砌至假天花。</p> <p>第5座28樓B單位之浴室 牆壁以天然石鋪砌（面盆櫃及鏡櫃遮蓋的範圍及假天花以上除外）。 地板以天然石鋪砌（面盆櫃遮蓋的範圍除外）。 石膏板假天花髹上乳膠漆，裝設鋁板及金屬飾面。牆壁裝修物料鋪砌至假天花。</p> |

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

2. Interior finishes

| Item | Description |
|--------------|--|
| (d) Bathroom | <p>Flat A of 30/F Tower 6 Lavatory</p> <p>Internal wall finished with ceramic tile.</p> <p>Wall finishes run up to the level of false ceiling.</p> <p>False ceiling finished with aluminium panel.</p> <p>Floor finished with homogeneous tile.</p> |
| (e) Kitchen | <p>Wall finished with porcelain tile (except those areas covered by kitchen cabinet and above false ceiling level).</p> <p>Floor finished with engineered timber flooring (except those areas covered by kitchen cabinet).</p> <p>Ceiling finished with gypsum board false ceiling finished with emulsion paint; other parts provided with gypsum board false ceiling and bulkhead, finished with emulsion paint.</p> <p>Cooking bench counter top is fitted with solid surface material.</p> <p>Wall finishes run up to the level of false ceiling.</p> <p>Except those flats set out below:</p> <p>Flat A of 30/F of Tower 6</p> <p>Wall finished with porcelain tile (except those areas covered by kitchen cabinet and above false ceiling level).</p> <p>Floor finished with porcelain tile (except those areas covered by kitchen cabinet).</p> <p>Ceiling finished with gypsum board false ceiling finished with emulsion paint, aluminium and metal panel; other parts provided with gypsum board false ceiling and bulkhead, finished with emulsion paint.</p> <p>Cooking bench counter top is fitted with solid surface material.</p> <p>Wall finishes run up to the level of false ceiling.</p> <p>Flat B of 28/F of Tower 5</p> <p>Wall finished with natural stone (except those areas covered by kitchen cabinet and above false ceiling level). Wall behind floor cabinet finished with tiles.</p> <p>Floor finished with engineered timber flooring (except those areas covered by kitchen cabinet).</p> <p>Ceiling finished with emulsion paint where exposed; other parts provided with gypsum board false ceiling finished with emulsion paint and metal trim and bulkhead finished with emulsion paint and stucco paint.</p> <p>Cooking bench counter top is fitted with natural stone.</p> <p>Wall finishes run up to the level of false ceiling.</p> |

2. 室內裝修物料

| 細項 | 描述 |
|--------|--|
| (d) 浴室 | <p>第6座30樓A單位之洗手間</p> <p>牆壁以瓷磚鋪砌。</p> <p>牆壁裝修物料鋪砌至假天花。</p> <p>假天花裝設鋁板。</p> <p>地板以過底磚鋪砌。</p> |
| (e) 廚房 | <p>牆壁以高溫瓷質磚鋪砌（廚櫃遮蓋的範圍及假天花以上除外）。</p> <p>地板以複合木鋪砌（廚櫃遮蓋的範圍除外）。</p> <p>石膏板假天花髹上乳膠漆，其他部分設有髹上乳膠漆之石膏板假天花及假陣。</p> <p>灶台面以實心面料安裝。</p> <p>牆壁裝修物料鋪砌至假天花。</p> <p>下述單位除外：</p> <p>第6座30樓A單位</p> <p>牆壁以高溫瓷磚鋪砌（廚櫃遮蓋的範圍及假天花以上除外）。</p> <p>地板以高溫瓷磚鋪砌（廚櫃遮蓋的範圍除外）。</p> <p>石膏板假天花髹上乳膠漆，裝設鋁板及金屬飾面，其他部分設有髹上乳膠漆之石膏板假天花及假陣。</p> <p>灶台面以實心面料安裝。</p> <p>牆壁裝修物料鋪砌至假天花。</p> <p>第5座28樓B單位</p> <p>牆壁以天然石材鋪砌（廚櫃遮蓋的範圍及假天花以上除外），地櫃背面牆身鋪砌瓷磚。</p> <p>地板以複合木鋪砌（廚櫃遮蓋的範圍除外）。</p> <p>外露天花髹上乳膠漆，其他部分設有石膏板假天花髹上乳膠漆及金屬飾邊及假陣髹上乳膠漆，特色油漆。</p> <p>灶台面以天然石材安裝。</p> <p>牆壁裝修物料鋪砌至假天花。</p> |

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. Interior fittings

| Item | Description |
|-----------|--|
| (a) Doors | <p>Main entrance of residential property Solid core fire rated timber door finished with wood veneer and metal trim, fitted with lockset, concealed door closer, door guard, door stopper and eye viewer.</p> <p>Kitchen Solid core fire rated timber door finished with wood veneer, metal trim and fire rated glass panel fitted with handle, concealed door closer and door stopper.</p> <p>Master bedroom and bedroom (except Flat B of 28/F of Tower 5) Hollow core timber door finished with wood veneer and metal trim fitted with lockset and door stopper.</p> <p>Flat B of 28/F of Tower 5 Bedroom 1 - Hollow core timber door finished with wooden veneer fitted with lockset and door stopper. Master Bedroom- Hollow core timber door finished with wooden veneer fitted with lockset and door stopper.</p> <p>Master bathroom and bathroom Hollow core timber door finished with wood veneer fitted with lockset and door stopper. Timber louver is provided for door of the master bathroom and bathroom of the following flats: Flat A, B, E, F & K of 1/F of Tower 5 Flat A, B, C, D, E, F, G & K of 2/F-30/F of Tower 5 Flat K & M of 1/F of Tower 6 Flat C, D, F, G, K & M of 2/F-7/F of Tower 6 Flat A, B, C, D, F, G, K & M of 8/F-29/F of Tower 6 Flat C, D, F & G of 30/F of Tower 6 Flat B, C & D of 1/F-6/F of Tower 8</p> <p>Store Room Flat B of 1/F-30/F of Tower 5 (except Flat B of 28/F of Tower 5) Flat A & B of 8/F-29/F of Tower 6 Flat A & E of 1/F-6/F of Tower 8 Hollow core timber door finished with wood veneer and metal trim fitted with lockset and door stopper. Flat B of 28/F of Tower 5 Metal frame door with featured glass panel fitted with door stopper.</p> <p>Utility Room Flat A of 30/F of Tower 6 Hollow core timber door finished with wood veneer, timber louver and metal trim fitted with lockset and door stopper.</p> <p>Lavatory Flat A of 30/F of Tower 6 Frosted tempered glass folding door with aluminium door frame, louver and lockset. (4/F, 13/F, 14/F, 24/F are omitted)</p> |

3. 室內裝置

| 細項 | 描述 |
|-------|---|
| (a) 門 | <p>住宅物業大門 實心防火木門配木皮飾面及金屬飾邊，裝設門鎖、暗氣鼓、防盜扣、門擋及防盜眼。</p> <p>廚房 實心防火木門配木皮飾面，金屬飾邊及防火玻璃，裝設門抽、暗氣鼓及門擋。</p> <p>主人睡房及睡房（第5座28樓B單位除外） 空心木門配木皮飾面及金屬飾邊，裝設門鎖及門擋。</p> <p>第5座28樓B單位 睡房1 — 空心木門配木皮飾面，裝設門鎖及門擋。 主人睡房 — 空心木門配木皮飾面，裝設門鎖及門擋。</p> <p>主人浴室及浴室 空心木門配木皮飾面，裝設門鎖及門擋。 以下單位的主人浴室及浴室門配以木製百葉： 第5座1樓 A、B、E、F及K單位 第5座2樓至30樓 A、B、C、D、E、F、G及K單位 第6座1樓K及M單位 第6座2樓至7樓 C、D、F、G、K及M單位 第6座8樓至29樓 A、B、C、D、F、G、K及M單位 第6座30樓C、D、F及G單位 第8座1樓至6樓 B、C及D單位</p> <p>儲物室 第5座1樓至30樓B單位（第5座28樓B單位除外） 第6座8樓至29樓A及B單位 第8座1樓至6樓A及E單位 空心木門配木皮飾面及金屬飾邊，裝設門鎖及門擋。 第5座28樓B單位 金屬門框配特式玻璃飾面，裝設門擋。</p> <p>工作間 第6座30樓A單位 空心木門配木皮飾面、木製百葉及金屬飾邊，裝設門鎖及門擋。</p> <p>洗手間 第6座30樓A單位 帶有鋁門框、百葉窗和門鎖的磨砂鋼化玻璃折疊門。</p> <p>(不設4樓、13樓、14樓、24樓)</p> |

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. Interior fittings

| Item | Description | | | | | | | | | |
|--------------|--|---------------------|------|--------------|---------|------|--------|---------|------------------------|---------------------|
| (a) Doors | <p>Balcony and Utility Platform for Tower 5: Clear laminated glass sliding door with aluminium door frame and lockset.</p> <p>Balcony and Utility Platform for Tower 6 and 8: Monolithic clear tempered glass sliding door with aluminium door frame and lockset.</p> <p>Flat Roof of Flat B of 1/F and Flat C of 2/F of Tower 5: Clear laminated glass sliding door with aluminium door frame and lockset.</p> <p>Flat Roof of Flat A of 30/F of Tower 6: Monolithic clear tempered glass door and bi-folding glass door with aluminium door frame and lockset.</p> <p>Stairhood of Flat A of 30/F of Tower 6: Metal door with metal door frame and lockset</p> <p>Flat Roof of Flat A & E of 1/F of Tower 8: Monolithic clear tempered glass door and sliding door with aluminium door frame and lockset.</p> <p>Those roofs / flat roofs set out below: Alumium gate with lockset</p> <table><tr><td>Tower 5</td><td>Roof</td><td>Flat A, B, K</td></tr><tr><td>Tower 6</td><td>Roof</td><td>Flat A</td></tr><tr><td>Tower 8</td><td>Roof and 6/F Flat Roof</td><td>Flat A, B, C, D & E</td></tr></table> | Tower 5 | Roof | Flat A, B, K | Tower 6 | Roof | Flat A | Tower 8 | Roof and 6/F Flat Roof | Flat A, B, C, D & E |
| Tower 5 | Roof | Flat A, B, K | | | | | | | | |
| Tower 6 | Roof | Flat A | | | | | | | | |
| Tower 8 | Roof and 6/F Flat Roof | Flat A, B, C, D & E | | | | | | | | |
| (b) Bathroom | <p>Timber mirror cabinet and timber vanity counter with natural stone countertop. Fittings include vitreous china wash basin with colour electro-plated basin mixer, vitreous china water closet, colour electro-plated soap holder, colour electro-plated hooks and electro-plated toilet paper holder.</p> <p>Except those flats set out below: Flat C of 2/F-30/F of Tower 5 Bathroom Flat F of 2/F-30/F of Tower 6 Bathroom Timber mirror cabinet and timber vanity counter with natural stone countertop. Fittings include vitreous china wash basin with colour electro-plated basin mixer, vitreous china water closet, colour electro-plated hook and electro-plated toilet paper holder.</p> <p>Flat A of 1/F-30/F of Tower 5 Master Bathroom Timber mirror cabinet and timber vanity counter with natural stone countertop. Fittings include vitreous china wash basin with colour electro-plated basin mixer, vitreous china water closet, colour electro-plated towel bar, colour electro-plated hook and electro-plated toilet paper holder. (4/F,13/F,14/F,24/F are omitted)</p> | | | | | | | | | |

3. 室內裝置

| 細項 | 描述 | | | | | | | | | |
|--------|--|-------------|----|---------|-----|----|-----|-----|---------|-------------|
| (a) 門 | 第5座之露台及工作平台： 帶有鋁製門框和門鎖的透明夾層玻璃趟門。 | | | | | | | | | |
| | 第6座及第8座之露台及工作平台： 帶有鋁製門框和門鎖的透明鋼化玻璃趟門。 | | | | | | | | | |
| | 第5座1樓B單位及2樓C單位之平台： 帶有鋁製門框和門鎖的透明夾層玻璃趟門。 | | | | | | | | | |
| | 第6座30樓A單位之平台： 帶有鋁製門框和門鎖的透明鋼化玻璃門和折疊門。 | | | | | | | | | |
| | 第6座30樓A單位之梯屋： 帶有金屬門框和門鎖的金屬門。 | | | | | | | | | |
| | 第8座1樓A及E單位之平台： 帶有鋁製門框和門鎖的透明鋼化玻璃門和趟門。 | | | | | | | | | |
| | 以下單位之天台/平台： 金屬閘及門鎖 | | | | | | | | | |
| | <table><tr><td>第5座</td><td>天台</td><td>A、B及K單位</td></tr><tr><td>第6座</td><td>天台</td><td>A單位</td></tr><tr><td>第8座</td><td>天台及6樓平台</td><td>A、B、C、D及E單位</td></tr></table> | 第5座 | 天台 | A、B及K單位 | 第6座 | 天台 | A單位 | 第8座 | 天台及6樓平台 | A、B、C、D及E單位 |
| 第5座 | 天台 | A、B及K單位 | | | | | | | | |
| 第6座 | 天台 | A單位 | | | | | | | | |
| 第8座 | 天台及6樓平台 | A、B、C、D及E單位 | | | | | | | | |
| (b) 浴室 | 木鏡櫃及木面盆櫃連天然石檯面。裝置包括：搪瓷洗手盆配有色電鍍水龍頭、搪瓷坐廁、有色電鍍肥皂架、有色電鍍掛鉤及電鍍廁紙架。 | | | | | | | | | |
| | 下述單位除外： 第5座2樓至30樓C單位之浴室 第6座2樓至30樓F單位之浴室 木鏡櫃及木面盆櫃連天然石檯面。裝置包括：搪瓷洗手盆配有色電鍍水龍頭、搪瓷坐廁、有色電鍍掛鉤及電鍍廁紙架。 | | | | | | | | | |
| | 第5座1樓至30樓A單位之主人浴室 木鏡櫃及木面盆櫃連天然石檯面。裝置包括：搪瓷洗手盆配有色電鍍水龍頭、搪瓷坐廁、有色電鍍毛巾架、有色電鍍掛鉤及電鍍廁紙架。 | | | | | | | | | |
| | (不設4樓、13樓、14樓、24樓) | | | | | | | | | |

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. Interior fittings

| Item | Description |
|--------------|--|
| (b) Bathroom | <p>Flat A of 30/F of Tower 6 Master Bathroom Timber mirror cabinet and timber vanity counter with natural stone countertop. Fittings include vitreous china wash basin with colour electro-plated basin mixer, vitreous china water closet, colour electro-plated bathtub mixer, colour electro - plated towel bar, colour elector- plated soap holder, colour electro - plated hooks and electro-plated toilet paper holder.</p> <p>Flat B of 28/F of Tower 5 Bathroom Timber mirror cabinet with metal frame and timber vanity counter with metal frame, metal panel and natural stone countertop. Fittings include vitreous china wash basin with coloured finish basin mixer, vitreous china water closet, coloured finish soap holder, coloured finish hooks and electro-plated toilet paper holder.</p> <p>Flat A of 30/F of Tower 6 Lavatory Vitreous china wash basin with chrome-plated basin mixer.</p> <p>Type and material of water supply system: Copper pipes are used for cold and hot water supply system. UPVC pipes are used for flushing water system.</p> <p>Type and material of bathing facilities (including shower or bathtub, if applicable) and size of bathtub, if applicable: Tempered glass shower cubicle with colour electro-plated shower mixer are provided in bathrooms with shower cubicle.</p> <p>Except those flats set out below: Flat A of 1/F-30/F of Tower 5 Master Bathroom: Cast iron bathtub (1500mm(L) x 700mm(W) x 418mm(D)) with colour electro-plated cold and hot water bathtub & shower mixer provided in bathrooms with bathtub. (4/F, 13/F, 14/F, 24/F are omitted)</p> <p>Flat A of 30/F of Tower 6 Master Bathroom Cast iron bathtub (1500mm(L) x 700mm(W) x 418mm(D)) with colour electro-plated cold and hot water bathtub mixer provided in bathrooms with bathtub. Tempered glass shower cubicle with colour electro-plated shower mixer are provided in bathrooms with shower cubicle.</p> <p>Flat B of 28/F of Tower 5 Tempered glass shower cubicle with coloured finish shower mixer are provided in bathroom with shower cubicle.</p> |

3. 室內裝置

| 細項 | 描述 |
|--------|--|
| (b) 浴室 | <p>第6座30樓A單位之主人浴室 木鏡櫃及木面盆櫃連天然石檯面。裝置包括：搪瓷洗手盆配有色電鍍水龍頭、搪瓷坐廁、有色電鍍浴缸龍頭、有色電鍍毛巾架、有色電鍍肥皂架、有色電鍍掛鉤及電鍍廁紙架。</p> <p>第5座28樓B單位之浴室 木鏡櫃配金屬框及木面盆櫃配金屬框及金屬板連天然石檯面。裝置包括：搪瓷洗手盆配有色水龍頭、搪瓷坐廁、有色肥皂架、有色掛鉤、及電鍍廁紙架。</p> <p>第6座30樓A單位之洗手間 搪瓷洗手盆配連鍍鉻水龍頭。</p> <p>供水系統的類型及用料： 冷熱水供水系統採用銅喉管。 沖廁水供水系統採用UPVC膠喉管。</p> <p>沐浴設施（包括花灑或浴缸，如適用的話）及浴缸大小，如適用的話： 設有淋浴間之浴室配備強化玻璃淋浴間及有色電鍍淋浴花灑龍頭。</p> <p>下述單位除外： 第5座1樓至30樓A單位之主人浴室： 設有浴缸之浴室配備鑄鐵浴缸（1500毫米長 x 700毫米闊 x 418毫米深）、冷熱水供水有色電鍍浴缸及花灑龍頭。 （不設4樓、13樓、14樓、24樓）</p> <p>第6座30樓A單位之主人浴室 設有浴缸之浴室配備鑄鐵浴缸（1500毫米長 x 700毫米闊 x 418毫米深）、冷熱水供水有色電鍍浴缸及花灑龍頭。 設有淋浴間之浴室配備強化玻璃淋浴間及有色電鍍淋浴花灑龍頭。</p> <p>第5座28樓B單位 設有淋浴間之浴室配備強化玻璃淋浴間及有色淋浴花灑龍頭。</p> |

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. Interior fittings

| Item | Description |
|---------------|---|
| (c) Kitchen | <p>Fitted with stainless steel sink with chrome-plated hot and cold water mixer. Timber kitchen cabinet finished with plastic laminate and high gloss acrylic finished door panels. Except those flats set out below:</p> <p>Flat B of 28/F of Tower 5 Fitted with stainless steel sink with chrome-plated hot and cold water mixer. Timber kitchen cabinet finished with plastic laminate, high gloss acrylic paint finished door panels and glass door with metal door frame and metal finishes.</p> <p>Flat A of 30/F of Tower 6 Fitted with stainless steel sink with chrome-plated hot and cold water mixer. Timber kitchen cabinet finished with plastic laminate, metal trim and high gloss acrylic finished door panels.</p> <p>Copper pipes are used for cold and hot water supply system. Fire service installations and equipment fitted in or near open kitchen (if applicable) – please refer to the following items of “Schedule of Mechanical & Electrical Provisions of Residential Units” – Sprinkler Head and Smoke Detector.</p> |
| (d) Bedroom | <p>Type and material of fittings (including built-in wardrobe): No fittings (except Flat B of 28/F of Tower 5)</p> <p>Flat B of 28/F of Tower 5 Bedroom 1 - fitted with glass, metal, vinyl and wood veneer finish timber wardrobe, metal curtain track and wooden pelmet. Master Bedroom - fitted with metal, wall paper, vinyl and wood veneer finish timber wardrobe, metal curtain track and wooden pelmet.</p> |
| (e) Telephone | <p>Telephone connection points are provided.</p> <p>For the location and number of connection points, please refer to the “Schedule of Mechanical & Electrical Provisions of Residential Units”.</p> |
| (f) Aerials | <p>TV/FM outlets for local TV/FM radio programmes are provided.</p> <p>For the location and number of connection points, please refer to the “Schedule of Mechanical & Electrical Provisions of Residential Units”.</p> |

3. 室內裝置

| 細項 | 描述 |
|--------|--|
| (c) 廚房 | <p>裝設不銹鋼洗滌盆連鍍鉻冷熱水水龍頭。 木製廚櫃以膠板飾面門板及高光度亞克力飾面門板組成。 下述單位除外：</p> <p>第5座28樓B單位 裝設不銹鋼洗滌盆連鍍鉻冷熱水水龍頭。 木製廚櫃以膠板飾面、高光度亞克力漆飾面門板及玻璃門拼金屬門框及金屬飾面組成。</p> <p>第6座30樓A單位 裝設不銹鋼洗滌盆連鍍鉻冷熱水水龍頭。 木製廚櫃以木夾板配膠板飾面門板、金屬飾邊、高光度亞克力飾面門板組成。</p> <p>冷熱供水系統均採用銅喉管。 安裝在開放式廚房（如適用）內或附近的消防裝置及設備 — 請參閱「住宅單位機電裝置數量說明表」：消防花灑頭及煙霧探測器。</p> |
| (d) 睡房 | <p>裝置（包括嵌入式衣櫃）的類型及用料： 不設裝置（第5座28樓B單位除外）</p> <p>第5座28樓B單位 睡房1 — 配以玻璃連金屬、仿皮及木皮飾面木製衣櫃、金屬窗簾路軌及木擋板。 主人睡房 — 配以金屬、牆紙、仿皮及木皮飾面木製衣櫃、金屬窗簾路軌及木擋板。</p> |
| (e) 電話 | <p>裝設有電話接駁點。</p> <p>有關接駁點的位置及數目，請參閱「住宅單位機電裝置數量說明表」。</p> |
| (f) 天線 | <p>裝設電視及電台插座，可接收本地電視及電台節目。</p> <p>有關接駁點的位置及數目，請參閱「住宅單位機電裝置數量說明表」。</p> |

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. Interior fittings

| Item | Description |
|------------------------------|--|
| (g) Electrical Installations | <p>Single-phase electricity supply with miniature circuit breaker distribution board is provided at the following flats:</p> <p>Tower 5: Flats E, J, & K of 1/F. Flats D, E, H, J & K of 2/F-30/F.</p> <p>Tower 6: Flats J, K & M of 1/F. Flats E, F, J, K & M of 2/F-29/F. Flats E, F, & J of 30/F.</p> <p>Tower 8: Flats B, C & D of 1/F-6/F.</p> <p>(4/F, 13/F, 14/F & 24/F are omitted.)</p> <p>Three-phase electricity supply with miniature circuit breaker distribution board is provided at the following flats:</p> <p>Tower 5: Flats A, B & F of 1/F. Flats A, B, C, F & G of 2/F-30/F.</p> <p>Tower 6: Flats L of 1/F. Flats C, D, G, H & L of 2/F-7/F. Flats A, B, C, D, G, H & L of 8/F-29/F. Flats A, C, D, G & H of 30/F.</p> <p>Tower 8: Flats A & E of 1/F-6/F.</p> <p>(4/F, 13/F, 14/F & 24/F are omitted.)</p> <p>Conduits are concealed in part and exposed in part. Other than those parts of the conduits concealed within concrete, all exposed conduits are hidden in false ceilings, bulkheads or kitchen cabinets.</p> <p>Location and number of power points and air-conditioner points: For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units".</p> |

3. 室內裝置

| 細項 | 描述 |
|----------|---|
| (g) 電力裝置 | <p>以下單位提供單相電力配電箱連微型斷路器：</p> <p>第5座： 1樓E、J及K單位。 2樓至30樓D、E、H、J及K單位。</p> <p>第6座： 1樓J、K及M單位。 2樓至29樓E、F、J、K及M單位。 30樓E、F及J單位。</p> <p>第8座： 1樓至6樓B、C及D單位。</p> <p>(不設4樓、13樓、14樓及24樓。)</p> <p>以下單位提供三相電力配電箱連微型斷路器：</p> <p>第5座： 1樓A、B及F單位。 2樓至30樓A、B、C、F及G單位。</p> <p>第6座： 1樓L單位。 2樓至7樓C、D、G、H及L單位。 8樓至29樓A、B、C、D、G、H及L單位。 30樓A、C、D、G及H單位。</p> <p>第8座： 1樓至6樓A及E單位。</p> <p>(不設4樓、13樓、14樓及24樓。)</p> <p>導管部份隱藏及部份外露。除部份導管隱藏於混凝土內，所有外露導管均隱藏於假天花、假陣或廚櫃內。</p> <p>電插座及空調機接駁點的位置及數目： 有關電插座及空調機接駁點之數目及位置，請參閱「住宅單位機電裝置數量說明表」。</p> |

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. Interior fittings

| Item | Description |
|----------------|--|
| (h) Gas Supply | <p>Type, system and location: (A) Towngas pipes are installed and connected to gas water heater(s) and gas appliance(s) in the following residential flats:</p> <p>Tower 5: Flats A, B & F of 1/F, Flats A, B, C & F of 2/F-30/F.</p> <p>Tower 6: Flat L of 1/F, Flats C, D, G, H & L of 2/F-7/F, Flats A, B, C, D, G, H & L of 8/F-29/F, Flats A, C, D, G & H of 30/F.</p> <p>Tower 8: Flats A & E of 2/F-6/F.</p> <p>(4/F, 13/F, 14/F & 24/F are omitted.)</p> <p>(B) Towngas pipes are installed and connected to gas water heater and gas connection point in the following residential flats:</p> <p>Tower 5: Flats E & K of 1/F, Flats D, E, H & K of 2/F-30/F.</p> <p>Tower 6: Flats J & K of 1/F, Flats E, F, J & K of 2/F-29/F, Flats E, F & J of 30/F.</p> <p>Tower 8: Flats B, C & D of 1/F-6/F.</p> <p>(4/F, 13/F, 14/F & 24/F are omitted.)</p> <p>(C) Towngas pipes are installed and only connected to gas water heater in the following residential flats:</p> <p>Tower 5: Flat J of 1/F, Flats G & J of 2/F-30/F</p> <p>Tower 6: Flat M of 1/F-29/F.</p> <p>Tower 8: Flats A & E of 1/F.</p> <p>(4/F, 13/F, 14/F & 24/F are omitted.)</p> |

3. 室內裝置

| 細項 | 描述 |
|----------|--|
| (h) 氣體供應 | <p>類型、系統及位置： (A) 以下單位均裝置煤氣喉管及接駁至住宅單位之煤氣熱水爐及煤氣煮食爐具：</p> <p>第5座： 1樓A、B及F單位；2樓至30樓A、B、C及F單位。</p> <p>第6座： 1樓L單位；2樓至7樓C、D、G、H及L單位；8樓至29樓A、B、C、D、G、H及L單位；30樓A、C、D、G及H單位。</p> <p>第8座： 2樓至6樓A及E單位。</p> <p>(不設4樓、13樓、14樓及24樓。)</p> <p>(B) 以下單位均裝置煤氣喉管及接駁至住宅單位之煤氣熱水爐及煤氣接駁位：</p> <p>第5座： 1樓E及K單位；2樓至30樓D、E、H及K單位。</p> <p>第6座： 1樓J及K單位；2樓至29樓E、F、J及K單位；30樓E、F及J單位。</p> <p>第8座： 1樓至6樓B、C及D單位。</p> <p>(不設4樓、13樓、14樓及24樓。)</p> <p>(C) 以下單位均裝置煤氣喉管及只接駁至住宅單位之煤氣熱水爐：</p> <p>第5座： 1樓J單位；2樓至30樓G及J單位。</p> <p>第6座： 1樓至29樓M單位。</p> <p>第8座： 1樓A及E單位。</p> <p>(不設4樓、13樓、14樓及24樓。)</p> |

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. Interior fittings

| Item | Description |
|--------------------------------------|---|
| (i) Washing Machine Connection Point | <p>Location and design: Water inlet connection point of a design of 22mm in diameter and water outlet connection point of a design of 40mm in diameter are provided for washing machine inside kitchen cabinet.</p> |
| (j) Water Supply | <p>Material of water pipes: Copper pipes are used for cold and hot water supply system. UPVC pipes are used for flushing water system.</p> <p>Water pipes are partly concealed and partly exposed. Other than those parts of the water pipes concealed within concrete, the rest of the water pipes are exposed. The exposed water pipes may be covered or hidden by false ceiling, bulkheads, cabinets, non-concrete partition walls, designated pipe ducts or other materials.</p> <p>Hot water is available.</p> |

3. 室內裝置

| 細項 | 描述 |
|------------|---|
| (i) 洗衣機接駁點 | <p>位置及設計： 廚櫃內設有洗衣機來水接駁喉位（其設計為直徑22毫米）及去水接駁喉位（其設計為直徑40毫米）。</p> |
| (j) 供水 | <p>水管的用料： 冷熱水供水系統採用銅喉管，沖廁水供水系統採用UPVC膠喉管。</p> <p>水管部份隱藏及部份外露。除部份水管隱藏於混凝土內，其他部份的水管均為外露。外露的水管可能被假天花、假陣、儲物櫃、非混凝土間隔牆、指定之管道槽或其他物料遮蓋或掩藏。</p> <p>有熱水供應。</p> |

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

4. Miscellaneous

| Item | Description | | | | | | | | | | | | | | | | | | | |
|-----------|---|----------|--|----------|------------------------------|---------|----------|--------|---|----|--|---------|--------|---|----|--|---------|----------|--------|---|
| (a) Lifts | 8 "Schindler" passenger lifts are provided in the residential towers. Floors served by residential tower lifts: | | | | | | | | | | | | | | | | | | | |
| | <table><tr><th>Tower</th><th>Model no.</th><th>Lift no.</th><th>Floors served by the lift(s)</th></tr><tr><td rowspan="2">Tower 5</td><td rowspan="4">5500 MMR</td><td>L1, L3</td><td>B/F, G/F, 1/F to 30/F (4/F, 13/F, 14/F and 24/F are omitted)</td></tr><tr><td>L2</td><td>B/F, G/F, 1/F to 30/F and Roof (4/F, 13/F, 14/F and 24/F are omitted)</td></tr><tr><td rowspan="2">Tower 6</td><td>L1, L3</td><td>B/F, G/F, 1/F to 30/F (4/F, 13/F, 14/F and 24/F are omitted)</td></tr><tr><td>L2</td><td>B/F, G/F, 1/F to 30/F and Roof (4/F, 13/F, 14/F and 24/F are omitted)</td></tr><tr><td>Tower 8</td><td>5500 MRL</td><td>L1, L2</td><td>B/F, G/F, 1F to 6/F (4/F is omitted)</td></tr></table> | Tower | Model no. | Lift no. | Floors served by the lift(s) | Tower 5 | 5500 MMR | L1, L3 | B/F, G/F, 1/F to 30/F (4/F, 13/F, 14/F and 24/F are omitted) | L2 | B/F, G/F, 1/F to 30/F and Roof (4/F, 13/F, 14/F and 24/F are omitted) | Tower 6 | L1, L3 | B/F, G/F, 1/F to 30/F (4/F, 13/F, 14/F and 24/F are omitted) | L2 | B/F, G/F, 1/F to 30/F and Roof (4/F, 13/F, 14/F and 24/F are omitted) | Tower 8 | 5500 MRL | L1, L2 | B/F, G/F, 1F to 6/F (4/F is omitted) |
| Tower | Model no. | Lift no. | Floors served by the lift(s) | | | | | | | | | | | | | | | | | |
| Tower 5 | 5500 MMR | L1, L3 | B/F, G/F, 1/F to 30/F (4/F, 13/F, 14/F and 24/F are omitted) | | | | | | | | | | | | | | | | | |
| | | L2 | B/F, G/F, 1/F to 30/F and Roof (4/F, 13/F, 14/F and 24/F are omitted) | | | | | | | | | | | | | | | | | |
| Tower 6 | | L1, L3 | B/F, G/F, 1/F to 30/F (4/F, 13/F, 14/F and 24/F are omitted) | | | | | | | | | | | | | | | | | |
| | | L2 | B/F, G/F, 1/F to 30/F and Roof (4/F, 13/F, 14/F and 24/F are omitted) | | | | | | | | | | | | | | | | | |
| Tower 8 | 5500 MRL | L1, L2 | B/F, G/F, 1F to 6/F (4/F is omitted) | | | | | | | | | | | | | | | | | |

| | |
|-----------------------|---|
| (b) Letter Box | Material: Stainless steel letter box. |
| (c) Refuse Collection | Means of refuse collection and location of refuse room: Refuse storage and material recovery room is located at common area of each residential floor. Refuse storage and material recovery chamber is located at B/F for collection and removal of refuse by cleaners. |

4. 雜項

| 細項 | 描述 | | |
|---------------|---------------------|-------|---------------------------------------|
| (a) 升降機 | 住宅大廈設有8部「迅達」牌載客升降機。 | | |
| 住宅大廈升降機到達的樓層： | | | |
| 座數 | 型號 | 升降機編號 | 升降機到達的樓層 |
| 第5座 | 5500 MMR | L1、L3 | 地庫、地下、1樓至30樓 (不設4樓、13樓、14樓及24樓) |
| | | L2 | 地庫、地下、1樓至30樓及天台 (不設4樓、13樓、14樓及24樓) |
| 第6座 | | L1、L3 | 地庫、地下、1樓至30樓 (不設4樓、13樓、14樓及24樓) |
| | | L2 | 地庫、地下、1樓至30樓及天台 (不設4樓、13樓、14樓及24樓) |
| 第8座 | 5500 MRL | L1、L2 | 地庫、地下、1樓至6樓 (不設4樓) |

| | |
|----------|--|
| (b) 信箱 | 用料： 不銹鋼信箱。 |
| (c) 垃圾收集 | 垃圾收集的方法及垃圾房的位置： 垃圾及物料回收室位於每層住宅樓層之公用地方。 垃圾及物料回收房設於地庫層。垃圾由清潔工人收集及運走。 |

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

4. Miscellaneous

| Item | Description |
|--|--|
| (d) Water Meter, Electricity Meter and Gas Meter | <p>Separate water meter for each individual residential unit is provided in the water meter cabinet on each residential floor.</p> <p>Separate electricity meter for each individual residential unit is provided in the electrical meter room on each residential floor.</p> <p>Location of town gas meter:</p> <p>(A) Separate town gas meter is located at the balcony & utility platform of the following flats:</p> <p>Tower 5: Flats A, E, F, J & K of 1/F, Flats A, B, D, E, F, G, H, J & K of 2/F, Flats A, B, C, D, E, F, G, H, J & K of 3/F-30/F.</p> <p>Tower 6: Flat J, K, L, M of 1/F, Flats C, D, E, F, G, H, J, K, L & M of 2/F-7/F, Flats A, B, C, D, E, F, G, H, J, K, L & M of 8/F-29/F, Flats C, D, E, F, G, H & J of 30/F.</p> <p>Tower 8: Flats B, C & D of 1/F, Flats A, B, C, D & E of 2/F-6/F.</p> <p>(4/F, 13/F & 14/F and 24/F are omitted)</p> <p>(B) Separate town gas meter is located at the flat roof of the following flats:</p> <p>Tower 5: Flat B of 1/F & Flat C of 2/F.</p> <p>Tower 8: Flat A & E of 1/F.</p> <p>(C) Separate town gas meter is located in the gas meter cabinet at the roof of the following flat:</p> <p>Tower 6: Flat A of 30/F.</p> |

4. 雜項

| 細項 | 描述 |
|---------------|--|
| (d) 水錶、電錶及氣體錶 | <p>每戶住宅單位之獨立水錶安裝於每層住宅樓層之水錶櫃內。</p> <p>每戶住宅單位之獨立電錶安裝於大廈每層住宅樓層之電錶房內。</p> <p>煤氣錶之安置位置：</p> <p>(A) 獨立煤氣錶安置於以下單位之露台及工作平台內：</p> <p>第5座：1樓A、E、F、J及K單位、2樓A、B、D、E、F、G、H、J及K單位、3樓至30樓A、B、C、D、E、F、G、H、J及K單位。</p> <p>第6座：1樓J、K、L及M單位、2樓至7樓C、D、E、F、G、H、J、K、L及M單位、8樓至29樓A、B、C、D、E、F、G、H、J、K、L及M單位、30樓C、D、E、F、G、H及J單位。</p> <p>第8座：1樓B、C及D單位、2樓至6樓A、B、C、D及E單位。</p> <p>(不設4樓、13樓、14樓及24樓)</p> <p>(B) 獨立煤氣錶安置於以下單位之平台內：</p> <p>第5座：1樓B單位及2樓C單位。</p> <p>第8座：1樓A及E單位。</p> <p>(C) 獨立煤氣錶安置於以下單位之天台煤氣錶櫃內：</p> <p>第6座：30樓A單位。</p> |

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

5. Security facilities

Security system and equipment (including details of built-in provisions and their locations):

CCTV cameras are provided at entrances of the Development, main entrance lobbies of each residential tower, external area, clubhouse, carpark, Temporary Refuge Space (T.R.S.), Basement lift lobbies and lifts and connected to the caretaker office for watchman and caretaker. Each residential unit is equipped with a video door phone adjacent to main entrance door.

Smart card readers for access control are provided at entrances of the Development, main entrance lobbies of each residential tower, carpark lift lobbies, clubhouse entrance and inside lifts.

6. Appliances

For brand name and model number of appliances, please refer to the “Appliances Schedule”.

In relation to item 4(a) and 6 specified in the above table, the Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

5. 保安設施

保安系統及設備（包括嵌入式的裝備的細節及其位置）：

發展項目之入口、每座住宅大廈之入口大堂、室外位置、會所、停車場、臨時避難空間，地庫升降機大堂及升降機內均裝設閉路電視接駁到保安人員辦事處。每個住宅單位大門旁均裝設視像對講機。

發展項目之入口，每座住宅大廈之入口大堂，停車場升降機大堂，會所入口及升降機內均裝有智能卡讀卡器作出入管理之用途。

6. 設備

有關設備的品牌名稱及型號，請參考「設備說明表」。

有關上述列表所指明之第4(a)及第6細項，賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule
設備說明表

| Location 位置 | Appliance 設備 | Brand name 品牌 | Model number 型號 | Tower 5 第5座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|------------------|--------------------|----------------|---|---|---|---|---|-----------|---|---|---|---|---|---|---|---|---|---------------------------------------|---|---|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|
| | | | | 1/F 1樓 | | | | | | 2/F 2樓 | | | | | | | | | | 3/F-27/F, 29/F-30/F 3樓至27樓、29樓至30樓 | | | | | | | | | | 28/F 28樓 | | | | | | | | | |
| | | | | A | B | E | F | J | K | A | B | C | D | E | F | G | H | J | K | A | B | C | D | E | F | G | H | J | K | A | B | C | D | E | F | G | H | J | K |
| Living Room, Dining Room, Master Bedroom, Bedroom 1, Bedroom 2, Corridor, Store 客廳、飯廳、主人睡房、 睡房 1、睡房 2、 走廊、儲物室 | Multi-Split Type Air-Conditioner Indoor Unit 多聯分體式變頻冷暖空調機（室內機） | Panasonic 樂聲 | CS-Z25TKEW | - | - | ✓ | - | ✓ | ✓ | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | ✓ | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | ✓ | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | ✓ |
| | | | CS-Z50TKEW | - | - | ✓ | - | ✓ | ✓ | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | ✓ | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | ✓ | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | ✓ |
| | Multi-Split Type Air-Conditioner Outdoor Unit 多聯分體式變頻冷暖空調機（室外機） | | CU-5E34PBE | - | - | ✓ | - | ✓ | ✓ | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | ✓ | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | ✓ | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | ✓ |
| | VRF Type Air-Conditioner Indoor Unit 智能式中央冷氣系統（室內機） | | S-28MK2E5A | ✓ | ✓ | - | ✓ | - | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - |
| | | | S-45MK2E5A | ✓ | ✓ | - | ✓ | - | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - |
| | | | S-73MK2E5A | ✓ | ✓ | - | ✓ | - | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - |
| | VRF Type Air-Conditioner Outdoor Unit 智能式中央冷氣系統（室外機） | | U-5LE2H4 | - | - | - | ✓ | - | - | - | - | ✓ | - | - | ✓ | ✓ | - | - | - | - | - | ✓ | - | - | ✓ | ✓ | - | - | - | - | - | ✓ | - | - | ✓ | ✓ | - | - | - |
| | | | U-6LE2H4 | ✓ | ✓ | - | - | - | - | ✓ | ✓ | - | - | - | - | - | - | - | - | ✓ | ✓ | - | - | - | - | - | - | - | - | - | ✓ | ✓ | - | - | - | - | - | - | - |
| | Video Door Phone 視像對講機 | | Legrand | 697181 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

Notes :

1. "✓" means such appliance(s) is/are provided and/or installed in the residential unit.

2. The symbol "-" as shown in the above table denotes "Not applicable".

3. 4/F, 13/F, 14/F and 24/F are omitted.

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

備註：

1. "✓" 表示此設備於該住宅單位內提供及/或安裝。

2. 上表 "-" 代表不適用。

3. 不設4樓、13樓、14樓及24樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule
設備說明表

| Location 位置 | Appliance 設備 | Brand name 品牌 | Model number 型號 | Tower 5 第5座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|------------------|--------------------|----------------|---|---|---|---|---|-----------|---|---|---|---|---|---|---|---------------------------------------|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 1/F 1樓 | | | | | | 2/F 2樓 | | | | | | | | 3/F-27/F, 29/F-30/F 3樓至27樓、29樓至30樓 | | | | | | | | 28/F 28樓 | | | | | | | | | | | | | |
| | | | | A | B | E | F | J | K | A | B | C | D | E | F | G | H | J | K | A | B | C | D | E | F | G | H | J | K | A | B | C | D | E | F | G | H | J | K |
| Open Kitchen 開放式廚房 | Cooker Hood 抽油煙機 | Miele | DAS 2620 | - | ✓ | ✓ | ✓ | ✓ | ✓ | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| | | | DAS 2920 | ✓ | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | - | |
| | Induction Hob (2 Zones) 雙頭電磁爐 | | CS 1212-1I | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| | Gas Hob (Wok Burner) 炒鑊氣體煮食爐 | | CS 1018 G | ✓ | ✓ | - | ✓ | - | - | ✓ | ✓ | ✓ | - | - | ✓ | - | - | - | - | ✓ | ✓ | ✓ | - | - | ✓ | - | - | - | ✓ | ✓ | ✓ | - | - | ✓ | - | - | - | - | |
| | Built-in Microwave Oven 嵌入式微波爐 | | M 2234 SC | ✓ | | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | | |
| | Built-in Steam Combination Oven 嵌入式蒸焗爐 | | DGC 7440 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| | Built-in Refrigerator 嵌入式雪櫃連冰箱 | Siemens 西門子 | KI42LAFF0K | - | - | ✓ | - | ✓ | ✓ | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | ✓ | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | ✓ | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | ✓ |
| | | | KI86NAF31K | ✓ | ✓ | - | ✓ | - | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - |
| | | | WK14D321HK | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Store 儲物室 | Built-in Wine Cellar 嵌入式酒櫃 | Miele | KWT 6321 UG | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | | | |

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

- Notes :
1. "✓" means such appliance(s) is/are provided and/or installed in the residential unit.
 2. The symbol "-" as shown in the above table denotes "Not applicable".
 3. 4/F, 13/F, 14/F and 24/F are omitted.

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- 備註：
1. "✓" 表示此設備於該住宅單位內提供及/或安裝。
 2. 上表 "-" 代表不適用。
 3. 不設4樓、13樓、14樓及24樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule
設備說明表

| Location 位置 | Appliance 設備 | Brand name 品牌 | Model number 型號 | Tower 5 第5座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|--|------------------------|------------------------|----------------|---|---|---|---|---|-----------|---|---|---|---|---|---|---|---|---|---------------------------------------|---|---|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|
| | | | | 1/F 1樓 | | | | | | 2/F 2樓 | | | | | | | | | | 3/F-27/F, 29/F-30/F 3樓至27樓、29樓至30樓 | | | | | | | | | | 28/F 28樓 | | | | | | | | | |
| | | | | A | B | E | F | J | K | A | B | C | D | E | F | G | H | J | K | A | B | C | D | E | F | G | H | J | K | A | B | C | D | E | F | G | H | J | K |
| Master Bathroom 主人浴室 | Thermo Ventilator 浴室寶 | Panasonic 樂聲 | FV-40BE3H2 | ✓ | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | - | |
| | Duct Type Ventilation Fan 風喉式抽氣扇 | Gelec | DPT10-24H | ✓ | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | - | | |
| | Instantaneous Electric Water Heater 即熱式電熱水爐 | Stiebel Eltron 斯寶亞創 | DHE 18/21/24 | ✓ | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | - | | |
| Bathroom 浴室 | Thermo Ventilator 浴室寶 | Panasonic 樂聲 | FV-40BE3H2 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| | Duct Type Ventilation Fan 風喉式抽氣扇 | Gelec | DPT10-24H | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| Balcony & Utility Platform 露台及工作平台 | Circulating Type Gas Water Heater 循環式煤氣熱水爐 | TGC | RBOX16QL / RBOX16QR | ✓ | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| Flat Roof 平台 | | | | - | ✓ | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

Notes :

1. "✓" means such appliance(s) is/are provided and/or installed in the residential unit.

2. The symbol "-" as shown in the above table denotes "Not applicable".

3. 4/F, 13/F, 14/F and 24/F are omitted.

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

備註：

1. "✓" 表示此設備於該住宅單位內提供及/或安裝。

2. 上表 "-" 代表不適用。

3. 不設4樓、13樓、14樓及24樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule
設備說明表

| Location 位置 | Appliance 設備 | Brand name 品牌 | Model number 型號 | Tower 6 第6座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|------------------|--------------------|----------------|---|---|---|------------------|---|---|---|---|---|---|---|--------------------|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 1/F 1樓 | | | | 2/F-7/F 2樓至7樓 | | | | | | | | 8/F-29/F 8樓至29樓 | | | | | | | | 30/F 30樓 | | | | | | | | | | | | | |
| | | | | J | K | L | M | C | D | E | F | G | H | J | K | L | M | A | B | C | D | E | F | G | H | J | K | L | M | A | C | D | E | F | G | H | J |
| Living Room, Dining Room, Master Bedroom, Bedroom 1, Bedroom 2, Bedroom 3, Utility Room, Corridor & Store 客廳、飯廳、主人睡房、 睡房 1、睡房 2、睡房 3、 工作間、走廊及儲物室 | Split Type Air-Conditioner Indoor Unit 分體式變頻冷暖空調機（室內機） | Panasonic 樂聲 | CS-YE24UKA1 | - | - | - | ✓ | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | - | - | |
| | Multi-Split Type Air-Conditioner Indoor Unit 多聯分體式變頻冷暖空調機（室內機） | | CS-Z25TKEW | ✓ | ✓ | - | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - | - | ✓ | ✓ | - | - | ✓ | | |
| | | | CS-Z50TKEW | ✓ | ✓ | - | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - | - | ✓ | ✓ | - | - | ✓ | | |
| | Split Type Air-Conditioner Outdoor Unit 分體式變頻冷暖空調機（室外機） | | CU-YE24UKA1 | - | - | - | ✓ | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | | |
| | Multi-Split Type Air-Conditioner Outdoor Unit 多聯分體式變頻冷暖空調機（室外機） | | CU-5E34PBE | ✓ | ✓ | - | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | - | - | - | - | ✓ | ✓ | - | - | ✓ | | |
| | VRF Type Air-Conditioner Indoor Unit 智能式中央冷氣系統（室內機） | | S-28MK2E5A | - | - | ✓ | - | ✓ | ✓ | - | - | ✓ | ✓ | - | - | ✓ | - | ✓ | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | ✓ | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - |
| | | | S-45MK2E5A | - | - | ✓ | - | ✓ | ✓ | - | - | ✓ | ✓ | - | - | ✓ | - | ✓ | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | ✓ | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - |
| | | | S-56MK2E5A | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | - | |
| | | | S-73MK2E5A | | - | ✓ | - | ✓ | ✓ | - | - | ✓ | ✓ | - | - | ✓ | - | ✓ | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | ✓ | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - |
| | VRF Type Air-Conditioner Outdoor Unit 智能式中央冷氣系統（室外機） | | U-5LE2H4 | - | - | ✓ | - | ✓ | ✓ | - | - | ✓ | ✓ | - | - | ✓ | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | - | - | ✓ | - | - | ✓ | ✓ | - | - | ✓ | ✓ | - |
| | | | U-6LE2H4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | ✓ | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | | | U-14ME2H7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | |
| | Video Door Phone 視像對講機 | Legrand | 697181 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

Notes :

1. "✓" means such appliance(s) is/are provided and/or installed in the residential unit.

2. The symbol "-" as shown in the above table denotes "Not applicable".

3. 4/F, 13/F, 14/F and 24/F are omitted.

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

備註：

1. "✓" 表示此設備於該住宅單位內提供及/或安裝。

2. 上表 "-" 代表不適用。

3. 不設4樓、13樓、14樓及24樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule
設備說明表

| Location 位置 | Appliance 設備 | Brand name 品牌 | Model number 型號 | Tower 6 第6座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|------------------|--------------------|----------------|---|---|---|------------------|---|---|---|---|---|---|---|--------------------|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 1/F 1樓 | | | | 2/F-7/F 2樓至7樓 | | | | | | | | 8/F-29/F 8樓至29樓 | | | | | | | | 30/F 30樓 | | | | | | | | | | | | | |
| | | | | J | K | L | M | C | D | E | F | G | H | J | K | L | M | A | B | C | D | E | F | G | H | J | K | L | M | A | C | D | E | F | G | H | J |
| Kitchen/Open Kitchen 廚房/開放式廚房 | Cooker Hood 抽油煙機 | Miele | DAS 2620 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | | | DAS 2920 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - |
| | Induction Hob (2 Zones) 雙頭電磁爐 | | CS 1212-1I | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | Gas Hob (Wok Burner) 炒鑊氣體煮食爐 | | CS 1018 G | - | - | ✓ | - | ✓ | ✓ | - | - | ✓ | ✓ | - | - | ✓ | - | ✓ | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | ✓ | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - |
| | Gas Hob (2 Burners) 雙頭氣體煮食爐 | | CS 1013-1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | |
| | Barbecue Grill 燒烤爐 | | CS 1312 BG | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | |
| | Built-in Microwave Oven 嵌入式微波爐 | | M 7244 TC | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | |
| | Built-in Steam Combination Oven 嵌入式蒸焗爐 | | DGC 7440 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | Built-in Refrigerator 嵌入式雪櫃連冰箱 | Siemens 西門子 | KI42LAFF0K | ✓ | ✓ | - | ✓ | - | - | ✓ | ✓ | - | - | ✓ | ✓ | - | ✓ | - | - | - | ✓ | ✓ | - | - | ✓ | ✓ | - | ✓ | - | - | - | ✓ | ✓ | - | - | ✓ | |
| | | | KI86NAF31K | - | - | ✓ | - | ✓ | ✓ | - | - | ✓ | ✓ | - | - | ✓ | - | ✓ | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | - | - | ✓ | - | - | ✓ | ✓ | - | - | ✓ | ✓ | - |
| | Built-in Washer Dryer 嵌入式洗衣乾衣機 | Sub-Zero | ICBCL4850S | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | |
| | | Siemens 西門子 | WK14D321HK | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

Notes :

1. "✓" means such appliance(s) is/are provided and/or installed in the residential unit.

2. The symbol "-" as shown in the above table denotes "Not applicable".

3. 4/F, 13/F, 14/F and 24/F are omitted.

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

備註：

1. "✓" 表示此設備於該住宅單位內提供及/或安裝。

2. 上表 "-" 代表不適用。

3. 不設4樓、13樓、14樓及24樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

| Appliances Schedule 設備說明表 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|--|------------------|--------------------|----------------|---|---|---|------------------|---|---|---|---|---|---|---|--------------------|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|---|---|
| Location 位置 | Appliance 設備 | Brand name 品牌 | Model number 型號 | Tower 6 第6座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | 1/F 1樓 | | | | 2/F-7/F 2樓至7樓 | | | | | | | | 8/F-29/F 8樓至29樓 | | | | | | | | 30/F 30樓 | | | | | | | | | | | |
| | | | | J | K | L | M | C | D | E | F | G | H | J | K | L | M | A | B | C | D | E | F | G | H | J | K | L | M | A | C | D | E | F | G |
| Kitchen/Open Kitchen 廚房/開放式廚房 | Washing Machine 洗衣機 | Miele | WED 325 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - |
| | Tumble Dryer 乾衣機 | | TEF 645 WP | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - |
| | Built-in Dish Washer 嵌入式洗碗碟機 | | G 7960 C SCVi | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - |
| | Built-in Vacuum Sealing Drawer 嵌入式真空處理櫃 | | EVS 7010 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - |
| | Built-in Coffee machine 嵌入式咖啡機 | | CVA 7440 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - |
| | Built-in Wine Cellar 嵌入式酒櫃 | | KWT 6321 UG | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - |
| | Duct Type Ventilation Fan 風喉式抽氣扇 | Gelec | DPT10-24H | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | |

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

Notes :

1. "✓" means such appliance(s) is/are provided and/or installed in the residential unit.

2. The symbol "-" as shown in the above table denotes "Not applicable".

3. 4/F, 13/F, 14/F and 24/F are omitted.

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

備註：

1. "✓" 表示此設備於該住宅單位內提供及/或安裝。

2. 上表 "-" 代表不適用。

3. 不設4樓、13樓、14樓及24樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule
設備說明表

| Location 位置 | Appliance 設備 | Brand name 品牌 | Model number 型號 | Tower 6 第6座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|------------------|------------------------|----------------|---|---|---|------------------|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|---|---|---|---|---|---|---|---|---|---|-------------|---|---|---|---|---|--|--|
| | | | | 1/F 1樓 | | | | 2/F-7/F 2樓至7樓 | | | | | | | | | | | | 8/F-29/F 8樓至29樓 | | | | | | | | | | | | 30/F 30樓 | | | | | | | |
| | | | | J | K | L | M | C | D | E | F | G | H | J | K | L | M | A | B | C | D | E | F | G | H | J | K | L | M | A | C | D | E | F | G | H | J | | |
| Master Bathroom 主人浴室 | Thermo Ventilator 浴室寶 | Panasonic 樂聲 | FV-40BE3H2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | | | | |
| | Duct Type Ventilation Fan 風喉式抽氣扇 | Gelec | DPT10-24H | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | | | | |
| Bathroom/Bathroom 1 浴室/浴室 1 | Thermo Ventilator 浴室寶 | Panasonic 樂聲 | FV-40BE3H2 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| | Duct Type Ventilation Fan 風喉式抽氣扇 | Gelec | DPT10-24H | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| Bathroom 2 浴室 2 | Thermo Ventilator 浴室寶 | Panasonic 樂聲 | FV-40BE3H2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | | | | |
| | Duct Type Ventilation Fan 風喉式抽氣扇 | Gelec | DPT10-24H | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | | | | |
| Lavatory 洗手間 | Duct Type Ventilation Fan 風喉式抽氣扇 | Gelec | DPT10-24H | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | | | | |
| Balcony & Utility Platform 露台及工作平台 | Circulating Type Gas Water Heater 循環式煤氣熱水爐 | TGC | RBOX16QL / RBOX16QR | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| Roof 天台 | | | TNJW221TFQL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ✓ | - | - | - | - | - | - | - | | | | |

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

Notes :

1. "✓" means such appliance(s) is/are provided and/or installed in the residential unit.

2. The symbol "-" as shown in the above table denotes "Not applicable".

3. 4/F, 13/F, 14/F and 24/F are omitted.

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

備註：

1. "✓" 表示此設備於該住宅單位內提供及/或安裝。

2. 上表 "-" 代表不適用。

3. 不設4樓、13樓、14樓及24樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

| Appliances Schedule | | | | | | | | |
|---|--|------------------|--------------------|------------------|---|---|---|---|
| 設備說明表 | | | | | | | | |
| Location 位置 | Appliance 設備 | Brand name 品牌 | Model number 型號 | Tower 8 第8座 | | | | |
| | | | | 1/F-6/F 1樓至6樓 | | | | |
| | | | | A | B | C | D | E |
| Living Room, Dining Room, Master Bedroom, Bedroom 1, Corridor & Store 客廳、飯廳、主人睡房、 睡房 1、走廊及儲物室 | Multi-Split Type Air-Conditioner Indoor Unit 多聯分體式變頻冷暖空調機（室內機） | Panasonic 樂聲 | CS-Z25TKEW | - | ✓ | ✓ | ✓ | - |
| | | | CS-Z50TKEW | - | ✓ | ✓ | ✓ | - |
| | Multi-Split Type Air-Conditioner Outdoor Unit 多聯分體式變頻冷暖空調機（室外機） | | CU-5E34PBE | - | ✓ | ✓ | ✓ | - |
| | VRF Type Air-Conditioner Indoor Unit 智能式中央冷氣系統（室內機） | | S-28MK2E5A | ✓ | - | - | - | ✓ |
| | | | S-45MK2E5A | ✓ | - | - | - | ✓ |
| | | | S-73MK2E5A | ✓ | - | - | - | ✓ |
| | VRF Type Air-Conditioner Outdoor Unit 智能式中央冷氣系統（室外機） | | U-6LE2H4 | ✓ | - | - | - | ✓ |
| | Video Door Phone 視像對講機 | Legrand | 697181 | ✓ | ✓ | ✓ | ✓ | ✓ |

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

Notes :

1. "✓" means such appliance(s) is/are provided and/or installed in the residential unit.

2. The symbol "-" as shown in the above table denotes "Not applicable".

3. 4/F are omitted.

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

備註：

1. "✓" 表示此設備於該住宅單位內提供及/或安裝。

2. 上表 "-" 代表不適用。

3. 不設4樓。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

| Appliances Schedule 設備說明表 | | | | | | | | | | | | | | |
|---------------------------------------|---|------------------|-----------------------------------|----------------|---|---|---|---|------------------|---|---|---|---|---|
| Location 位置 | Appliance 設備 | Brand name 品牌 | Model number 型號 | Tower 8 第8座 | | | | | | | | | | |
| | | | | 1/F 1樓 | | | | | 2/F-6/F 2樓至6樓 | | | | | |
| | | | | A | B | C | D | E | A | B | C | D | E | |
| Open Kitchen 開放式廚房 | Cooker Hood 抽油煙機 | Miele | DAS 2620 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | Induction Hob (2 Zones) 雙頭電磁爐 | | CS 1212-1I | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | Gas Hob (Wok Burner) 炒鑊氣體煮食爐 | | CS 1018 G | - | - | - | - | - | ✓ | - | - | - | ✓ | |
| | Built-in Steam Combination Oven 嵌入式蒸焗爐 | | DGC 7440 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | Built-in Refrigerator 嵌入式雪櫃連冰箱 | Siemens 西門子 | KI86NAF31K | ✓ | - | - | - | ✓ | ✓ | - | - | - | ✓ | |
| | | | KI42LAFF0K | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | ✓ | ✓ | - |
| | | | Built-in Washer Dryer 嵌入式洗衣乾衣機 | WK14D321HK | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Bathroom 浴室 | Thermo Ventilator 浴室寶 | Panasonic 樂聲 | FV-40BE3H2 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | Duct Type Ventilation Fan 風喉式抽氣扇 | Gelec | DPT10-24H | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Balcony & Utility Platform 露台及工作平台 | Circulating Type Gas Water Heater 循環式煤氣熱水爐 | TGC | RBOX16QL / RBOX16QR | - | ✓ | ✓ | ✓ | - | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Flat Roof 平台 | | | | ✓ | - | - | - | ✓ | - | - | - | - | - | - |

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

Notes :

1. "✓" means such appliance(s) is/are provided and/or installed in the residential unit.

2. The symbol "-" as shown in the above table denotes "Not applicable".

3. 4/F are omitted.

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

備註：

1. "✓" 表示此設備於該住宅單位內提供及/或安裝。

2. 上表 "-" 代表不適用。

3. 不設4樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units

住宅單位機電裝置數量說明表

| Location 位置 | Description 描述 | Tower 5 第5座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|----------------|---|---|---|---|---|-------------------------------|---|---|---|---|---|---|---|---|---|-------------|----|---|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|---|
| | | 1/F 1樓 | | | | | | 2/F-27/F & 29/F 2樓至27樓及29樓 | | | | | | | | | | 28/F 28樓 | | | | | | | | | | 30/F 30樓 | | | | | | | | | | |
| | | A | B | E | F | J | K | A | B | C | D | E | F | G | H | J | K | A | B | C | D | E | F | G | H | J | K | A | B | C | D | E | F | G | H | J | K | |
| Main Entrance 大門入口 | Door Bell Push Button 門鈴按鈕 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Dining Room/ Living Room/ Corridor 飯廳/客廳/走廊 | 13A Twin Socket Outlet with USB Outlet 13安培雙位電插座連USB插座 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | Double Pole Switch 雙極開關掣 | 1 | 1 | - | 1 | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Lighting Point 燈位 | 5 | 3 | 2 | 4 | 2 | 2 | 5 | 3 | 3 | 2 | 2 | 4 | 3 | 2 | 2 | 2 | 5 | 18 | 3 | 2 | 2 | 4 | 3 | 2 | 2 | 2 | 2 | 5 | 3 | 3 | 2 | 2 | 4 | 3 | 2 | 2 | 2 |
| | Lighting Switch 燈掣 | 6 | 4 | 3 | 5 | 3 | 4 | 6 | 4 | 5 | 4 | 3 | 5 | 4 | 3 | 3 | 4 | 6 | 6 | 5 | 4 | 3 | 5 | 4 | 3 | 3 | 4 | 6 | 4 | 5 | 4 | 3 | 5 | 4 | 3 | 3 | 4 | |
| | Telephone Outlet 電話插座 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | TV/FM Outlet 電視及電台插座 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | Video Door Phone 視像對講機 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Smoke Detector 煙霧探測器 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Master Bedroom 主人睡房 | 13A Twin Socket Outlet 13安培雙位電插座 | 2 | 2 | - | 2 | - | - | 2 | 2 | 2 | - | - | 2 | 2 | - | - | - | 2 | 2 | 2 | - | - | 2 | 2 | - | - | - | 2 | 2 | 2 | - | - | 2 | 2 | - | - | - | |
| | Double Pole Switch 雙極開關掣 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | | |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | 1 | 1 | - | 1 | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | |
| | Lighting Point 燈位 | 1 | 1 | - | 1 | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | 1 | 11 | 1 | - | - | 1 | 1 | - | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | |
| | Lighting Switch 燈掣 | 2 | 1 | - | 1 | - | - | 2 | 1 | 1 | - | - | 1 | 1 | - | - | - | 2 | 1 | 1 | - | - | 1 | 1 | - | - | - | 2 | 1 | 1 | - | - | 1 | 1 | - | - | - | |
| | Telephone Outlet 電話插座 | 1 | 1 | - | 1 | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | |
| | TV/FM Outlet 電視及電台插座 | 1 | 1 | - | 1 | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | |

Notes :

1. "1, 2," as shown in the schedule above denotes the quantity of such provision(s) provided in the residential unit.

2. The symbol "-" as shown in the schedule above denotes "Not applicable".

3. The quantity of the lighting switch(es) shown in the schedule denotes the quantity of switch faceplates(s).

4. 4/F, 13/F, 14/F and 24/F are omitted.

備註：

1. 以上說明表所顯示的 "1, 2," 表示提供於該住宅單位內的裝置數量。

2. 上表 "-" 代表不適用。

3. 說明表所顯示的燈掣數量是表示燈掣面板的數量。

4. 不設4樓、13樓、14樓及24樓。



Schedule of Mechanical & Electrical Provisions of Residential Units

住宅單位機電裝置數量說明表

| Location 位置 | Description 描述 | Tower 5 第5座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|---|----------------|---|---|---|---|---|-------------------------------|---|---|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|
| | | 1/F 1樓 | | | | | | 2/F-27/F & 29/F 2樓至27樓及29樓 | | | | | | | | | | 28/F 28樓 | | | | | | | | | | 30/F 30樓 | | | | | | | | | |
| | | A | B | E | F | J | K | A | B | C | D | E | F | G | H | J | K | A | B | C | D | E | F | G | H | J | K | A | B | C | D | E | F | G | H | J | K |
| Bedroom 1 睡房 1 | 13A Twin Socket Outlet 13安培雙位電插座 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | Double Pole Switch 雙極開關掣 | - | - | 1 | - | 1 | 1 | - | - | - | 1 | 1 | - | - | 1 | 1 | 1 | - | - | - | 1 | 1 | - | - | 1 | 1 | 1 | - | - | - | 1 | 1 | - | - | 1 | 1 | 1 |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Lighting Point 燈位 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Lighting Switch 燈掣 | 1 | 1 | 2 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
| | Telephone Outlet 電話插座 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | TV/FM Outlet 電視及電台插座 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Bedroom 2 睡房 2 | 13A Twin Socket Outlet 13安培雙位電插座 | 2 | - | - | - | - | - | 2 | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - | - | |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | | |
| | Lighting Point 燈位 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | | |
| | Lighting Switch 燈掣 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | | |
| | Telephone Outlet 電話插座 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | | |
| | TV/FM Outlet 電視及電台插座 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | | |
| Store 儲物室 | 13A Twin Socket Outlet 13安培雙位電插座 | - | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | |
| | 13A Single Socket Outlet 13安培單位電插座 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | - | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | | |
| | Lighting Point 燈位 | - | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | 5 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | | |
| | Lighting Switch 燈掣 | - | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | | |

Notes :

1. "1, 2," as shown in the schedule above denotes the quantity of such provision(s) provided in the residential unit.

2. The symbol "-" as shown in the schedule above denotes "Not applicable".

3. The quantity of the lighting switch(es) shown in the schedule denotes the quantity of switch faceplates(s).

4. 4/F, 13/F, 14/F and 24/F are omitted.

備註：

1. 以上說明表所顯示的 "1, 2," 表示提供於該住宅單位內的裝置數量。

2. 上表 "-" 代表不適用。

3. 說明表所顯示的燈掣數量是表示燈掣面板的數量。

4. 不設4樓、13樓、14樓及24樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units

住宅單位機電裝置數量說明表

| Location 位置 | Description 描述 | Tower 5 第5座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|--|----------------|---|---|---|---|---|-------------------------------|---|---|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|
| | | 1/F 1樓 | | | | | | 2/F-27/F & 29/F 2樓至27樓及29樓 | | | | | | | | | | 28/F 28樓 | | | | | | | | | | 30/F 30樓 | | | | | | | | | |
| | | A | B | E | F | J | K | A | B | C | D | E | F | G | H | J | K | A | B | C | D | E | F | G | H | J | K | A | B | C | D | E | F | G | H | J | K |
| Master Bathroom 主人浴室 | 13A Single Socket Outlet with USB Outlet 13安培單位電插座連USB插座 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| | Fused Spur Unit 接線位連保險絲 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| | Cable Connection Unit 接線位 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| | Lighting Point 燈位 | 4 | - | - | - | - | - | 4 | - | - | - | - | - | - | - | - | - | 4 | - | - | - | - | - | - | - | - | - | 4 | - | - | - | - | - | - | - | - | - |
| | Weatherproof Isolating Switch 防水開關掣 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Bathroom 浴室 | 13A Single Socket Outlet with USB Outlet 13安培單位電插座連USB插座 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Fused Spur Unit 接線位連保險絲 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Cable Connection Unit 接線位 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Lighting Point 燈位 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | Gas Water Heater Remote Control 煤氣熱水爐溫度控制器 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Open Kitchen 開放式廚房 | 13A Twin Socket Outlet with USB Outlet 13安培雙位電插座連USB插座 | 2 | 2 | 1 | 2 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 1 |
| | 13A Single Socket Outlet 13安培單位電插座 | - | - | 1 | - | - | 1 | - | - | - | 1 | 1 | - | - | 1 | - | 1 | - | - | - | 1 | 1 | - | - | 1 | - | 1 | - | - | - | 1 | 1 | - | - | 1 | - | 1 |
| | Cable Connection Unit 接線位 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 |
| | Double Pole Switch for Appliances 雙極開關掣（已接駁設備） | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 13A Single Socket Outlet Connected with Appliances 13安培單位電插座（已接駁設備） | 5 | 4 | 3 | 4 | 3 | 3 | 5 | 4 | 4 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 5 | 4 | 4 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 5 | 4 | 4 | 3 | 3 | 4 | 3 | 3 | 3 | 3 |
| | Miniature Circuit Breaker Board 配電箱 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Door Bell 門鈴 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Lighting Point 燈位 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Gas Connection Point 煤氣接駁點 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | - | 1 |
| | Sprinkler Head 花灑頭 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |

Notes :

1. "1, 2," as shown in the schedule above denotes the quantity of such provision(s) provided in the residential unit.
2. The symbol "-" as shown in the schedule above denotes "Not applicable".
3. The quantity of the lighting switch(es) shown in the schedule denotes the quantity of switch faceplates(s).
4. 4/F, 13/F, 14/F and 24/F are omitted.

備註：

1. 以上說明表所顯示的 "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 上表 "-" 代表不適用。
3. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
4. 不設4樓、13樓、14樓及24樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

| Location 位置 | Description 描述 | Tower 5 第5座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|----------------|---|---|---|---|---|-----------|---|---|---|---|---|---|---|--------------------|---|---|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1/F 1樓 | | | | | | 2/F 2樓 | | | | | | | | 3/F-29/F 3樓-29樓 | | | | | | | | | | 30/F 30樓 | | | | | | | | | | | | |
| | | A | B | E | F | J | K | A | B | C | D | E | F | G | H | J | K | A | B | C | D | E | F | G | H | J | K | A | B | C | D | E | F | G | H | J | K | |
| Flat Roof 平台 | Lighting Point 燈位 | - | 3 | - | - | - | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Isolator for Air Conditioner Outdoor Unit 室外空調機開關掣 | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Gas Meter 煤氣錶 | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Fused Spur Unit for Gas Water Heater 接線位連保險絲供煤氣熱水爐用 | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Balcony and Utility Platform 露台及工作平台 | Balcony Light 露台燈 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Gas Meter 煤氣錶 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Fused Spur Unit for Gas Water Heater 接線位連保險絲供煤氣熱水爐用 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Air Conditioning Platform 空調機平台 | Isolator for Air Conditioner Outdoor Unit 室外空調機開關掣 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Roof 天台 | Weatherproof Type Socket Outlet 防水電插座 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | 1 | |
| | Lighting Point 燈位 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 5 | 5 | - | - | - | - | - | - | - | 4 | |
| | Lighting Switch 燈掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | 1 | |

Notes :

1. "1, 2," as shown in the schedule above denotes the quantity of such provision(s) provided in the residential unit.

2. The symbol "-" as shown in the schedule above denotes "Not applicable".

3. The quantity of the lighting switch(es) shown in the schedule denotes the quantity of switch faceplates(s).

4. 4/F, 13/F, 14/F and 24/F are omitted.

備註：

1. 以上說明表所顯示的 "1, 2," 表示提供於該住宅單位內的裝置數量。

2. 上表 "-" 代表不適用。

3. 說明表所顯示的燈掣數量是表示燈掣面板的數量。

4. 不設4樓、13樓、14樓及24樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

| Location 位置 | Description 描述 | Tower 6 第6座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|----------------|---|---|---|------------------|---|---|---|---|---|---|---|---|---|--------------------|---|---|---|---|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|
| | | 1/F 1樓 | | | | 2/F-7/F 2樓至7樓 | | | | | | | | | | 8/F-29/F 8樓至29樓 | | | | | | | | | | | | 30/F 30樓 | | | | | | | |
| | | J | K | L | M | C | D | E | F | G | H | J | K | L | M | A | B | C | D | E | F | G | H | J | K | L | M | A | C | D | E | F | G | H | J |
| Main Entrance 大門入口 | Door Bell Push Button 門鈴按鈕 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Dining Room/ Living Room/ Corridor 飯廳/客廳/走廊 | 13A Twin Socket Outlet with USB Outlet 13安培雙位電插座連USB插座 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | Double Pole Switch 雙極開關掣 | - | - | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | - | - | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | - | - | 1 | 1 | 2 | 1 | 1 | - | 1 | 1 | 1 | - |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Lighting Point 燈位 | 2 | 2 | 4 | 2 | 4 | 4 | 2 | 2 | 3 | 4 | 2 | 2 | 4 | 2 | 3 | 4 | 4 | 4 | 2 | 2 | 3 | 4 | 2 | 2 | 4 | 2 | 4 | 4 | 4 | 2 | 2 | 3 | 4 | 2 |
| | Lighting Switch 燈掣 | 3 | 3 | 5 | 4 | 5 | 5 | 3 | 4 | 4 | 5 | 3 | 3 | 5 | 4 | 4 | 5 | 5 | 5 | 3 | 4 | 4 | 5 | 3 | 3 | 5 | 4 | 7 | 5 | 5 | 3 | 4 | 4 | 5 | 3 |
| | Telephone Outlet 電話插座 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | TV/FM Outlet 電視及電台插座 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | Video Door Phone 視像對講機 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Smoke Detector 煙霧探測器 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Master Bedroom 主人睡房 | 13A Twin Socket Outlet 13安培雙位電插座 | - | - | 2 | - | 2 | 2 | - | - | 2 | 2 | - | - | 2 | - | 2 | 2 | 2 | 2 | - | - | 2 | 2 | - | - | 2 | - | 3 | 2 | 2 | - | - | 2 | 2 | - |
| | Double Pole Switch 雙極開關掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | - | - | 1 | - | 1 | 1 | - | - | 1 | 1 | - | - | 1 | - | 1 | 1 | 1 | 1 | - | - | 1 | 1 | - | - | 1 | - | 1 | 1 | 1 | - | - | 1 | 1 | - |
| | Lighting Point 燈位 | - | - | 1 | - | 1 | 1 | - | - | 1 | 1 | - | - | 1 | - | 1 | 1 | 1 | 1 | - | - | 1 | 1 | - | - | 1 | - | 2 | 1 | 1 | - | - | 1 | 1 | - |
| | Lighting Switch 燈掣 | - | - | 1 | - | 1 | 1 | - | - | 1 | 1 | - | - | 1 | - | 1 | 1 | 1 | 1 | - | - | 1 | 1 | - | - | 1 | - | 3 | 1 | 1 | - | - | 1 | 1 | - |
| | Telephone Outlet 電話插座 | - | - | 1 | - | 1 | 1 | - | - | 1 | 1 | - | - | 1 | - | 1 | 1 | 1 | 1 | - | - | 1 | 1 | - | - | 1 | - | 1 | 1 | 1 | - | - | 1 | 1 | - |
| | TV/FM Outlet 電視及電台插座 | - | - | 1 | - | 1 | 1 | - | - | 1 | 1 | - | - | 1 | - | 1 | 1 | 1 | 1 | - | - | 1 | 1 | - | - | 1 | - | 1 | 1 | 1 | - | - | 1 | 1 | - |

Notes :

1. "1, 2," as shown in the schedule above denotes the quantity of such provision(s) provided in the residential unit.

2. The symbol "-" as shown in the schedule above denotes "Not applicable".

3. The quantity of the lighting switch(es) shown in the schedule denotes the quantity of switch faceplates(s).

4. 4/F, 13/F, 14/F and 24/F are omitted.

備註：

1. 以上說明表所顯示的 "1, 2," 表示提供於該住宅單位內的裝置數量。

2. 上表 "-" 代表不適用。

3. 說明表所顯示的燈掣數量是表示燈掣面板的數量。

4. 不設4樓、13樓、14樓及24樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

| Location 位置 | Description 描述 | Tower 6 第6座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|----------------|---|---|---|------------------|---|---|---|---|---|---|---|---|---|--------------------|---|---|---|---|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|
| | | 1/F 1樓 | | | | 2/F-7/F 2樓至7樓 | | | | | | | | | | 8/F-29/F 8樓至29樓 | | | | | | | | | | | | 30/F 30樓 | | | | | | | |
| | | J | K | L | M | C | D | E | F | G | H | J | K | L | M | A | B | C | D | E | F | G | H | J | K | L | M | A | C | D | E | F | G | H | J |
| Bedroom 1 睡房 1 | 13A Twin Socket Outlet 13安培雙位電插座 | 2 | 2 | 2 | - | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | - | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | - | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | Double Pole Switch 雙極開關掣 | 1 | 1 | - | - | - | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Lighting Point 燈位 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Lighting Switch 燈掣 | 2 | 2 | 1 | - | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | - | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | - | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 2 |
| | Telephone Outlet 電話插座 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| TV/FM Outlet 電視及電台插座 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Bedroom 2 睡房 2 | 13A Twin Socket Outlet 13安培雙位電插座 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - | |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Lighting Point 燈位 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Lighting Switch 燈掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Telephone Outlet 電話插座 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | TV/FM Outlet 電視及電台插座 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| Bedroom 3 睡房 3 | 13A Twin Socket Outlet 13安培雙位電插座 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 3 | - | - | - | - | - | - | - | |
| | Double Pole Switch 雙極開關掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Lighting Point 燈位 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Lighting Switch 燈掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 3 | - | - | - | - | - | - | - | |
| | Telephone Outlet 電話插座 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | TV/FM Outlet 電視及電台插座 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |

Notes :

1. "1, 2," as shown in the schedule above denotes the quantity of such provision(s) provided in the residential unit.

2. The symbol "-" as shown in the schedule above denotes "Not applicable".

3. The quantity of the lighting switch(es) shown in the schedule denotes the quantity of switch faceplates(s).

4. 4/F, 13/F, 14/F and 24/F are omitted.

備註：

1. 以上說明表所顯示的 "1, 2," 表示提供於該住宅單位內的裝置數量。

2. 上表 "-" 代表不適用。

3. 說明表所顯示的燈掣數量是表示燈掣面板的數量。

4. 不設4樓、13樓、14樓及24樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

| Location 位置 | Description 描述 | Tower 6 第6座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|--|----------------|---|---|---|------------------|---|---|---|---|---|---|---|---|---|--------------------|---|---|---|---|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|---|---|
| | | 1/F 1樓 | | | | 2/F-7/F 2樓至7樓 | | | | | | | | | | 8/F-29/F 8樓至29樓 | | | | | | | | | | | | 30/F 30樓 | | | | | | | | | | | |
| | | J | K | L | M | C | D | E | F | G | H | J | K | L | M | A | B | C | D | E | F | G | H | J | K | L | M | A | C | D | E | F | G | H | J | | | | |
| Kitchen/ Open Kitchen 廚房/開放式廚房 | 13A Twin Socket Outlet with USB Outlet 13安培雙位電插座連USB插座 | 1 | 1 | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 2 | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 2 | 1 |
| | 13A Single Socket Outlet 13安培單位電插座 | 1 | 1 | - | - | - | - | 1 | 1 | - | - | 1 | 1 | - | - | - | - | - | - | 1 | 1 | - | - | 1 | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - | 1 | | |
| | Cable Connection Unit 接線位 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | Double Pole Switch for Appliances 雙極開關掣（已接駁設備） | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 13A Single Socket Outlet Connected with Appliances 13安培單位電插座（已接駁設備） | 3 | 3 | 4 | 3 | 4 | 4 | 3 | 3 | 4 | 4 | 3 | 3 | 4 | 3 | 4 | 4 | 4 | 4 | 3 | 3 | 4 | 4 | 3 | 3 | 4 | 3 | 11 | 4 | 4 | 3 | 3 | 4 | 4 | 3 | 3 | | | |
| | Miniature Circuit Breaker Board 配電箱 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | Fused Spur Unit Connected with Appliances 接線位連保險絲（已接駁設備） | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | | | |
| | Door Bell 門鈴 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | Lighting Point 燈位 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | Gas Connection Point 煤氣接駁點 | 1 | 1 | - | - | - | - | 1 | 1 | - | - | 1 | 1 | - | - | - | - | - | - | 1 | 1 | - | - | 1 | 1 | - | - | - | - | - | 1 | 1 | - | - | 1 | - | 1 | | |
| Sprinkler Head 花灑頭 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | - | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | | |
| Utility Room 工作間 | 13A Twin Socket Outlet 13安培雙位電插座 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | | | |
| | Double Pole Switch 雙極開關掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | | | |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | | | |
| | Miniature Circuit Breaker Board 配電箱 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | | | |
| | Lighting Point 燈位 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | | | |
| | Lighting Switch 燈掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | | | |
| Lavatory 洗手間 | Fused Spur Unit 接線位連保險絲 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | | | |
| | Lighting Point 燈位 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | | | |

Notes :

1. "1, 2," as shown in the schedule above denotes the quantity of such provision(s) provided in the residential unit.

2. The symbol "-" as shown in the schedule above denotes "Not applicable".

3. The quantity of the lighting switch(es) shown in the schedule denotes the quantity of switch faceplates(s).

4. 4/F, 13/F, 14/F and 24/F are omitted.

備註：

1. 以上說明表所顯示的 "1, 2," 表示提供於該住宅單位內的裝置數量。

2. 上表 "-" 代表不適用。

3. 說明表所顯示的燈掣數量是表示燈掣面板的數量。

4. 不設4樓、13樓、14樓及24樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units

住宅單位機電裝置數量說明表

| Location 位置 | Description 描述 | Tower 6 第6座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|----------------|---|---|---|------------------|---|---|---|---|---|---|---|---|---|--------------------|---|---|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|
| | | 1/F 1樓 | | | | 2/F-7/F 2樓至7樓 | | | | | | | | | | 8/F-29/F 8樓至29樓 | | | | | | | | | | 30/F 30樓 | | | | | | | | | |
| | | J | K | L | M | C | D | E | F | G | H | J | K | L | M | A | B | C | D | E | F | G | H | J | K | L | M | A | C | D | E | F | G | H | J |
| Store 儲物室 | 13A Twin Socket Outlet 13安培雙位電插座 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Lighting Point 燈位 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Lighting Switch 燈掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Master Bathroom 主人浴室 | 13A Single Socket Outlet with USB Outlet 13安培單位電插座連USB插座 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - | |
| | Fused Spur Unit 接線位連保險絲 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Cable Connection Unit 接線位 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Lighting Point 燈位 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 8 | - | - | - | - | - | - | - | |
| | Gas Water Heater Remote Control 煤氣熱水爐溫度控制器 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| Bathroom/ Bathroom 1 浴室/浴室 1 | 13A Single Socket Outlet with USB Outlet 13安培單位電插座連USB插座 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Fused Spur Unit 接線位連保險絲 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Cable Connection Unit 接線位 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | Lighting Point 燈位 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | Gas Water Heater Remote Control 煤氣熱水爐溫度控制器 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Bathroom 2 浴室 2 | 13A Single Socket Outlet with USB Outlet 13安培單位電插座連USB插座 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Fused Spur Unit 接線位連保險絲 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Cable Connection Unit 接線位 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Lighting Point 燈位 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 4 | - | - | - | - | - | - | - | |
| | Gas Water Heater Remote Control 煤氣熱水爐溫度控制器 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |

Notes :

1. "1, 2," as shown in the schedule above denotes the quantity of such provision(s) provided in the residential unit.

2. The symbol "-" as shown in the schedule above denotes "Not applicable".

3. The quantity of the lighting switch(es) shown in the schedule denotes the quantity of switch faceplates(s).

4. 4/F, 13/F, 14/F and 24/F are omitted.

備註：

1. 以上說明表所顯示的 "1, 2," 表示提供於該住宅單位內的裝置數量。

2. 上表 "-" 代表不適用。

3. 說明表所顯示的燈掣數量是表示燈掣面板的數量。

4. 不設4樓、13樓、14樓及24樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

| Location 位置 | Description 描述 | Tower 6 第6座 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|----------------|---|---|---|------------------|---|---|---|---|---|---|---|--------------------|---|---|---|---|---|---|---|---|---|---|---|-------------|---|---|---|---|---|---|---|---|---|
| | | 1/F 1樓 | | | | 2/F-7/F 2樓至7樓 | | | | | | | | 8/F-29/F 8樓至29樓 | | | | | | | | | | | | 30/F 30樓 | | | | | | | | | |
| | | J | K | L | M | C | D | E | F | G | H | J | K | L | M | A | B | C | D | E | F | G | H | J | K | L | M | A | C | D | E | F | G | H | J |
| Internal Staircase 內置樓梯 | Lighting Switch 燈掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| | Lighting Point 燈位 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Flat Roof 平台 | Lighting Point 燈位 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 4 | - | - | - | - | - | - | - |
| | Weatherproof Type Socket Outlet 防水電插座 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Balcony and Utility Platform 露台及工作平台 | Balcony Light 露台燈 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Gas Meter 煤氣錶 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Fused Spur Unit for Gas Water Heater 接線位連保險絲供煤氣熱水爐用 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Air Conditioning Platform 空調機平台 | Isolator for Air Conditioner Outdoor Unit 室外空調機開關掣 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Roof 天台 | Weatherproof Type Socket Outlet 防水電插座 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Lighting Point 燈位 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 5 | - | - | - | - | - | - | - | |
| | Lighting Switch 燈掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Isolator for Air Conditioner Outdoor Unit 室外空調機開關掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Gas Meter 煤氣錶 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | |
| | Fused Spur Unit for Gas Water Heater 接線位連保險絲供煤氣熱水爐用 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 3 | - | - | - | - | - | - | - | |

Notes :

1. "1, 2," as shown in the schedule above denotes the quantity of such provision(s) provided in the residential unit.

2. The symbol "-" as shown in the schedule above denotes "Not applicable".

3. The quantity of the lighting switch(es) shown in the schedule denotes the quantity of switch faceplates(s).

4. 4/F, 13/F, 14/F and 24/F are omitted.

備註：

1. 以上說明表所顯示的 "1, 2," 表示提供於該住宅單位內的裝置數量。

2. 上表 "-" 代表不適用。

3. 說明表所顯示的燈掣數量是表示燈掣面板的數量。

4. 不設4樓、13樓、14樓及24樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

| Location 位置 | Description 描述 | Tower 8 第8座 | | | | | | | | | | | | | | | | | | | |
|--|---|----------------|---|---|---|---|------------------|---|---|---|---|-----------|---|---|---|---|-----------|---|---|---|---|
| | | 1/F 1樓 | | | | | 2/F-3/F 2樓至3樓 | | | | | 5/F 5樓 | | | | | 6/F 6樓 | | | | |
| | | A | B | C | D | E | A | B | C | D | E | A | B | C | D | E | A | B | C | D | E |
| Main Entrance 大門入口 | Door Bell Push Button 門鈴按鈕 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Dining Room/Living Room/ Corridor 飯廳/客廳/走廊 | 13A Twin Socket Outlet with USB Outlet 13安培雙位電插座連USB插座 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | Double Pole Switch 雙極開關掣 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Lighting Point 燈位 | 3 | 2 | 2 | 2 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 2 | 2 | 2 | 3 |
| | Lighting Switch 燈掣 | 6 | 3 | 3 | 3 | 6 | 5 | 3 | 3 | 3 | 5 | 5 | 3 | 3 | 3 | 5 | 5 | 3 | 3 | 3 | 5 |
| | Telephone Outlet 電話插座 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | TV/FM Outlet 電視及電台插座 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | Video Door Phone 視像對講機 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Smoke Detector 煙霧探測器 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Master Bedroom 主人睡房 | 13A Twin Socket Outlet 13安培雙位電插座 | 2 | - | - | - | 2 | 2 | - | - | - | 2 | 2 | - | - | - | 2 | 2 | - | - | - | 2 |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 |
| | Lighting Point 燈位 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 |
| | Lighting Switch 燈掣 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 |
| | Telephone Outlet 電話插座 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 |
| | TV/FM Outlet 電視及電台插座 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 |

Notes :

1. "1, 2," as shown in the schedule above denotes the quantity of such provision(s) provided in the residential unit.

2. The symbol "-" as shown in the schedule above denotes "Not applicable".

3. The quantity of the lighting switch(es) shown in the schedule denotes the quantity of switch faceplates(s).

4. 4/F are omitted.

備註：

1. 以上說明表所顯示的 "1, 2," 表示提供於該住宅單位內的裝置數量。

2. 上表 "-" 代表不適用。

3. 說明表所顯示的燈掣數量是表示燈掣面板的數量。

4. 不設4樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

| Schedule of Mechanical & Electrical Provisions of Residential Units | | | | | | | | | | | | | | | | | | | | | |
|---|---|----------------|---|---|---|---|------------------|---|---|---|---|-----------|---|---|---|---|-----------|---|---|---|---|
| 住宅單位機電裝置數量說明表 | | | | | | | | | | | | | | | | | | | | | |
| Location 位置 | Description 描述 | Tower 8 第8座 | | | | | | | | | | | | | | | | | | | |
| | | 1/F 1樓 | | | | | 2/F-3/F 2樓至3樓 | | | | | 5/F 5樓 | | | | | 6/F 6樓 | | | | |
| | | A | B | C | D | E | A | B | C | D | E | A | B | C | D | E | A | B | C | D | E |
| Bedroom 1 睡房 1 | 13A Twin Socket Outlet 13安培雙位電插座 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | Double Pole Switch 雙極開關掣 | - | 1 | 1 | 1 | - | - | 1 | 1 | 1 | - | - | 1 | 1 | 1 | - | - | 1 | 1 | 1 | - |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Lighting Point 燈位 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Lighting Switch 燈掣 | 1 | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 2 | 1 |
| | Telephone Outlet 電話插座 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | TV/FM Outlet 電視及電台插座 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Store 儲物室 | 13A Twin Socket Outlet 13安培雙位電插座 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 |
| | Switch for Air-Conditioner Indoor Unit 室內空調機開關掣 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 |
| | Lighting Point 燈位 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 |
| | Lighting Switch 燈掣 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | 1 |
| Bathroom 浴室 | 13A Single Socket Outlet with USB Outlet 13安培單位電插座連USB插座 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Fuse Spur Unit 接線位連保險絲 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Cable Connection Unit 接線位 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Lighting Point 燈位 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | Gas Water Heater Remote Control 煤氣熱水爐溫度控制器 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |

Notes :

1. "1, 2," as shown in the schedule above denotes the quantity of such provision(s) provided in the residential unit.

2. The symbol "-" as shown in the schedule above denotes "Not applicable".

3. The quantity of the lighting switch(es) shown in the schedule denotes the quantity of switch faceplates(s).

4. 4/F are omitted.

備註：

1. 以上說明表所顯示的 "1, 2," 表示提供於該住宅單位內的裝置數量。

2. 上表 "-" 代表不適用。

3. 說明表所顯示的燈掣數量是表示燈掣面板的數量。

4. 不設4樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

| Location 位置 | Description 描述 | Tower 8 第8座 | | | | | | | | | | | | | | | | | | | |
|-----------------------|--|----------------|---|---|---|---|------------------|---|---|---|---|-----------|---|---|---|---|-----------|---|---|---|---|
| | | 1/F 1樓 | | | | | 2/F-3/F 2樓至3樓 | | | | | 5/F 5樓 | | | | | 6/F 6樓 | | | | |
| | | A | B | C | D | E | A | B | C | D | E | A | B | C | D | E | A | B | C | D | E |
| Open Kitchen 開放式廚房 | 13A Twin Socket Outlet with USB Outlet 13安培雙位電插座連USB插座 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 2 |
| | 13A Single Socket Outlet 13安培單位電插座 | - | 1 | 1 | 1 | - | - | 1 | 1 | 1 | - | - | 1 | 1 | 1 | - | - | 1 | 1 | 1 | - |
| | Cable Connection Unit 接線位 | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | Double Pole Switch for Appliances 雙極開關掣（已接駁設備） | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 13A Single Socket Outlet Connected with Appliances 13安培單位電插座（已接駁設備） | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 4 | 4 | 3 | 3 | 3 | 4 | 4 | 3 | 3 | 3 | 4 |
| | Miniature Circuit Breaker Board 配電箱 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Door Bell 門鈴 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Lighting Point 燈位 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Gas Connection Point 煤氣接駁點 | - | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Sprinkler Head 花灑頭 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| Flat Roof 平台 | Lighting Point 燈位 | 9 | - | - | - | 9 | - | - | - | - | - | 7 | 7 | 4 | 7 | 7 | - | - | - | - | - |
| | Lighting Switch 燈掣 | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - |
| | Gas Meter 煤氣錶 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Isolator for Air Conditioner Outdoor Unit 室外空調機開關掣 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Weatherproof Type Socket Outlet 防水電插座 | 1 | - | - | - | 1 | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - |
| | Fused Spur Unit for Gas Water Heater 接線位連保險絲供煤氣熱水爐用 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

Notes :

1. "1, 2," as shown in the schedule above denotes the quantity of such provision(s) provided in the residential unit.

2. The symbol "-" as shown in the schedule above denotes "Not applicable".

3. The quantity of the lighting switch(es) shown in the schedule denotes the quantity of switch faceplates(s).

4. 4/F are omitted.

備註：

1. 以上說明表所顯示的 "1, 2," 表示提供於該住宅單位內的裝置數量。

2. 上表 "-" 代表不適用。

3. 說明表所顯示的燈掣數量是表示燈掣面板的數量。

4. 不設4樓。

23

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

| Location 位置 | Description 描述 | Tower 8 第8座 | | | | | | | | | | | | | | | | | | | |
|---|--|----------------|---|---|---|---|------------------|---|---|---|---|-----------|---|---|---|---|-----------|---|---|---|---|
| | | 1/F 1樓 | | | | | 2/F-3/F 2樓至3樓 | | | | | 5/F 5樓 | | | | | 6/F 6樓 | | | | |
| | | A | B | C | D | E | A | B | C | D | E | A | B | C | D | E | A | B | C | D | E |
| Balcony and Utility Platform 露台及工作平台 | Balcony Light 露台燈 | - | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Gas Meter 煤氣錶 | - | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | Fused Spur Unit for Gas Water Heater 接線位連保險絲供煤氣熱水爐用 | - | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Air Conditioning Platform 空調機平台 | Isolator for Air Conditioner Outdoor Unit 室外空調機開關掣 | - | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Roof 天台 | Weatherproof Type Socket Outlet 防水電插座 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 |
| | Lighting Point 燈位 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 6 | 6 | 6 | 6 | 6 |
| | Lighting Switch 燈掣 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 |

Notes :

1. "1, 2," as shown in the schedule above denotes the quantity of such provision(s) provided in the residential unit.

2. The symbol "-" as shown in the schedule above denotes "Not applicable".

3. The quantity of the lighting switch(es) shown in the schedule denotes the quantity of switch faceplates(s).

4. 4/F are omitted.

備註：

1. 以上說明表所顯示的 "1, 2," 表示提供於該住宅單位內的裝置數量。

2. 上表 "-" 代表不適用。

3. 說明表所顯示的燈掣數量是表示燈掣面板的數量。

4. 不設4樓。

24 SERVICE AGREEMENTS 服務協議

Potable and flushing water is supplied by Water Supplies Department.

Electricity is supplied by CLP Power Hong Kong Limited.

Towngas is supplied by The Hong Kong and China Gas Company Limited.

食水及沖廁水由水務署供應。

電力由中華電力有限公司供應。

煤氣由香港中華煤氣有限公司供應。

25 GOVERNMENT RENT 地稅

The owner is liable for the Government rent payable for the specified residential property up to and including the date of the respective assignment of the specified residential property to the purchasers.

擁有人有法律責任就指明住宅物業繳付直至並包括有關個別指明住宅物業之買方簽署轉讓契之日期為止的地稅。

26 MISCELLANEOUS PAYMENTS BY PURCHASER

買方的雜項付款

On the delivery of the vacant possession of the specified residential property to the purchaser, the purchaser is liable to reimburse the owner for the deposits for water, electricity and gas, and on that delivery, the purchaser is not liable to pay to the owner a debris removal fee.

Remark:

On that delivery, the purchaser is liable to pay a debris removal fee to the manager (not the owner) of the Phase under the deed of mutual covenant, and where the owner has paid the debris removal fee, the purchaser shall reimburse the owner for the same.

在向買方交付指明住宅物業在空置情況下的管有權時，買方須負責向擁有人補還水、電力及氣體的按金；及在交付時，買方不須向擁有人支付清理廢料的費用。

備註：

在交付時，買方須根據公契向期數的管理人（而非擁有人）支付清理廢料的費用，而如擁有人已支付清理廢料的費用，買方須向擁有人補還清理廢料的費用。

27 DEFECT LIABILITY WARRANTY PERIOD

欠妥之處的保養責任期

The Vendor shall, at its own cost and as soon as reasonably practicable after receipt of a written notice served by the purchaser within 6 months after the date of completion of the sale and purchase of the residential property, remedy any defects in the residential property, or the fittings, finishes or appliances in the residential property as set out in the agreement for sale and purchase concerned, caused otherwise than by the act or neglect of the purchaser.

凡住宅物業或於買賣合約列出裝設於住宅物業內的裝置、裝修物料或設備有欠妥之處，而該欠妥之處並非由買方行為或疏忽造成，則賣方在接獲買方在買賣成交日期後的6個月內送達的書面通知後，須於合理地切實可行的範圍內，盡快自費作出補救。

28 MAINTENANCE OF SLOPES

斜坡維修

Not applicable.

不適用。

29 MODIFICATION

修訂

There is no on-going application to the Government for a modification of the land grant by the owner.

擁有人現時並沒有向政府提出申請修訂批地文件。

30 RELEVANT INFORMATION

有關資料

Gondola systems and building maintenance unit (BMU) systems

Gondola systems or building maintenance unit (BMU) systems or similar systems in the Phase may operate in the airspace above any balcony, utility platform, flat roof or roof forming part of a residential property.

吊船系統及外牆清潔裝置 (BMU) 系統

期數之吊船系統或外牆清潔裝置(BMU)系統或類似系統可能會在屬於住宅物業一部分之露台、工作平台、平台或天台上空操作。

31 ADDRESS OF THE WEBSITE DESIGNATED BY THE VENDOR FOR THE PHASE

賣方就期數指定的互聯網網站的網址

The address of the website designated by the Vendor for the Phase for the purposes of Part 2 of the Residential Properties (First-hand Sales) Ordinance: **www.miamiquay2.hk**

賣方為施行《一手住宅物業銷售條例》第2部而就期數指定的互聯網網站的網址：
www.miamiquay2.hk

32 INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING

申請建築物總樓面面積寬免的資料

Breakdown of GFA Concessions Obtained for All Features

獲寬免總樓面面積的設施分項

Latest information on breakdown of GFA concessions as shown on the general building plans submitted to and approved by the Building Authority (BA) prior to the printing of the sales brochure is tabulated below. Information marked (#) may be based on information provided by the authorized person if the sales brochure is printed prior to submission of the final amendment plans to the BA. The breakdown of GFA concessions may be subject to further changes until final amendment plans are submitted to and approved by the BA prior to the issuance of the occupation permit for the development.

於印製售樓說明書前呈交予並已獲建築事務監督批准的一般建築圖則上有關總樓面面積寬免的分項的最新資料，請見下表。如印製售樓說明書時尚未呈交最終修訂圖則予建築事務監督，則有(#)號的資料可以由認可人士提供的資料作為基礎。直至最終修訂圖則於發出佔用許可證前呈交予並獲建築事務監督批准前，以下分項資料仍可能有所修改。

| | | Area (m ²) 面積 (平方米) |
|---|--|------------------------------------|
| Disregarded GFA under Building (Planning) Regulations 23(3)(b) 根據《建築物(規劃)規例》第23(3)(b)條不計算的總樓面面積 | | |
| 1(#) | Carpark and loading/unloading area excluding public transport terminus 停車場及上落客貨地方 (公共交通總站除外) | Not applicable 不適用 |
| 2 | Plant rooms and similar services 機房及相類設施 | |
| 2.1 | Mandatory feature or essential plant room, area of which is limited by respective Practice Notes for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers (PNAP) or regulation such as lift machine room, telecommunications and broadcasting (TBE) room, TBE room for access facilities for mobile services, rooftop telecommunications equipment room, intermediate telecommunications equipment room, refuse storage chamber, etc. 所佔面積受相關《認可人士、註冊結構工程師及註冊岩土工程師作業備考》(《作業備考》)或規例限制的強制性設施或必要機房，例如升降機機房、電訊及廣播設備室(訊播室)、為流動通訊接達設施而設的訊播室、天台電訊設備室、中層電訊設備室、垃圾房等 | 309.496 |
| 2.2(#) | Mandatory feature or essential plant room, area of which is NOT limited by any PNAP or regulation such as room occupied solely by fire services installations (FSI) and equipment, meter room, transformer room, potable and flushing water tank, etc. 所佔面積不受任何《作業備考》或規例限制的強制性設施或必要機房，例如僅由消防裝置及設備佔用的房間、電錶房、電力變壓房、食水及鹹水缸等 | 1234.950 |
| 2.3 | Non-mandatory or non-essential plant room such as air-conditioning (A/C) plant room, air handling unit (AHU) room, etc.. 非強制性或非必要機房，例如空調機房、送風櫃房等 | Not applicable 不適用 |
| Green Features under Joint Practice Notes 1 and 2 根據聯合作業備考第1及第2號提供的環保設施 | | |
| 3 | Balcony 露台 | 574.000 |
| 4 | Wider common corridor and lift lobby 加闊的公用走廊及升降機大堂 | Not applicable 不適用 |
| 5 | Communal sky garden 公用空中花園 | Not applicable 不適用 |
| 6 | Acoustic fin 隔聲鰭 | Not applicable 不適用 |
| 7 | Wing wall, wind catcher and funnel 翼牆、捕風器及風斗 | Not applicable 不適用 |

32 INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING

申請建築物總樓面面積寬免的資料

| | | |
|--------------------------|--|-----------------------|
| 8 | Non-structural prefabricated external wall 非結構預製外牆 | 78.895 |
| 9 | Utility platform 工作平台 | 430.500 |
| 10 | Noise barrier 隔音屏障 | Not applicable 不適用 |
| Amenity Features 適意設施 | | |
| 11 | Caretaker's quarters, counter, office, store, guard room and lavatory for watchman and management staff and owners' corporation office 管理員宿舍、供保安人員和管理處員工使用的櫃位、辦事處、貯物室、警衛室和廁所，以及業主立案法團辦事處 | Not applicable 不適用 |
| 12 | Residential recreational facilities including void, plant room, swimming pool filtration plant room, covered walkway, etc. serving solely the recreational facilities 住戶康樂設施，包括僅供康樂設施使用的中空空間、機房、游泳池的濾水機房、有蓋人行道等 | Not applicable 不適用 |
| 13 | Covered landscaped and play area 有蓋園景區及遊樂場地 | Not applicable 不適用 |
| 14 | Horizontal screen/covered walkway and trellis 橫向屏障/有蓋人行道及花棚 | Not applicable 不適用 |
| 15 | Larger lift shaft 擴大升降機槽 | 348.014 |
| 16 | Chimney shaft 煙囪管道 | Not applicable 不適用 |
| 17 | Other non-mandatory or non-essential plant room, such as boiler room, satellite master antenna television (SMATV) room 其他非強制性或非必要機房，例如鍋爐房、衛星電視共用天線房 | Not applicable 不適用 |
| 18(#) | Pipe duct, air duct and vertical riser for mandatory feature or essential plant room 強制性設施或必要機房所需的管槽、氣槽及垂直立管 | 506.482 |
| 19 | Pipe duct, air duct for non-mandatory or non-essential plant room 非強制性設施或非必要機房所需的管槽及氣槽 | Not applicable 不適用 |
| 20 | Plant room, pipe duct, air duct for environmentally friendly system and feature 環保系統及設施所需的機房、管槽及氣槽 | Not applicable 不適用 |
| 21 | Void in duplex domestic flat and house 複式住宅單位及洋房的中空空間 | Not applicable 不適用 |
| 22 | Sunshade and reflector 遮陽篷及反光罩 | Not applicable 不適用 |
| 23(#) | Projecting planters and minor projection such as A/C box, A/C platform, window cill and projecting window 伸出式花槽及小型伸出物，例如空調機箱、空調機平台、窗檻及伸出的窗台 | 443.150 |
| 24 | Other projection such as A/C box and A/C platform not covered in paragraph 3(b) and (c) of PNAP APP-19, and maintenance walkway 《作業備考》APP-19 第 3(b)及(c)段沒有涵蓋的其他伸出物，如空調機箱及空調機平台，及維修通道 | Not applicable 不適用 |

32

INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING

申請建築物總樓面面積寬免的資料

| Other Exempted Items 其他項目 | | |
|--|---|-----------------------|
| 25(#) | Refuge floor including refuge floor cum sky garden 庇護層，包括庇護層兼空中花園 | Not applicable 不適用 |
| 26 | Covered area under large projecting/overhanging feature 大型伸出/外懸設施下的有蓋地方 | Not applicable 不適用 |
| 27 | Public transport terminus 公共交通總站 | Not applicable 不適用 |
| 28(#) | Party structure and common staircase 共用構築物及公用樓梯 | Not applicable 不適用 |
| 29(#) | Horizontal area of staircase, lift shaft and vertical duct solely serving floor accepted as not being accountable for GFA 僅供獲接納不計入總樓面面積的樓層使用的樓梯、升降機槽及垂直管道的水平面積 | 91.091 |
| 30(#) | Public passage 公眾通道 | Not applicable 不適用 |
| 31 | Covered set back area 有蓋的後移部分 | Not applicable 不適用 |
| Bonus GFA 額外總樓面面積 | | |
| 32 | Bonus GFA 額外總樓面面積 | Not applicable 不適用 |
| Additional Green Features under Joint Practice Note (No. 8) 額外總樓面面積 | | |
| 33 | Buildings adopting Modular Integrated Construction 採用「組裝合成」建築法的樓宇 | Not applicable 不適用 |

Note:
The above table is based on the requirements as stipulated in the Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers ADM-2 issued by the Buildings Department. The Buildings Department may revise such requirements from time to time as appropriate.

附註：
上述表格是根據屋宇署所發出的《認可人士、註冊結構工程師及註冊岩土工程師作業備考》 ADM-2 規定的要求而制訂的。屋宇署會按實際需要不時更改有關要求。

32

INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING

申請建築物總樓面面積寬免的資料

Environmental Assessment of the Building

建築物的環境評估

Green Building Certification

Assessment result under the **BEAM Plus** certification conferred / issued by Hong Kong Green Building Council Limited (HKGBC) for the building prior to the printing of the sales brochure or its addenda.

Provisional
GOLD



PROVISIONAL
GOLD
NB V1.2 2021
HKGBC
BEAM Plus

Application no.: PAG0115/22

綠色建築認證

在印刷此售樓說明書或其附頁前，本物業根據香港綠色建築議會有限公司頒授 / 發出的綠建環評認證評級。

暫定評級
金級



暫定
金級
NB V1.2 2021
HKGBC
綠建環評

申請編號: PAG0115/22

Estimated Energy Performance or Consumption for the Common Parts of the Phase

期數的公用部分的預計能量表現或消耗

Latest information on the estimated energy performance or consumption for the common parts of the development as submitted to the Building Authority prior to the printing of the sales brochures:
於印製售樓說明書前呈交予建築事務監督期數的公用部份的預計能量表現或消耗的最近期資料：

| | |
|--|--|
| Part I 第I部分 | |
| Provision of central air conditioning 提供中央空調 | Yes 是 |
| Provision of energy efficient features 提供具能源效益的設施 | Yes 是 |
| Energy efficient features proposed 擬安裝的具能源效益的設施 | 1. High Efficient Air Conditioning Units 高效能空調機 2. High Efficient Lighting System 高效能照明系統 |

Part II : The predicted annual energy use of the proposed building/part of building ^(Note I)

第II部分：擬興建樓宇/部分樓宇預計每年能源消耗量 ^(註腳I)

| Location 位置 | Internal floor area served (m ²) 使用有關裝置的內部樓面面積（平方米） | Annual energy use of baseline building ^(Note II) 基線樓宇 ^(註腳II) 每年能源消耗量 | | Annual energy use of proposed building 擬興建樓宇每年能源消耗量 | |
|---|--|---|--|--|--|
| | | <u>Electricity</u> kWh/m ² /annum <u>電力</u> 千瓦小時/平方米/年 | <u>Town Gas/LPG</u> unit/m ² /annum <u>煤氣/石油氣</u> 用量單位/平方米/年 | <u>Electricity</u> kWh/m ² /annum <u>電力</u> 千瓦小時/平方米/年 | <u>Town Gas/LPG</u> unit/m ² /annum <u>煤氣/石油氣</u> 用量單位/平方米/年 |
| Area served by central building services installation ^(Note III) 有使用中央屋宇裝備裝置 ^(註腳III) 的部份 | 3,157 | 387,188 | Not applicable 不適用 | 351,924 | Not applicable 不適用 |

32

INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING

申請建築物總樓面面積寬免的資料

| | | | |
|---|----------|---------|-----------------------|
| Part III : The following installation(s) is/are designed in accordance with the relevant Codes of Practices published by the Electrical & Mechanical Services Department (EMSD) | | | |
| 第III部分：以下裝置乃按機電工程署公布的相關實務守則設計 | | | |
| Type of installations 裝置類型 | YES 是 | NO 否 | NOT APPLICABLE 不適用 |
| Lighting installations 照明裝置 | ✓ | | |
| Air conditioning installations 空調裝置 | ✓ | | |
| Electrical installations 電力裝置 | ✓ | | |
| Lift & Escalator installations 升降機及自動梯的裝置 | ✓ | | |
| Performance-based approach 以總能源為本的方法 | | | ✓ |

- Notes:

I. In general, the lower the estimated “Annual Energy Use” of the building, the more efficient of the building in terms of energy use. For example, if the estimated “annual energy use of proposed building” is less than the estimated “annual energy use of baseline building”, it means the predicted use of energy is more efficient in the proposed building than in the baseline building. The larger the reduction, the greater the efficiency.

The predicted annual energy use, in terms of electricity consumption (kWh/m²/annum) and town gas/LPG consumption (unit/m²/annum), of the development by the internal floor area served, where:

(a) “total annual energy use” has the same meaning of “annual energy use” in the BEAM Plus for New Buildings (current version); and

(b) “internal floor area”, in relation a building, a space or a unit means the floor area of all enclosed space measured to the internal faces of enclosing external and/or party walls.
- 註腳：

I. 一般而言，一棟樓宇的預計“每年能源消耗量”愈低，其節約能源的效益愈高。如一棟樓宇預計的“每年能源消耗量”低於該樓宇的“基線樓宇每年能源消耗量”，則代表預計該樓宇的能源應用較其基線樓宇有效，削減幅度愈大則代表有關樓宇能源節約的效益愈高。

預計每年能源消耗量〔以耗電量（千瓦小時/平方米/年）及煤氣/石油氣消耗量（用量單位/平方米/年）計算〕，指將發展項目的每年能源消耗總量除以使用有關裝置的內部樓面面積所得出的商，其中：-

(a) “每年能源消耗量”與新建樓宇BEAM Plus 標準（現行版本）中的「年能源消耗」具有相同涵義；及

(b) 樓宇、空間或單位的“內部樓面面積”，指外牆及/或共用牆的內壁之內表面起量度出來的樓面面積。
- II. “Baseline Building” has the same meaning as “Baseline Building Model (zero-credit benchmark)” in the BEAM Plus for New Building (current version).

II. “基準樓宇”與新建樓宇BEAM Plus 標準（現行版本）中的“基準建築物模式（零分標準）”具有相同涵義。
- III. “Central Building Services Installation” has the same meaning as that in the Code of Practice for Energy Efficiency of Building Services Installation issued by the Electrical and Mechanical Services Department.

III. “中央屋宇裝備裝置”與機電工程署發出的《屋宇裝備裝置能源效益實務守則》中的涵義相同。

There may be future changes to the Phase and the surrounding areas.
期數及其周邊地區日後可能出現改變。

Date of Printing: 12 February, 2025
印製日期：2025年2月12日

Miami Quay II Sales Brochure
Miami Quay II 售樓說明書

Examination Record 檢視記錄

| Examination / Revision Date 檢視 / 修改日期 | Page Number 頁次 | Revision Made 所作修改 |
|--|-------------------|--|
| 8 May 2025 2025年5月8日 | 15 | Location Plan of the Development is revised 修改發展項目的所在位置圖 |
| | 19 | Outline Zoning Plan Relating to the Development is revised 修改關乎發展項目的分區計劃大綱圖 |
| 5 June 2025 2025年6月5日 | 15 | Location Plan of the Development is revised 修改發展項目的所在位置圖 |
| | 46 | Floor Plans of Residential Properties in the Phase is revised 修改期數的住宅物業的樓面平面圖 |
| | 68 | Area of Residential Properties in the Phase is revised 修改期數中的住宅物業的面積 |
| 1 September 2025 2025年9月1日 | 15 | Location Plan of the Development is revised 修改發展項目的所在位置圖 |
| | 16 | Aerial Photograph of the Phase is revised 修改期數的鳥瞰照片 |
| | 17 | This page is deleted and replaced with a blank page 刪除此頁並換上空頁 |

